

NATIONAL ONCOLOGICAL HOSPITAL  
НАЦИОНАЛНА БОЛНИЦА ПО ОНКОЛОГИЯ

BULGARIAN NATIONAL CANCER REGISTRY  
БЪЛГАРСКИ НАЦИОНАЛЕН РАКОВ РЕГИСТЪР

# CANCER INCIDENCE IN BULGARIA 2006 ЗАБОЛЯЕМОСТ ОТ РАК В БЪЛГАРИЯ, 2006

Volume XVII  
2008

**Редактори**  
Здравка Валерианова  
Мирчо Вуков  
Надя Димитрова

**Editors**  
Zdravka Valerianova  
Mircho Vukov  
Nadya Dimitrova

**БЪЛГАРСКИ НАЦИОНАЛЕН  
РАКОВ РЕГИСТЪР**

**ПЕРСОНАЛ**

доц. д-р Здравка Г. Валерианова, дм  
ръководител регистър  
д-р Надя Е. Димитрова  
Мария С. Данова  
Минка М. Ненова  
Тинка П. Кунева  
Йовка К. Петкова  
Минка Р. Йорданова  
Лилияна Н. Узунова  
Теодора Й. Гроздева  
Димитър Хр. Христов  
Трайн Й. Атанасов

**BULGARIAN NATIONAL  
CANCER REGISTRY**

**STAFF**

Zdravka G. Valerianova, MD, PhD  
Head of BNCR  
Nadya E. Dimitrova, MD  
Maria S. Danova  
Minka M. Nenova  
Tinka P. Kuneva  
Iovka K. Petkova  
Minka R. Yordanova  
Lilyana N. Uzunova  
Teodora Y. Grozeva  
Dimitar H. Hristov  
Trayan Y. Atanasov

**ЗА ИНФОРМАЦИЯ**

Здравка Г. Валерианова

**FOR INFORMATION**

Zdravka G. Valerianova

**БЪЛГАРСКИ НАЦИОНАЛЕН  
РАКОВ РЕГИСТЪР**

“Пловдивско поле” 6  
1756 СОФИЯ, БЪЛГАРИЯ  
тел/факс: 02/ 8706258, тел: 8076 335  
факс: 02/ 8720651  
e-mail: BNCR\_Zdravka@netbg.com  
web site: <http://www.onco-bg.com>

**BULGARIAN NATIONAL  
CANCER REGISTRY**

6, Plovdivsko pole Str.  
1756 SOFIA, BULGARIA  
tel/fax: +359 2/ 8706258, 8076 335  
fax: +359 2/ 8720651  
e-mail: BNCR\_Zdravka@netbg.com  
web site: <http://www.onco-bg.com>

# CANCER INCIDENCE IN BULGARIA 2006

Volume XVII 2008

## СЪДЪРЖАНИЕ

България – Въведение .....	4-7
<b>Фигури:</b>	
1. Специализирана онкологична мрежа в България .....	10
2. Структура на заболяемостта от злокачествени новообразувания по пол в България за 2006 г. ....	11
3. Фактическа и стандартизирана заболяемост (световен стандарт) от всички злокачествени новообразувания на 100 000 по пол в България за периода 1981 – 2006 г. ....	12
4. Заболяемост от всички злокачествени новообразувания на 100 000 по възрастови групи и пол в България за 1981 и 2006 г. ....	13
5. Стандартизирана заболяемост (световен стандарт) от най-честите злокачествени новообразувания на 100 000 по пол в България за периода 1981 – 2006 г. ....	14
6. Стандартизирана заболяемост (световен стандарт) от злокачествени новообразувания на 100 000 по области в България за 2006 г. – мъже. ....	15
7. Стандартизирана заболяемост (световен стандарт) от злокачествени новообразувания на 100 000 по области в България за 2006 г. – жени. ....	15
<b>Таблици:</b>	
1. Средногодишно население на България по възрастови групи, пол и области за 2006 г. ....	8
2. Заболяемост от злокачествени новообразувания в България за 2006 г. Разпределение на новите случаи по локализации и пол .....	9
3. Брой новозаболели от злокачествени новообразувания по локализации и възрастови групи в България за 2006 г. – мъже .....	16-25
4. Брой новозаболели от злокачествени новообразувания по локализации и възрастови групи в България за 2006 г. – жени .....	26-35
5. Заболяемост от злокачествени новообразувания на 100 000 по локализации и възрастови групи в България за 2006 г. – мъже .....	36-45
6. Заболяемост от злокачествени новообразувания на 100 000 по локализации и възрастови групи в България за 2006 г. – жени .....	46-55
7. Стандартизирана заболяемост (световен стандарт) от злокачествени новообразувания на 100 000 по локализации при мъжете в България за периода 1981 – 2006 г. ....	56-57
8. Стандартизирана заболяемост (световен стандарт) от злокачествени новообразувания на 100 000 по локализации при жените в България за периода 1981 – 2006 г. ....	58-59
9. Разпределение на морфологично доказаните злокачествени новообразувания по локализации, пол и възрастови групи в България за 2006 г. ....	60-62
10. Разпределение на новите случаи със злокачествени новообразувания на млечната жлеза по хистологичен вид и пол в България 2006 г. ....	63
11. Разпределение на новите случаи със злокачествени новообразувания на белия дроб (вкл. трахея и бронхи) по хистологичен вид и пол в България 2006 г. ....	64
12. Разпределение на новите случаи със злокачествени новообразувания на дебелото черво по хистологичен вид и пол в България 2006 г. ....	65
13. Разпределение на новите случаи със злокачествени новообразувания на правото черво и ануса по хистологичен вид и пол в България 2006 г....	66
14. Разпределение на новите случаи със злокачествени новообразувания на маточната шийка по хистологичен вид в България 2006 г. ....	67
15. Разпределение на новите случаи със злокачествени новообразувания на простата по хистологичен вид в България 2006 г. ....	67
16. Стандартизирана заболяемост (световен стандарт) от злокачествени новообразувания на 100 000 по локализации и области в България за 2006 г. – мъже .....	68-71
17. Стандартизирана заболяемост (световен стандарт) от злокачествени новообразувания на 100 000 по локализации и области в България за 2006 г. – жени.....	72-75
18. Разпределение на новозаболелите от злокачествени новообразувания при най-често срещаните локализации по начин на доказване в България за 2006 г. ....	76
19. Разпределение на новозаболелите от злокачествени новообразувания при най-често срещаните локализации по стадии в България за 2006 г. ....	76
20. Разпределение на новозаболелите от злокачествени новообразувания при най-често срещаните локализации по стадии и области в България за 2006 г. ....	77
21. Болестност от злокачествени новообразувания в България за 2006 г. Разпределение по локализации и пол .....	78
22. Умиращия от злокачествени новообразувания в България за 2006 г. Разпределение на смъртните случаи по локализации и пол .....	79
<b>Приложение:</b>	
Бързо известие за задължително съобщаване на злокачествено новообразувание .....	80

## CONTENTS

Bulgaria – background information .....	4-7
---	-----

### Figures:

1. Specialized cancer network in Bulgaria .....	10
2. Percentage distribution of cancer incidence by sex in Bulgaria 2006 .....	11
3. Age-standardized (world standard) and crude incidence rates per 100 000 of all cancers by sex in Bulgaria 1981 – 2006 .....	12
4. Age-specific incidence rates per 100 000 for all cancers by sex in Bulgaria, 1981 and 2006 .....	13
5. Age-standardized incidence rates (world standard) of the most common cancers by sex in Bulgaria 1981 – 2006 .....	14
6. Age-adjusted (world standard) incidence rates per 100 000 for all cancers by districts in Bulgaria 2006 – males .....	15
7. Age-adjusted (world standard) incidence rates per 100 000 for all cancers by districts in Bulgaria 2006 – females .....	15

### Tables:

1. The mean population of Bulgaria by age, sex and districts 2006 .....	8
2. Cancer incidence in Bulgaria 2006. Distribution of the new cases by primary sites and sex .....	9
3. Number of new cancer cases by primary sites and age at diagnosis in Bulgaria 2006 – males .....	16-25
4. Number of new cancer cases by primary sites and age at diagnosis in Bulgaria 2006 – females .....	26-35
5. Cancer incidence rates per 100 000 by primary sites and age at diagnosis in Bulgaria 2006 – males .....	36-45
6. Cancer incidence rates per 100 000 by primary sites and age at diagnosis in Bulgaria 2006 – females .....	46-55
7. Age-adjusted (world standard) incidence rates per 100 000 by primary cancer sites and year of diagnosis in Bulgaria 1981-2006 – males .....	56-57
8. Age-adjusted (world standard) incidence rates per 100 000 by primary cancer sites and year of diagnosis in Bulgaria 1981-2006 – females .....	58-59
9. Percentage distribution of morphologically verified cancer cases by primary sites, sex and age at diagnosis in Bulgaria 2006 .....	60-62
10. Number and percentage of new breast cancer cases by histologic type and sex in Bulgaria 2006 .....	63
11. Number and percentage of new lung (incl. trachea and bronchus) cancer cases by histologic type and sex in Bulgaria 2006 .....	64
12. Number and percentage of new colon cancer cases by histologic type and sex in Bulgaria 2006 .....	65
13. Number and percentage of new rectum and anus cancer cases by histologic type and sex in Bulgaria 2006 .....	66
14. Number and percentage of new cervix uteri cancer cases by histologic type in Bulgaria 2006 .....	67
15. Number and percentage of new prostate cancer cases by histologic type in Bulgaria 2006 .....	67
16. Age-adjusted (world standard) incidence rates of cancer per 100 000 by primary sites and districts in Bulgaria 2006 – males .....	68-71
17. Age-adjusted (world standard) incidence rates of cancer per 100 000 by primary sites and districts in Bulgaria 2006 – females .....	72-75
18. Distribution of the newly diagnosed cancer cases by selected primary sites and basis of diagnosis in Bulgaria 2006 .....	76
19. Distribution of the newly diagnosed cancer cases by selected primary sites and stages in Bulgaria 2006 .....	76
20. Distribution of the newly diagnosed cancer cases by selected primary sites, stages and districts in Bulgaria 2006 .....	77
21. Cancer prevalence in Bulgaria 2006, Distribution of the cases by primary sites and sex .....	78
22. Cancer mortality in Bulgaria 2006. Distribution of deaths by primary sites and sex .....	79
<b>Appendix:</b>	
Rapid notification .....	80

## РЕПУБЛИКА БЪЛГАРИЯ

Република България е разположена в Югоизточна Европа, на Балканския полуостров и лежи между 44°13' и 41°14' N (северна географска ширина) и 28°36' и 20°21' E (източна географска дължина). Територията ѝ е 110 911,5 кв. км. Намира се на границата между умерената и средиземноморската климатична област. В северната ѝ част климатът е умерено-континентален, докато на юг се чувства осезателно средиземноморско климатично влияние. България има население 7 699 020 души (2006 г.). Административно страната е разделена на 28 области. Около 70% от населението живее в градовете. Източноправославната религия се изповядва от 85% от населението, мюсюлманите са 13% и католиците – 1%.

От 1952 г. в България съществува специализирана онкологична мрежа, състояща се от 13 диспансера за онкологични заболявания и Национална специализирана болница за активно лечение по онкология – ЕАД, София. Регионалните ракови регистри са част от структурата на всеки диспансер, а Националният раков регистър – от Националната онкологична болница.

В страната е въведена **задължителна регистрация** на злокачествените новообразувания, регламентирана с Инструкция на МЗ № 858/ 05.03.1964 г., Заповед на МЗ № РД-09-451/ 29.06.1990 г. и Наредба на МЗ №34 от 2005 г.

**Всеки медицински работник, установил пръв контакт, се задължава да изпрати „Бързо известие“ за всеки заболял, съмнителен или починал от злокачествено заболяване, а от 1975 г. и за са *in situ*, до Онкологичния диспансер по постоянно местожителство на пациента.**

Служителите от регионалните ракови регистри посещават периодично лечебните заведения в региона, който обслужват и активно издирват всички случаи съзлокачествени новообразувания и са *in situ*, които са неизвестни на съответния регистър. Друг източник на информация за онкологично болните са и свидетелствата за смърт.

В Националния раков регистър се получава информация за злокачествените новообразувания от регионалните регистри в страната. Информацията се проверява за обхват и пълнота на данните, дубликати, съвпадение на клинична и морфологична диагноза и др.

През 1992 г. е въведен подобрен вариант на бързото известие (Номенклатура №2 за медицински формуляри, пореден №120A на МЗ), включващ допълнителна информация. От 1993 г. болните се проследяват по видове лечение, като се прави съпоставка между топографска и морфологична диагноза. От м. януари 2005 г. в България е въведена Международната класификация на болестите (МКБ), 10-та ревизия от 1992 г. Това наложи всички случаи съзлокачествени новообразувания от 1993 г. насам (годината, от която има идентификация на случаите по лица) да се прекодират, съгласно изискванията на новата класификация. Локализацията се кодира по четиризначната рубрика за всички злокачествени заболявания (C00 – C97), са *in situ* (D00 – D09), както и за следните новообразувания с неопределен или неизвестен характер, които според Международната класификация на болестите за онкология, 3-то издание от 2000 г., се считат за злокачествени: D 39.0; D 42; D 43; D 45; D 46; D 47.1; D 47.3.

За нуждите на регистрацията на злокачествените новообразувания е разработен програмен продукт „Онкология – 2005“, въведен от началото на 2005 г. във всички онкологични диспансери в страната. Той е съобразен с изискванията за кодиране на отделните променливи, залегнали в „Standards and Guidelines for Cancer Registration in Europe“, IARC Technical Publication No.40, 2003. Програмният продукт позволява да се събира допълнителна информация за локализация на метастазите; Clark и Breslow за кожния малигнен меланом; естроген и прогестерон рецепторите за рак на млечната жлеза; вида на лечебното заведение, където е проведено лечението през първата година от диагностициране на заболяването и т.н.

Въвеждането на новата класификация наложи представянето на някои от данните да е съобразено със старата 9-та и новата 10-та ревизия на МКБ. Таблици за начин на доказване и стадийно разпределение

запазват кодирането на злокачествените заболявания по 9-та ревизия поради факта, че въвеждането на новата МКБ е от 2005 г. За да не се наруши тенденцията на стандартизираната заболеваемост по пол от 1981 г. насам, данните за болестността са представени и по старата, и по новата класификация. Информацията за новите случаи и починалите от злокачествени заболявания по локализация и пол, както и по морфологичен вид, възрастови групи и области в страната, е представена по 10-та ревизия. В три последователни таблици се съдържа информация за някои организационни аспекти на раковия контрол. Първата от тях включва разпределение на новодиагностицираните случаи според начина на доказване на диагнозата. Втората съдържа данни за стадиите при някои локализации в страната. Последната разглежда три основни заболявания по области (рак на женската гърда, маточната шийка и простатата), за които няма въведен организиран популационен скрининг в страната.

В настоящото издание се представят данни за разпределението на новите случаи по морфологичен вид при локализациите рак на белия дроб, млечната жлеза, колона и ректума при мъжете и жените, а също така и при рак на простатата и рак на маточната шийка.

За първична локализация (първичен тумор) се приема топографската локализация, от която той произхожда. Ако има 2 и повече тумора с различна хистология и/или локализация, те се приемат за 2 отделни случая. При определяне на първичната множественост при злокачествените новообразувания се спазват правилата на Международната асоциация на раковите регистри (IACR).

На 4.12.1992 г. в България е проведено преброяване на населението. Установи се, че главно поради емиграция броят на населението за предходните три години е с около 500 000 души по-малко. Това наложи преизчисляване на заболеваемостта за 1989, 1990 и 1991 г. При използване на брой 1 и 2 на изданието „Заболеваемост от рак в България“ трябва да се има предвид, че показателите са изчислени с некоригираното население.

Във връзка с подобряване на системата за регистрация на злокачествените новообразувания, съгласно изискванията на IACR, се прави проверка в службите „ГРАО“ за всички почиали от тези заболявания от 1998 г. насам.

Данните за населението и смъртните случаи, публикувани в настоящото издание, са обработени и предоставени от Националния статистически институт.

Цялата документация се съхранява съгласно Закона за държавния архивен фонд от 1974 г. и Закона за здравето от 2004 г.

Данните за заболеваемостта от злокачествени новообразувания, както и включените допълнителни такива, се използват за епидемиологични проучвания, за вземане на управленчески решения и др. Информацията е достъпна за всички заинтересовани лица и институции. Предоставянето на медико-статистическа информация за онкологично болните се осъществява при спазване на необходимите изисквания за конфиденциалност на данните, съгласно нормативната уредба на страната – Наредба на МЗ №10/ 05.07.2000 г. за предоставяне на медико-статистическа информация и информация за извършваната медицинска дейност от лечебните заведения, Закон за достъп до обществена информация от 2000 г., Закон за защита на личните данни от 2002 г. и Закон за защита на класифицираната информация от 2002 г.

## REPUBLIC OF BULGARIA

Republic of Bulgaria is situated in South-Eastern Europe, on the Balkan Peninsula, between 44°13' and 41°14' N (northern latitude) and 28°36' and 20°21' E (eastern longitude). Its total area is 110 911.5 sq. km. Bulgaria is at the border of line between the temperate and Mediterranean climatic areas. In its Northern part, the climate is temperate continental, whereas the southern part is influenced by the Mediterranean Sea. The population of Bulgaria is 7 699 020 (2006). The country is divided into 28 administrative districts and about 70% of the population lives in urban areas. The predominant religion in the country is Eastern Orthodox (85% of the population), followed by Muslims (13%), and Catholics (1%).

A specialized cancer network was founded in Bulgaria in 1952. It consists of 13 Regional Oncological Centers (dispensaries) and a National Oncological Hospital in Sofia. The Regional Oncological Registries are part of the structure of each Regional Oncological Center, and the Bulgarian National Cancer Registry (BNCR) – of the National Oncological Hospital.

In the country exists a ***compulsory registration of malignant neoplasm***, regulated by a Ministry of Health Instruction № 858/ 05.03.1964, a Ministry of Health Order № RD-09-451/ 29.06.1990 and a Ministry of Health Regulation № 34/ 2005.

***Every physician/medical worker is required to send a “rapid notification” to the Regional Oncological Center for each newly diagnosed cancer case, for a person suspected of having cancer or for those dying from a malignant neoplasm, and since 1975 for carcinoma in situ, as well, by the patient’s permanent residence.***

The BNCR uses active and passive methods of data collection. The personnel of the Regional Oncological Registries periodically visits the regional health facilities, which provide service, as well as actively seek all cases of malignant neoplasm and *carcinoma in situ*, unknown to the certain registry. Another source of information on cancer patients are death certificates.

The BNCR receives information from all Regional Oncological Registries around the country. The data are verified for range and completeness, duplication, and consistency between clinical and morphological diagnosis.

The most recent update of the rapid notification was introduced in 1992 (Nomenclature № 2 concerning medical forms, serial № 120A of the Ministry of Health). For 1993 the cancer patients have been following up by type of treatment and date of death, as well. In January 2005 the X<sup>th</sup> revision of the International Classification of Diseases (ICD) since 1992 was introduced in Bulgaria. All cases of malignant neoplasm dated after 1993 (the initial year of cases identification by person) had to be recoded, according to the new classification requirements. The localization is coded according to the four-digit rubrics for all malignant neoplasm (C00 - C97), *carcinoma in situ* (D00 - D09) and for D39.0, D42, D43, D45, D46, D47.1, D47.3 which are changed from Borderline to Malignant according to ICD-O, Third edition, 2000.

A software product “Oncology - 2005”, has been developed to serve the needs of registration of cancer cases and was implemented throughout the country in all Regional Oncological Centers at the beginning of 2005. The software meets all requirements of “Standards and Guidelines for Cancer Registration in Europe”, IARC Technical Publication № 40, 2003, for coding of certain variables. It also allows additional information for cancer cases to be collected, for example: information for metastases localization; Clark and Breslow for the malignant melanoma of skin; estrogen and progesterone receptors of breast cancer; new information about the type of medical facility, where the initial treatment happened during the first year after cancer diagnoses.

The introduction of the new classification required presenting of some data according to the old IX<sup>th</sup> and the new X<sup>th</sup> revision of ICD. The tables about basis of diagnosis and distribution by stage keep the same coding for malignant neoplasm from the old IX<sup>th</sup> revision, due to the fact that the new ICD happened in 2005. Data is represented according to both, the old and the new classification, in order not to disrupt the tendency of

standardized incidence rate by sex, established in 1981. New information for cancer cases sorted by site, sex, morphology and their distribution by age groups and country districts is represented in compliance with the X<sup>th</sup> revision. Data about some organizational aspects of cancer control is presented in three consecutive tables. The first table includes the distribution of the newly diagnosed cancer cases by basis of diagnosis. The second includes data by stage according to the cancer site, throughout the country. The last one contains information about the three major cancer sites (breast cancer, cervix uteri cancer and prostate cancer) sorted by country district for which there are no introduced organized population-based screening in the country.

In this issue is presented data about the distribution of the new cancer cases of lung, breast, colon, rectum, cervix uteri and prostate by morphological type.

Primary site is the topographic site, where the tumour originated. If there are two or more tumors of different histological types and/or localization, they are considered as two cases. When determining the multiple primary cancers the rules of the International Association of Cancer Registries (IACR) are followed.

On December the 4th, 1992 a census of the population in Bulgaria was carried out. It was observed that the population has diminished with 500 000 people for the preceding three years mainly due to emigration. Because of that, a recalculation of the incidence rates for 1989, 1990 and 1991 was necessary. When using volumes one and two of "Cancer Incidence in Bulgaria", one must take into account that the rates have been calculated before the correction of the population.

A check of the Unified System for Civil Registration and Administrative Services to the Population – ESGRAON was made for all cancer cases died since 1998 in order to improve the malignant neoplasm registration system in accordance with IARC requirements.

Population and mortality data, published in the current issue, is provided by The National Statistical Institute.

All records are kept stored according to The Archives Law from 1974 and The Health Law from 2004.

The data on malignant neoplasms incidence, as well as the included additional data, is used for epidemiological studies, for public health administering, etc. This information is available to all individuals and institutions interested according to the legislation of the country for data confidentiality.

**THE MEAN POPULATION OF BULGARIA BY AGE AND SEX 2006**

<b>AGE</b>	<b>TOTAL</b>	<b>MALES</b>	<b>FEMALES</b>
00-04	340522	175281	165241
05-09	321280	165080	156200
10-14	377688	193648	184040
15-19	501413	256891	244522
20-24	534704	274270	260434
25-29	570721	292392	278329
30-34	570802	290577	280225
35-39	541860	274416	267444
40-44	515918	258445	257473
45-49	537859	266208	271651
50-54	546034	264890	281144
55-59	558437	264260	294177
60-64	455175	208310	246865
65-69	391506	172322	219184
70-74	384395	162658	221737
75-79	290263	116870	173393
80-84	183015	68346	114669
85+	77428	27266	50162
<b>ALL AGES</b>	<b>7699020</b>	<b>3732130</b>	<b>3966890</b>


**THE MEAN POPULATION OF BULGARIA BY SEX AND DISTRICTS 2006**

<b>DISTRICT</b>	<b>TOTAL</b>	<b>MALES</b>	<b>FEMALES</b>
BLAGOEVGRAD	331805	162699	169106
BOURGAS	418280	203730	214550
YAMBOL	145309	71069	74240
VARNA	457419	222973	234446
DOBRICH	205140	100426	104714
VELIKO TURNOVO	282241	135668	146573
GABROVO	135135	65152	69983
VRATSA	207460	101077	106383
VIDIN	116289	56101	60188
MONTANA	165416	80140	85276
PLEVEN	303330	148179	155151
LOVECH	158310	77543	80767
PLOVDIV	706991	340527	366464
PAZARDJIK	297031	145754	151277
SMOLYAN	130371	63208	67163
ROUSSE	256075	124178	131897
RAZGRAD	138474	67472	71002
SILISTRA	133396	65907	67489
SOFIA CITY	1234757	586193	648564
SOFIA DISTRICT	259179	126879	132300
KYUSTENDIL	151753	73768	77985
PERNIK	140329	67933	72396
STARA ZAGORA	359273	174805	184468
SLIVEN	209431	102069	107362
HASKOVO	265192	128864	136328
KURDJALI	158002	77925	80077
SHOUMEN	197869	96039	101830
TURGOVISHTE	134763	65852	68911


**CANCER INCIDENCE IN BULGARIA 2006**  
**DISTRIBUTION OF THE NEW CASES BY PRIMARY SITES AND SEX**

CODE ICD-10	SITE	NUMBER	MALES CRUDE DATA 100 000	%	NUMBER	FEMALES CRUDE DATA 100 000	%	NUMBER	TOTAL CRUDE DATA 100 000	%
<b>C00-97</b>	<b>ALL SITES</b>	<b>16754</b>	<b>448.9</b>	<b>100.0</b>	<b>15709</b>	<b>396.0</b>	<b>100.0</b>	<b>32463</b>	<b>421.6</b>	<b>100.0</b>
C00	LIP	141	3.8	0.9	62	1.6	0.4	203	2.6	0.6
C01-02	TONGUE	133	3.6	0.8	34	0.9	0.2	167	2.2	0.5
C03-06	MOUTH	108	2.9	0.6	32	0.8	0.2	140	1.8	0.4
C07-08	SALIVARY GLANDS	66	1.8	0.4	40	1.0	0.2	106	1.4	0.3
C09	TONSIL	74	2.0	0.4	9	0.2	0.1	83	1.1	0.3
C10	OTHER OROPHARYNX	45	1.2	0.3	8	0.2	0.1	53	0.7	0.2
C11	NASOPHARYNX	46	1.2	0.3	22	0.6	0.1	68	0.9	0.2
C12-13	HYPOPHARYNX	65	1.7	0.4	4	0.1	0.0	69	0.9	0.2
C14	PHARYNX UNSPECIFIED	7	0.2	0.0	6	0.2	0.0	13	0.2	0.0
C15	OESOPHAGUS	169	4.5	1.0	43	1.1	0.3	212	2.8	0.7
C16	STOMACH	1061	28.4	6.3	707	17.8	4.5	1768	23.0	5.5
C17	SMALL INTESTINE	27	0.7	0.2	20	0.5	0.1	47	0.6	0.1
C18	COLON	1315	35.2	7.9	1172	29.5	7.5	2487	32.3	7.7
C19-21	RECTUM AND ANUS	1118	30.0	6.7	813	20.5	5.2	1931	25.1	6.0
C22	LIVER	432	11.6	2.6	228	5.8	1.4	660	8.6	2.0
C23-24	GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	108	2.9	0.6	165	4.2	1.1	273	3.5	0.8
C25	PANCREAS	627	16.8	3.7	445	11.2	2.8	1072	13.9	3.3
C30-31	NOSE, SINUSES	36	1.0	0.2	16	0.4	0.1	52	0.7	0.2
C32	LARYNX	571	15.3	3.4	36	0.9	0.2	607	7.9	1.9
C33-34	TRACHEA, BRONCHUS, LUNG	3077	82.4	18.4	606	15.3	3.9	3683	47.8	11.4
C37-38	OTHER THORACIC ORGANS	26	0.7	0.2	15	0.4	0.1	41	0.5	0.1
C40-41	BONE	38	1.0	0.2	41	1.0	0.3	79	1.0	0.2
C43	MELANOMA OF SKIN	189	5.1	1.1	155	3.9	1.0	344	4.5	1.1
C44	OTHER SKIN	1724	46.2	10.3	1531	38.6	9.7	3255	42.3	10.0
C45	MESOTHELIOMA	22	0.6	0.1	13	0.3	0.1	35	0.4	0.1
C46	KAPOSI'S SARCOMA	6	0.2	0.0	4	0.1	0.0	10	0.1	0.0
C47,C49	CONNECTIVE AND SOFT TISSUE	94	2.5	0.6	97	2.4	0.6	191	2.5	0.6
C50	BREAST	53	1.4	0.3	3584	90.4	22.8	3637	47.2	11.2
C51	VULVA	-	-	-	120	3.0	0.8	120	1.6	0.4
C52	VAGINA	-	-	-	30	0.8	0.2	30	0.4	0.1
C53	CERVIX UTERI	-	-	-	1208	30.4	7.7	1208	15.7	3.7
C54	CORPUS UTERI	-	-	-	1231	31.0	7.8	1231	16.0	3.8
C55	UTERUS UNSPECIFIED	-	-	-	44	1.1	0.3	44	0.6	0.1
C56	OVARY	-	-	-	837	21.1	5.3	837	10.9	2.6
C57	OTHER FEMALE GENITAL ORGANS	-	-	-	25	0.6	0.2	25	0.3	0.1
C58	PLACENTA	-	-	-	3	0.1	0.0	3	0.0	0.0
C60	PENIS	51	1.4	0.3	-	-	-	51	0.7	0.2
C61	PROSTATE	1459	39.1	8.7	-	-	-	1459	19.0	4.5
C62	TESTIS	194	5.2	1.2	-	-	-	194	2.5	0.6
C63	OTHER MALE GENITAL ORGANS	6	0.2	0.0	-	-	-	6	0.1	0.0
C64	KIDNEY	405	10.8	2.4	221	5.6	1.4	626	8.1	1.9
C65	RENAL PELVIS	40	1.1	0.2	9	0.2	0.1	49	0.6	0.2
C66	URETER	8	0.2	0.1	8	0.2	0.1	16	0.2	0.0
C67	BLADDER	1131	30.3	6.8	317	8.0	2.0	1448	18.8	4.5
C68	OTHER URINARY ORGANS	4	0.1	0.0	3	0.1	0.0	7	0.1	0.0
C69	EYE	17	0.5	0.1	24	0.6	0.2	41	0.5	0.1
C70-72	BRAIN, NERVOUS SYSTEM	380	10.2	2.3	326	8.2	2.1	706	9.2	2.2
C73	THYROID GLAND	46	1.2	0.3	217	5.5	1.4	263	3.4	0.8
C74	ADRENAL GLAND	18	0.5	0.1	15	0.4	0.1	33	0.4	0.1
C75	OTHER ENDOCRINE GLANDS	3	0.1	0.0	3	0.1	0.0	6	0.1	0.0
C81	HODGKIN'S DISEASE	89	2.4	0.5	52	1.3	0.3	141	1.8	0.4
C82-85, C96	NON-HODGKIN'S LYMPHOMA	266	7.1	1.6	210	5.3	1.3	476	6.2	1.5
C88	IMMUNOPROLIFERATIVE DISEASES	5	0.1	0.0	1	0.0	0.0	6	0.1	0.0
C90	MULTIPLE MYELOMA	86	2.3	0.5	88	2.2	0.6	174	2.3	0.5
C91	LYMPHOID LEUKAEMIA	179	4.8	1.1	117	3.0	0.7	296	3.8	0.9
C92	MYELOID LEUKAEMIA	122	3.3	0.7	111	2.8	0.7	233	3.0	0.7
C93	MONOCYTIC LEUKAEMIA	2	0.1	0.0	6	0.2	0.0	8	0.1	0.0
C94	OTHER LEUKAEMIAS	13	0.4	0.1	7	0.2	0.0	20	0.3	0.1
C95	LEUKAEMIA UNSPECIFIED	28	0.8	0.2	26	0.7	0.2	54	0.7	0.2
C26,C39, C48, C76, C80	OTHERS AND UNSPECIFIED SITES	824	22.1	4.9	542	13.7	3.5	1366	17.7	4.2
C00-97 BUT C44	ALL SITES BUT NON-MELANOMA SKIN	15030	402.7	89.7	14178	357.4	90.3	29208	379.4	90.0
D06	NOT INCLUDED ABOVE CA IN SITU OF CERVIX UTERI	-	-	-	355	9.0	-	355	4.6	-


## SPECIALIZED CANCER NETWORK IN BULGARIA




**PERCENTAGE DISTRIBUTION OF CANCER INCIDENCE IN MALES  
BULGARIA 2006**




**PERCENTAGE DISTRIBUTION OF CANCER INCIDENCE IN FEMALES  
BULGARIA 2006**




AGE-STANDARDIZED AND CRUDE INCIDENCE RATES OF ALL CANCERS IN MALES  
BULGARIA 1981-2006




AGE-STANDARDIZED AND CRUDE INCIDENCE RATES OF ALL CANCERS IN FEMALES  
BULGARIA 1981-2006




AGE-SPECIFIC INCIDENCE RATES FOR ALL CANCERS IN MALES  
BULGARIA, 1981 AND 2006




AGE-SPECIFIC INCIDENCE RATES FOR ALL CANCERS IN FEMALES  
BULGARIA, 1981 AND 2006




AGE-STANDARDIZED INCIDENCE RATES (WORLD STANDARD) OF THE MOST COMMON CANCERS IN MALES  
BULGARIA 1981-2006




AGE-STANDARDIZED INCIDENCE RATES (WORLD STANDARD) OF THE MOST COMMON CANCERS IN FEMALES  
BULGARIA 1981-2006



AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 FOR ALL CANCERS BY DISTRICTS  
IN BULGARIA 2006 - MALES



AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 FOR ALL CANCERS BY DISTRICTS  
IN BULGARIA 2006 - FEMALES



## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES

Part 1

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+ ALL AGES	
C00-97	ALL SITES	37	24	34	63	95	140	214	364	742	1331	2134	2372	2565	2758	2218	1210	429	16754	
C00	LIP	-	-	-	-	-	-	1	1	-	2	11	20	16	26	27	21	12	4	
C00.0		-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	1	-	7	
C00.1		-	-	-	-	-	-	1	1	-	2	8	15	10	23	25	19	10	3	
C00.3		-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	117	
C00.4		-	-	-	-	-	-	-	-	-	-	4	3	1	1	1	1	1	2	
C00.8		-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	3	
C01	BASE OF TONGUE	-	-	-	-	-	-	1	-	-	3	4	4	14	9	7	11	5	3	
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	-	-	-	-	-	-	1	-	4	3	4	12	11	12	17	4	2	1	
C02.0		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	71	
C02.1		-	-	-	-	-	-	1	-	3	2	2	2	3	5	8	1	1	5	
C02.2		-	-	-	-	-	-	-	-	-	2	1	3	1	1	1	1	-	29	
C02.3		-	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	9	
C02.8		-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	4	
C02.9		-	-	-	-	-	-	-	-	-	1	1	4	3	3	4	-	-	6	
C03	GUM	-	-	-	-	-	-	-	-	-	3	3	6	5	3	2	1	-	18	
C03.0		-	-	-	-	-	-	-	-	-	1	2	3	3	1	1	-	-	23	
C03.1		-	-	-	-	-	-	-	-	-	2	1	3	2	2	-	1	-	11	
C03.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C04	FLOOR OF MOUTH	-	-	-	-	-	-	-	-	3	2	18	15	7	3	3	-	2	-	53
C04.0		-	-	-	-	-	-	-	-	2	-	2	4	1	1	-	-	-	11	
C04.1		-	-	-	-	-	-	-	-	-	8	1	-	1	1	-	1	-	12	
C04.8		-	-	-	-	-	-	-	-	-	1	1	4	3	-	-	-	-	9	
C04.9		-	-	-	-	-	-	-	-	-	1	1	7	6	3	1	1	-	21	
C05	PALATE	-	-	-	-	-	-	-	-	1	-	6	3	4	1	1	-	-	17	
C05.0		-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3	
C05.1		-	-	-	-	-	-	-	-	-	1	4	2	3	-	1	-	-	11	
C05.8		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
C05.9		-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	-	-	-	-	-	-	1	1	-	2	3	4	-	3	-	-	-	15	
C06.0		-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	5	
C06.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C06.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C06.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
C06.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
C07	PAROTID GLAND	-	-	-	-	-	-	4	2	1	4	3	5	7	4	5	7	5	1	
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	-	-	-	-	-	-	-	-	1	1	-	2	1	7	3	1	1	18	
C08.0		-	-	-	-	-	-	-	-	-	1	-	2	-	6	2	1	1	14	
C08.9		-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	4	

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C09	TONSIL	-	-	-	-	-	-	-	-	5	7	13	25	12	5	4	2	1	-	74	
C09.0		-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	5	
C09.1		-	-	-	-	-	-	-	-	1	1	-	3	2	2	1	-	-	-	10	
C09.8		-	-	-	-	-	-	-	-	2	-	2	4	-	-	-	-	-	-	8	
C09.9		-	-	-	-	-	-	-	-	2	5	10	17	9	3	3	2	-	-	51	
C10	OROPHARYNX	-	-	-	-	-	-	-	-	1	-	7	8	5	12	2	4	4	2	-	45
C10.0		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
C10.2		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	
C10.3		-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	8	
C10.4		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	
C10.8		-	-	-	-	-	-	-	-	-	-	4	1	2	3	-	2	-	1	-	13
C10.9		-	-	-	-	-	-	-	-	1	-	1	6	1	5	-	1	3	1	-	19
C11	NASOPHARYNX	-	1	-	-	2	-	-	1	2	4	6	5	11	7	5	2	-	-	46	
C11.0		-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	
C11.1		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
C11.2		-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	6	
C11.3		-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	3	
C11.8		-	-	-	-	-	-	-	-	1	-	4	1	1	-	1	-	-	-	8	
C11.9		1	-	-	-	-	-	-	1	1	4	-	2	10	3	1	2	-	-	26	
C12	PYRIFORM SINUS	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	5	
C13	HYPOPHARYNX	-	-	-	-	-	-	-	3	13	10	13	12	2	4	-	2	-	-	60	
C13.1		-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	4	
C13.2		-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-	6	
C13.8		-	-	-	-	-	-	-	-	-	5	1	6	1	-	-	-	-	-	13	
C13.9		-	-	-	-	-	-	-	1	3	4	9	5	7	2	4	-	2	-	37	
C14	OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	1	7		
C14.0		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	
C14.8		-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	5	
C15	OESOPHAGUS	-	-	-	1	-	2	3	6	23	36	30	24	20	8	13	3	169			
C15.0		-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	4	
C15.1		-	-	-	-	1	-	-	-	1	2	7	3	2	2	-	-	-	-	18	
C15.2		-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	4	
C15.3		-	-	-	-	-	-	-	-	1	3	3	1	-	1	-	1	-	-	10	
C15.4		-	-	-	-	-	-	-	-	1	1	4	1	5	1	1	-	1	-	15	
C15.5		-	-	-	-	-	-	-	-	1	3	6	10	8	5	7	2	3	1	46	
C15.8		-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	4	
C15.9		-	-	-	-	-	-	-	2	1	-	7	14	8	15	7	5	7	2	68	
C16	STOMACH	-	-	1	2	2	6	27	24	72	108	134	166	211	171	105	32	1061			
C16.0		-	-	1	1	3	6	14	17	23	19	22	14	8	2	-	-	-	130		
C16.1		-	-	-	-	-	-	-	1	2	1	1	1	1	1	1	3	-	10		

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES  
Part 3

CODE ICD-10	SITE	AGE AT DIAGNOSIS													ALL AGES					
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C16.2		-	-	-	-	1	-	-	1	2	1	8	18	21	24	31	26	11	4	148
C16.3		-	-	-	-	-	-	1	-	4	4	14	15	20	28	32	34	16	3	171
C16.4		-	-	-	-	-	-	1	-	2	2	1	3	7	7	10	4	4	-	41
C16.5		-	-	-	-	-	-	1	1	1	5	11	8	15	13	10	6	3	3	74
C16.6		-	-	-	-	-	-	-	1	2	5	6	3	4	14	7	-	2	44	
C16.8		-	-	-	-	-	-	1	1	7	3	12	13	19	21	43	19	7	2	148
C16.9		-	-	-	-	-	-	2	7	5	12	23	31	47	45	54	53	16	295	
<b>C17</b>	<b>SMALL INTESTINE</b>	-	-	-	-	1	-	-	1	4	3	4	2	6	4	2	-	27		
C17.0		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1		
C17.1		-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-		
C17.2		-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-		
C17.8		-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-		
C17.9		-	-	-	-	1	-	-	-	1	1	1	1	2	2	5	3	2	-	18
<b>C18</b>	<b>COLON</b>	-	-	1	3	8	13	22	38	76	120	190	217	245	225	118	39	1315		
C18.0		-	-	-	-	2	2	2	7	5	18	14	24	26	20	12	4	136		
C18.1		-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	3		
C18.2		-	-	-	-	1	-	2	8	8	14	17	27	28	43	30	12	6	196	
C18.3		-	-	-	-	-	1	2	2	2	8	9	8	14	6	10	9	1	70	
C18.4		-	-	-	-	1	-	1	3	1	6	13	16	10	15	25	16	8	1	116
C18.5		-	-	-	-	-	1	1	-	1	2	6	8	14	12	11	7	7	1	71
C18.6		-	-	-	-	-	1	-	2	3	5	4	20	15	24	16	5	1	96	
C18.7		-	-	-	-	-	1	5	6	7	21	37	83	89	85	99	39	12	484	
C18.8		-	-	-	-	-	1	-	-	1	1	-	1	1	1	2	3	-	10	
C18.9		-	-	-	-	-	-	-	-	3	2	10	14	19	24	25	23	13	133	
<b>C19</b>	<b>RECTOSIGMOID JUNCTION</b>	-	-	-	-	-	-	1	7	9	14	18	31	33	33	24	7	177		
<b>C20</b>	<b>RECTUM</b>	-	-	3	3	7	9	38	68	111	143	166	181	113	59	13	914			
<b>C21</b>	<b>ANUS AND ANAL CANAL</b>	-	-	1	-	-	-	5	4	5	3	3	-	1	4	1	27			
C21.0		-	-	1	-	-	-	1	2	4	1	1	-	1	2	1	14			
C21.1		-	-	-	-	-	-	4	1	1	2	1	-	-	2	-	11			
C21.2		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1			
C21.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
<b>C22</b>	<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	-	-	3	2	2	6	10	23	34	53	47	74	73	54	35	16	432		
C22.0		-	-	1	1	2	3	4	9	16	16	17	24	29	16	10	1	149		
C22.1		-	-	-	-	-	-	1	1	1	6	4	5	1	-	1	3	23		
C22.3		-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	3		
C22.7		-	-	-	-	-	-	-	1	-	2	2	7	3	4	1	-	20		
C22.9		-	-	1	1	-	-	1	1	3	4	6	7	8	11	8	23	12	237	
<b>C23</b>	<b>GALLBLADDER</b>	-	-	-	-	-	-	1	1	1	3	4	6	7	8	11	8	2	51	
<b>C24</b>	<b>OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT</b>	-	-	-	-	1	1	-	2	7	7	9	5	8	7	7	3	57		
C24.0		-	-	-	-	1	-	-	1	6	3	3	2	5	4	3	28			

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS													ALL AGES					
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C24.1	-	-	-	-	-	-	-	-	-	-	1	3	1	3	2	3	2	2	-	17
C24.9	-	-	-	-	-	-	-	-	-	-	1	3	-	3	-	3	-	1	-	12
<b>C25 PANCREAS</b>	-	-	-	-	-	-	-	1	8	18	30	54	98	74	110	87	84	52	11	<b>627</b>
C25.0	-	-	-	-	-	-	-	-	1	13	16	29	54	40	59	48	38	26	3	327
C25.1	-	-	-	-	-	-	-	-	1	2	7	13	6	13	9	6	2	1	60	
C25.2	-	-	-	-	-	-	-	-	1	2	2	2	7	1	5	1	3	-	24	
C25.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
C25.4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	4	
C25.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C25.8	-	-	-	-	-	-	-	-	3	1	4	4	5	9	8	10	10	3	-	57
C25.9	-	-	-	-	-	-	-	1	3	-	5	11	18	18	25	18	27	20	7	153
<b>C26 OTHER AND ILL-DEFINED DIGESTIVE ORGANS</b>	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	3	2	2	14	
C26.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	
C26.9	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	1	2	2	12	
<b>C30 NASAL CAVITY AND MIDDLE EAR</b>	-	-	-	-	-	2	1	-	-	1	-	1	1	3	-	2	-	-	1	
C30.0	-	-	-	-	-	1	1	-	-	1	-	1	1	3	-	2	-	-	10	
C30.1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	
<b>C31 ACCESSORY SINUSES</b>	-	-	-	-	-	1	-	-	3	3	4	3	4	3	1	-	1	24		
C31.0	-	-	-	-	-	1	-	-	3	3	4	1	3	2	1	-	-	18		
C31.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
C31.8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	4		
C31.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1		
<b>C32 LARYNX</b>	-	1	-	-	-	5	23	47	85	129	113	69	58	29	10	2	571			
C32.0	-	-	-	-	-	1	7	17	29	38	42	21	22	13	4	-	194			
C32.1	-	-	-	-	-	-	1	3	8	13	9	10	7	3	-	-	54			
C32.2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3			
C32.3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3		
C32.8	-	-	-	-	-	-	-	-	7	15	22	37	27	15	9	2	3	-	137	
C32.9	-	-	1	-	-	-	-	4	8	12	26	39	33	22	19	11	3	2	180	
<b>C33 TRACHEA</b>	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	7		
<b>C34 BRONCHUS AND LUNG</b>	-	-	1	-	-	6	23	43	151	318	560	582	545	443	269	94	35	3070		
C34.0	-	-	1	-	-	1	1	5	24	55	89	88	87	62	36	12	-	461		
C34.1	-	-	-	-	-	4	8	19	62	114	231	220	223	171	93	37	10	1192		
C34.2	-	-	-	-	-	-	4	3	8	25	37	48	36	29	21	4	2	217		
C34.3	-	-	-	-	-	1	3	6	24	60	95	100	81	46	15	6	537			
C34.8	-	-	-	-	-	-	-	1	5	6	9	13	6	7	7	2	2	58		
C34.9	-	-	-	-	-	-	-	7	9	28	58	99	113	93	66	24	15	605		
<b>C37 THYMUS</b>	-	-	-	-	-	1	-	1	1	-	-	2	-	1	-	-	-	6		
<b>C38 HEART, MEDIASTINUM, AND PLEURA</b>	1	-	-	-	-	1	-	1	2	2	1	2	2	1	2	3	2	20		

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES						
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C38.1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	4
C38.2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	3
C38.3	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	2	-	1	2	8
C38.4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	3
C38.8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2
<b>C39</b>	<b>OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
<b>C39.0</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
<b>C40</b>	<b>BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS</b>	1	-	3	1	1	1	1	1	2	1	2	3	2	1	1	-	-	21	
C40.0	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2
C40.1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2
C40.2	1	-	-	3	1	1	-	1	-	-	1	-	2	1	1	-	-	-	12	
C40.3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
C40.9	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	4	
<b>C41</b>	<b>BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES</b>	-	-	1	1	-	1	-	2	1	1	1	2	2	2	2	1	-	17	
C41.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
C41.1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2
C41.3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	4	
C41.4	-	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	-	-	5	
C41.9	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	-	4	
<b>C43</b>	<b>MELANOMA OF SKIN</b>	1	-	-	2	2	4	6	13	14	14	26	15	26	26	19	19	2	189	
C43.0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	
C43.2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	
C43.3	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	1	-	1	9	
C43.4	-	-	-	-	-	-	-	1	-	1	2	3	3	4	3	1	-	1	19	
C43.5	-	-	-	-	2	1	5	6	5	6	14	6	15	11	7	10	-	90		
C43.6	-	-	-	-	-	1	1	-	2	4	2	1	3	3	-	3	-	18		
C43.7	1	-	-	-	2	-	3	4	4	3	1	-	4	3	2	-	2	-	27	
C43.8	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	3		
C43.9	-	-	-	-	-	-	-	2	3	2	3	-	2	2	2	1	1	19		
<b>C44</b>	<b>OTHER SKIN</b>	-	-	3	4	10	15	37	52	75	144	190	257	332	313	205	87	1724		
C44.0	-	-	-	-	-	1	1	2	5	3	4	4	5	6	1	1	1	33		
C44.1	-	-	-	-	-	-	3	3	5	6	10	14	15	11	6	3	3	76		
C44.2	-	-	-	-	1	-	2	1	2	4	11	16	34	24	28	10	133	-	952	
C44.3	-	-	-	-	2	7	9	13	26	36	82	116	140	198	186	94	43	-	952	

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES						
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C44.4	-	-	-	-	-	-	-	1	-	4	5	9	16	17	22	30	25	24	11	164
C44.5	-	-	-	-	1	1	4	11	9	19	18	22	42	30	41	27	11	27	11	237
C44.6	-	-	-	-	-	1	-	3	3	2	5	8	9	16	7	14	5	5	5	73
C44.7	-	-	-	-	1	1	-	1	-	4	-	7	3	9	2	8	5	5	1	42
C44.8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	1	8
C44.9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	1	6
<b>C45</b>	<b>MESOTHELIOMA</b>	-	-	-	-	-	-	3	-	2	2	6	2	4	2	1	-	-	-	22
C45.0	-	-	-	-	-	-	-	3	-	1	1	6	1	3	1	1	-	-	-	17
C45.1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	4
C45.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
<b>C46</b>	<b>KAPOSI'S SARCOMA</b>	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	6
C46.0	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	5
C46.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
<b>C47</b>	<b>PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM</b>	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	4
C47.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C47.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
C47.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C47.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
<b>C48</b>	<b>RETROPERITONEUM AND PERITONEUM</b>	-	1	-	-	1	-	1	1	2	2	3	10	6	2	-	2	-	31	
C48.0	-	1	-	-	1	-	-	1	1	2	2	3	10	5	2	-	1	-	29	
C48.1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
C48.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
<b>C49</b>	<b>CONNECTIVE AND OTHER SOFT TISSUES</b>	2	1	3	2	2	4	2	5	5	13	12	8	14	10	4	-	90	4	
C49.0	1	-	-	1	1	-	-	-	-	2	2	3	1	1	-	-	-	-	12	
C49.1	-	-	-	-	-	-	-	-	2	1	1	1	1	3	2	2	-	2	13	
C49.2	-	-	2	-	-	2	2	1	2	-	4	2	4	4	4	1	-	28		
C49.3	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	1	-	6		
C49.4	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	2	-	-	6	
C49.5	1	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	10		
C49.6	-	-	-	-	-	-	1	-	-	1	1	2	-	-	2	-	-	7		
C49.8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
C49.9	-	1	1	-	-	-	-	-	-	-	-	2	-	2	1	-	-	7		
<b>C50</b>	<b>BREAST</b>	-	-	-	-	-	-	1	2	2	3	5	6	15	9	6	3	1	53	
C50.0	-	-	-	-	-	-	-	-	-	-	-	1	5	1	1	-	-	9		
C50.1	-	-	-	-	-	-	-	1	-	-	2	1	2	5	-	1	-	13		
C50.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
C50.4	-	-	-	-	-	-	-	-	-	-	1	3	1	4	3	1	-	13		
C50.5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3		

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES						
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C50.8		-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	4
C50.9		-	-	-	-	-	-	-	-	2	1	-	-	1	2	2	2	-	10	
<b>C60</b>	<b>PENIS</b>	-	-	-	-	1	-	2	-	2	6	3	14	6	5	3	6	3	<b>51</b>	
C60.0		-	-	-	-	-	-	1	-	-	4	1	3	-	-	3	1	-	13	
C60.1		-	-	-	-	-	-	1	-	2	1	1	6	1	3	2	2	1	20	
C60.2		-	-	-	-	-	-	1	-	-	-	-	-	3	1	-	1	-	6	
C60.8		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
C60.9		-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	11	
<b>C61</b>	<b>PROSTATE GLAND</b>	-	-	-	-	-	-	1	-	6	22	89	159	212	330	358	198	84	<b>1459</b>	
<b>C62</b>	<b>TESTIS</b>	<b>2</b>	-	<b>6</b>	<b>18</b>	<b>34</b>	<b>36</b>	<b>32</b>	<b>14</b>	<b>15</b>	<b>9</b>	<b>9</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>2</b>	<b>2</b>	-	<b>194</b>	
C62.0		1	-	-	-	1	1	2	-	-	-	1	-	-	1	-	-	-	8	
C62.1		-	-	-	4	10	15	14	20	8	8	4	4	3	1	2	-	1	94	
C62.9		1	-	-	2	7	18	21	10	6	7	5	4	1	4	3	2	1	-	92
<b>C63</b>	<b>OTHER AND UNSPECIFIED MALE GENITAL ORGANS</b>	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	-	<b>6</b>	
C63.0		-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	
C63.2		-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	
C63.9		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	
<b>C64</b>	<b>KIDNEY</b>	<b>3</b>	-	-	-	2	4	7	19	35	42	50	60	56	54	48	20	5	<b>405</b>	
<b>C65</b>	<b>RENAL PELVIS</b>	-	-	-	-	-	-	-	1	1	2	7	5	8	9	6	-	1	<b>40</b>	
<b>C66</b>	<b>URETER</b>	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	-	<b>8</b>	
<b>C67</b>	<b>BLADDER</b>	-	-	-	3	2	5	22	39	90	128	166	182	210	159	94	31	<b>1131</b>		
C67.0		-	-	-	-	-	-	1	2	3	7	7	14	4	5	2	1	46		
C67.1		-	-	-	-	-	-	-	1	-	2	5	2	2	4	2	-	18		
C67.2		-	-	-	-	-	-	3	7	11	26	36	54	70	44	20	8	333		
C67.3		-	-	-	-	-	-	-	-	9	6	12	16	14	9	9	4	79		
C67.4		-	-	-	-	-	-	1	1	3	4	6	11	20	17	19	6	105		
C67.5		-	-	-	-	-	-	1	-	1	4	3	9	2	4	20	6	58		
C67.6		-	-	-	-	2	-	1	3	3	5	10	11	10	9	8	5	-	67	
C67.7		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1		
C67.8		-	-	-	-	-	-	1	-	2	2	8	16	16	23	31	18	12	4	
C67.9		-	-	-	-	-	-	-	5	12	30	31	38	42	41	52	30	10	291	
<b>C68</b>	<b>OTHER AND UNSPECIFIED URINARY ORGANS</b>	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	<b>4</b>		
C68.0		-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2		
C68.9		-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3		
<b>C69</b>	<b>EYE AND ADNEXA</b>	<b>2</b>	<b>1</b>	-	-	<b>2</b>	-	-	-	-	<b>1</b>	<b>3</b>	<b>3</b>	-	<b>2</b>	<b>1</b>	<b>1</b>	<b>17</b>		
C69.0		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3		
C69.1		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1		
C69.2		-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
C69.3		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4		
C69.4		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1		

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES						
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C69.6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	
C69.9	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	3	3	
<b>C70</b>	<b>MENINGES</b>	-	-	-	-	-	-	1	1	2	2	-	3	1	3	-	3	-	16	
C70.0	-	-	-	-	-	-	-	1	1	1	2	-	2	-	2	-	1	-	10	
C70.1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
C70.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	
<b>C71</b>	<b>BRAIN</b>	7	6	2	6	8	8	13	15	13	35	40	42	43	42	29	28	13	3	353
C71.0	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	6	
C71.1	-	1	-	1	-	2	2	2	3	3	5	7	6	4	4	1	4	3	-	
C71.2	-	2	-	2	2	1	4	3	3	7	7	7	11	7	7	3	5	-	64	
C71.3	-	1	-	2	-	-	3	-	2	5	6	4	5	7	6	1	2	-	44	
C71.4	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	1	-	-	7	
C71.5	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	4	
C71.6	2	1	-	-	2	3	-	1	1	1	1	1	1	-	-	-	-	-	14	
C71.7	-	1	1	-	-	1	-	-	1	1	-	2	2	-	1	-	-	-	10	
C71.8	2	-	-	-	-	-	3	4	3	3	3	6	6	5	3	1	1	-	40	
C71.9	2	1	-	-	1	1	4	-	11	13	11	15	18	14	15	7	3	117		
<b>C72</b>	<b>SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM</b>	-	1	-	1	-	-	1	-	1	2	1	-	1	2	1	-	-	11	
C72.0	-	1	-	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-	6	
C72.9	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	5	
<b>C73</b>	<b>THYROID GLAND</b>	-	-	-	2	1	3	2	2	1	12	7	8	3	2	2	1	-	46	
<b>C74</b>	<b>ADRENAL GLAND</b>	-	-	-	1	-	-	1	1	2	5	2	1	4	-	1	-	18		
C74.0	-	-	-	1	-	-	-	-	1	-	2	-	1	1	-	-	-	-	6	
C74.1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
C74.9	-	-	-	-	-	-	-	1	-	2	2	-	3	-	1	-	1	-	11	
<b>C75</b>	<b>OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES</b>	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	3	
C75.0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
C75.3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C75.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
<b>C76</b>	<b>OTHER AND ILL-DEFINED SITES</b>	1	1	-	-	-	1	2	-	-	2	2	4	1	-	-	-	-	14	
C76.0	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	3	
C76.1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	3	
C76.2	-	1	-	-	-	-	-	-	-	-	2	-	3	1	-	-	-	-	7	
C76.3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
<b>C80</b>	<b>MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE</b>	-	-	2	-	3	6	9	38	70	124	103	143	104	37	22	764	-	89	
<b>C81</b>	<b>HODGKIN'S DISEASE</b>	1	-	7	2	5	4	11	9	8	8	8	7	5	7	2	-	-	89	

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – WALES

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS													ALL AGES						
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C90	MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS	-	-	-	-	-	-	-	-	2	5	8	12	11	8	17	16	5	2	86	
C90.0		-	-	-	-	-	-	-	1	3	5	9	8	7	14	15	5	1	68		
C90.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2		
C90.2		-	-	-	-	-	-	-	1	2	3	3	2	1	3	1	-	-	16		
C91	LYMPHOID LEUKAEMIA	11	7	6	4	5	2	4	3	5	8	13	12	15	28	22	26	7	1	179	
C91.0		11	6	6	4	4	2	3	1	1	-	-	1	4	3	2	7	-	1	56	
C91.1		-	-	-	-	-	-	-	1	2	4	11	9	11	22	19	16	5	-	100	
C91.4		-	-	-	-	-	-	-	1	2	3	1	2	-	-	-	-	-	-	9	
C91.5		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
C91.9		-	1	-	-	1	-	-	-	-	-	1	1	-	-	3	1	3	2	-	13
C92	MYELOID LEUKAEMIA	1	1	3	-	3	5	3	2	6	8	13	8	17	20	14	7	3	122		
C92.0		-	-	2	-	1	4	1	1	3	3	3	6	5	4	7	2	3	-	45	
C92.1		-	1	-	-	2	-	1	1	2	5	4	5	2	10	9	8	2	3	55	
C92.4		-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	
C92.5		1	-	1	-	-	1	-	-	1	-	-	1	-	-	-	1	-	5		
C92.7		-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3		
C92.9		-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	1	-	12		
C93	MONOCYTIC LEUKAEMIA	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2		
C93.0		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-		
C93.1		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1		
C94	OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE	-	-	-	-	-	-	1	1	1	3	1	2	2	-	2	-	13			
C94.0		-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2			
C94.1		-	-	-	-	-	-	1	-	-	3	1	-	-	-	2	-	7			
C94.5		-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2			
C94.7		-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2			
C95	LEUKAEMIA, UNSPECIFIED CELL TYPE	-	-	-	-	-	-	2	1	-	3	1	2	3	4	6	3	3	-	28	
C95.0		-	-	-	-	-	-	1	1	-	2	1	2	2	1	2	1	-	14		
C95.1		-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4			
C95.9		-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	2	-	10		
C96	OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES	1	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	5		
C96.0		-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2		
C96.1		1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	3		

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES  
Part 1

CODE ICD-10	SITE	AGE AT DIAGNOSIS														ALL AGES				
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C00-97	ALL SITES	32	17	16	32	64	103	244	443	671	1024	1393	1852	1849	1942	2238	1997	1258	534	15709
<b>C00</b>	<b>LIP</b>	-	-	-	-	-	-	-	-	1	4	3	7	4	14	10	14	5	62	
C00.0		-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	1	10	
C00.1		-	-	-	-	-	-	-	-	1	2	4	4	11	8	7	2	1	39	
C00.3		-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	3		
C00.4		-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	5		
C00.6		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1		
C00.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1		
C00.9		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-		
<b>C01</b>	<b>BASE OF TONGUE</b>	-	-	-	-	-	1	-	1	-	1	1	1	2	-	3	2	-	12	
<b>C02</b>	<b>OTHER AND UNSPECIFIED PARTS OF TONGUE</b>	-	-	-	-	1	-	1	-	1	3	3	4	1	3	4	-	1	22	
C02.0		-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	
C02.1		-	-	-	-	-	1	-	1	-	-	2	-	2	3	-	-	10		
C02.2		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1		
C02.3		-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	5		
C02.8		-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2		
C02.9		-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2		
<b>C03</b>	<b>GUM</b>	-	-	-	-	-	-	1	1	-	1	2	1	4	-	2	1	1	14	
C03.0		-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	3		
C03.1		-	-	-	-	-	-	1	-	-	2	-	2	-	-	1	-	6		
C03.9		-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	5		
<b>C04</b>	<b>FLOOR OF MOUTH</b>	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	1	-	6	
C04.1		-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2		
C04.9		-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	-		
<b>C05</b>	<b>PALATE</b>	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2		
C05.0		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1		
C05.1		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1		
<b>C06</b>	<b>OTHER AND UNSPECIFIED PARTS OF MOUTH</b>	-	-	-	-	-	1	-	-	3	-	1	1	2	-	2	10			
C06.0		-	-	-	-	-	1	-	-	1	-	1	-	2	-	1	-	6		
C06.8		-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2		
C06.9		-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2		
<b>C07</b>	<b>PAROTID GLAND</b>	-	-	1	-	2	1	-	4	4	1	3	5	5	3	6	-	35		
<b>C08</b>	<b>OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS</b>	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	1	-		
C08.0		-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	4		
C08.9		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-		
<b>C09</b>	<b>TONSIL</b>	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	-	9		
C09.0		-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-		
C09.1		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1		

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES

		AGE AT DIAGNOSIS																		
CODE ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C09.9		-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-
<b>C10 OROPHARYNX</b>		-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	-	
C10.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C10.8		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
C10.9		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	
<b>C11 NASOPHARYNX</b>		-	-	1	1	-	1	-	-	-	-	-	2	6	4	4	1	-	1	22
C11.0		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C11.1		-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	
C11.2		-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	
C11.3		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
C11.8		-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	
C11.9		-	-	-	-	1	-	-	-	-	-	-	2	3	2	3	1	-	1	
<b>C13 HYPOPHARYNX</b>		-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	4	
C13.2		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
C13.9		-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	
<b>C14 OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX</b>		-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	6	
C14.0		-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	4	
C14.8		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	
<b>C15 OESOPHAGUS</b>		-	-	-	-	-	-	-	-	-	-	4	1	2	2	2	10	9	8	43
C15.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
C15.2		-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	
C15.3		-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	5	
C15.4		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	
C15.5		-	-	-	-	-	-	-	-	-	-	2	-	-	1	5	2	1	14	
C15.8		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
C15.9		-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	7	5	2	
<b>C16 STOMACH</b>		-	-	1	-	4	14	8	19	25	50	66	78	118	164	105	55	707		
C16.0		-	-	-	-	2	1	1	-	-	6	5	14	6	6	8	4	53		
C16.1		-	-	-	-	1	-	-	-	-	2	3	1	-	3	2	1	13		
C16.2		-	-	-	-	1	2	1	3	5	6	6	15	20	24	16	5	104		
C16.3		-	-	-	-	4	2	4	4	10	12	19	25	31	11	7	129			
C16.4		-	-	-	-	-	-	-	-	3	1	2	1	6	2	1	1	16		
C16.5		-	-	-	-	1	1	-	3	2	4	6	3	12	10	4	3	49		
C16.6		-	-	-	-	-	-	-	-	2	1	3	1	5	6	5	1	24		
C16.8		-	-	1	-	3	1	3	4	8	13	6	17	16	11	5	88			
C16.9		-	-	2	1	3	5	8	10	17	17	32	62	46	28	231				
<b>C17 SMALL INTESTINE</b>		-	-	1	-	-	-	2	-	-	2	1	1	-	-	-	6			
C17.0		-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	4		
C17.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

#### **NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES**

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES						
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C26.9	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	1	6
<b>C30</b>	<b>NASAL CAVITY AND MIDDLE EAR</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	
C30.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	
C30.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
<b>C31</b>	<b>ACCESSORY SINUSES</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	12
C31.0	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	3	-	-	9	
C31.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3
<b>C32</b>	<b>LARYNX</b>	-	-	-	-	-	-	-	1	2	1	5	8	10	1	3	3	2	-	36
C32.0	-	-	-	-	-	-	-	-	1	-	-	2	2	4	1	3	1	1	-	15
C32.1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	3
C32.3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	
C32.8	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	5	
C32.9	-	-	-	-	-	-	-	-	-	2	1	1	2	3	-	-	2	1	-	12
<b>C33</b>	<b>TRACHEA</b>	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2
<b>C34</b>	<b>BRONCHUS AND LUNG</b>	-	-	-	3	-	1	8	25	33	51	90	81	80	77	85	50	20	604	
C34.0	-	-	-	-	-	-	1	3	6	7	12	9	5	6	6	6	2	2	59	
C34.1	-	-	-	-	-	-	-	2	12	13	12	37	35	31	22	21	12	5	202	
C34.2	-	-	-	-	-	-	-	1	-	3	6	6	5	5	4	3	1	40		
C34.3	-	-	-	-	-	-	2	-	1	3	4	14	15	16	18	23	17	9	125	
C34.8	-	-	-	-	-	-	-	-	1	-	2	-	3	2	2	2	-	1	13	
C34.9	-	-	-	-	-	-	1	-	1	3	6	7	10	20	12	19	19	35	24	
<b>C37</b>	<b>THYMUS</b>	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-	-	-	5	
<b>C38</b>	<b>HEART, MEDIASTINUM, AND PLEURA</b>	-	-	-	-	-	-	1	-	-	1	-	2	2	1	-	-	-	10	
C38.0	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	
C38.1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2		
C38.3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3		
C38.4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1		
C38.8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1		
<b>C40</b>	<b>BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS</b>	-	1	-	1	4	2	-	-	3	2	3	3	1	1	1	1	-	23	
C40.0	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	3	
C40.1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	3	
C40.2	-	1	-	1	4	1	-	-	1	1	2	-	-	-	1	-	-	12		
C40.3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1		
C40.9	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	4		
<b>C41</b>	<b>BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES</b>	1	-	1	1	-	-	-	2	-	2	3	3	1	1	-	-	18		

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES

Part 5

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES				
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84
C41.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C41.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C41.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C41.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C41.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C41.9	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>C43 MELANOMA OF SKIN</b>	-	-	1	3	2	5	8	10	23	15	16	17	18	13	16	8	155	
C43.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43.5	-	-	-	-	-	-	1	1	1	1	1	1	1	-	1	1	-	5
C43.6	-	-	-	-	-	-	2	-	1	-	1	3	4	-	3	2	-	37
C43.7	-	-	-	-	-	-	1	2	4	4	11	4	8	5	9	3	7	-
C43.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
C43.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
<b>C44 OTHER SKIN</b>	-	-	1	2	12	14	28	36	61	121	161	214	271	278	223	109	1531	
C44.0	-	-	-	-	-	-	-	-	3	1	2	5	4	8	7	8	3	43
C44.1	-	-	-	-	-	-	-	-	3	4	3	5	11	14	15	15	7	83
C44.2	-	-	-	-	-	-	-	-	-	-	1	6	6	5	8	15	4	45
C44.3	-	-	-	-	-	2	2	6	14	13	33	65	93	149	199	198	77	999
C44.4	-	-	-	-	-	1	-	1	2	3	13	8	10	10	11	8	3	70
C44.5	-	-	-	-	-	1	-	9	8	6	11	12	20	21	16	16	14	154
C44.6	-	-	-	-	-	-	-	-	-	2	4	4	9	7	9	11	8	72
C44.7	-	-	-	-	-	-	-	-	-	1	2	4	7	8	3	8	9	54
C44.8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	6
C44.9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	5
<b>C45 MESOTHELIOMA</b>	-	-	-	1	1	-	3	2	-	-	2	2	-	-	-	-	13	
C45.0	-	-	-	-	1	1	-	3	1	-	-	1	2	-	-	-	-	11
C45.1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2
<b>C46 KAPOSI'S SARCOMA</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4
C46.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
C46.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
C46.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1
<b>C47 PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM</b>	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	5
C47.3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C47.4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
C47.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
<b>C48 RETROPERITONEUM AND PERITONEUM</b>	-	-	1	2	2	1	1	3	4	5	4	3	8	6	3	4	47	

**NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES**

Part 6

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C48.0		-	-	-	-	1	2	1	1	1	1	4	4	3	2	8	5	1	3	37	
C48.1		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	
C48.2		-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1	6	
C48.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	
<b>C49</b>	<b>CONNECTIVE AND OTHER SOFT TISSUES</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>2</b>	<b>5</b>	<b>4</b>	<b>14</b>	<b>7</b>	<b>5</b>	<b>13</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>4</b>	<b>-</b>	<b>92</b>		
C49.0		2	1	-	-	-	-	-	1	1	-	1	1	-	2	-	2	-	11		
C49.1		-	1	-	-	-	2	-	-	1	3	-	-	2	1	-	1	-	11		
C49.2		-	-	1	-	-	-	1	2	1	5	5	1	8	5	5	4	1	-	39	
C49.3		-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	5	
C49.4		-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	-	6	
C49.5		-	1	-	1	-	1	-	3	1	2	1	-	-	-	2	-	-	12		
C49.6		-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3		
C49.8		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
C49.9		1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	
<b>C50</b>	<b>BREAST</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>18</b>	<b>45</b>	<b>129</b>	<b>228</b>	<b>352</b>	<b>414</b>	<b>501</b>	<b>418</b>	<b>424</b>	<b>438</b>	<b>340</b>	<b>195</b>	<b>80</b>	<b>3584</b>			
C50.0		-	-	-	-	1	3	11	16	21	22	21	23	23	19	10	3	174			
C50.1		-	-	-	-	-	1	6	21	27	49	36	34	29	35	28	8	5	279		
C50.2		-	-	-	-	-	4	5	7	24	34	36	32	26	33	41	25	14	4	285	
C50.3		-	-	-	-	-	1	3	5	6	17	16	23	29	23	17	24	4	5	173	
C50.4		-	-	-	-	2	7	20	59	114	158	157	216	170	173	173	123	73	21	1466	
C50.5		-	-	-	-	2	5	16	17	28	39	43	38	49	50	31	18	2	338		
C50.6		-	-	-	-	-	-	1	-	1	3	2	-	1	-	-	-	-	8		
C50.8		-	-	-	-	-	1	9	26	27	52	66	89	80	69	66	48	40	14	587	
C50.9		-	-	-	-	2	1	6	8	19	27	38	20	24	33	42	28	26	274		
<b>C51</b>	<b>VULVA</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>5</b>	<b>6</b>	<b>4</b>	<b>7</b>	<b>19</b>	<b>33</b>	<b>23</b>	<b>12</b>	<b>4</b>	<b>120</b>			
C51.0		-	-	-	-	-	1	-	-	2	1	1	1	1	9	10	9	5	-	39	
C51.1		-	-	-	-	-	-	-	-	1	-	1	1	-	2	5	2	-	-	11	
C51.2		-	-	-	-	-	-	-	-	1	-	-	1	1	3	4	2	3	15		
C51.8		-	-	-	-	-	-	-	-	2	1	2	4	1	4	5	12	6	5	-	45
C51.9		-	-	-	-	-	1	1	1	-	3	2	3	2	3	-	7	4	6	2	30
<b>C52</b>	<b>VAGINA</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>4</b>	<b>20</b>	<b>76</b>	<b>128</b>	<b>131</b>	<b>168</b>	<b>158</b>	<b>156</b>	<b>127</b>	<b>68</b>	<b>77</b>	<b>59</b>	<b>27</b>	<b>7</b>	<b>1208</b>
<b>C53</b>	<b>CERVIX UTERI</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>2</b>	<b>16</b>	<b>37</b>	<b>47</b>	<b>53</b>	<b>55</b>	<b>44</b>	<b>46</b>	<b>22</b>	<b>25</b>	<b>15</b>	<b>5</b>	<b>-</b>	<b>367</b>		
C53.0		-	-	-	-	2	2	13	45	52	50	70	64	69	52	28	36	18	11	3	515
C53.1		-	-	-	-	-	-	1	3	2	3	10	9	9	5	6	2	5	1	-	56
C53.8		-	-	-	-	-	2	4	12	37	31	35	30	34	24	12	14	21	10	4	270
C53.9		-	-	-	-	-	1	6	13	33	78	157	215	212	181	164	111	48	12	1231	
<b>C54</b>	<b>CORPUS UTERI</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>9</b>		
C54.0		-	-	-	-	-	-	-	1	5	6	24	62	137	190	173	135	91	34	3	1014
C54.1		-	-	-	-	-	-	3	5	7	6	7	8	5	10	5	4	2	62		
C54.2		-	-	-	-	-	-	1	1	1	1	1	1	2	3	5	3	2	1	-	19
C54.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES  
Part 7

CODE ICD-10	SITE	AGE AT DIAGNOSIS														ALL AGES				
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C54.8	-	-	-	-	-	-	-	-	1	-	2	2	3	9	4	4	2	1	1	29
C54.9	-	-	-	-	-	-	-	1	3	6	10	11	18	11	12	11	8	6	6	98
C55	UTERUS, NOS	-	-	-	-	-	-	1	-	3	4	5	3	1	2	7	10	5	3	44
C56	OVARY	-	-	2	8	9	10	15	30	45	50	106	112	103	110	76	37	16	837	
C57	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	-	-	-	-	-	-	-	-	2	2	4	1	1	7	5	2	1	-	25
C57.0	-	-	-	-	-	-	-	-	1	2	4	1	1	4	5	5	2	-	-	20
C57.4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
C57.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	4
C58	PLACENTA	-	-	-	-	1	1	5	6	13	23	18	33	25	29	28	24	8	4	221
C64	KIDNEY	3	-	-	-	-	-	-	-	1	1	-	1	2	1	2	-	1	1	9
C65	RENAL PELVIS	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	8
C66	URETER	-	-	-	-	-	-	-	-	2	-	1	1	1	1	1	1	1	1	3
C67	BLADDER	-	-	-	2	2	2	9	9	16	28	33	35	43	41	38	43	16	317	
C67.0	-	-	-	-	-	-	-	-	1	2	1	-	1	-	4	1	3	-	13	
C67.1	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	5	-	10	
C67.2	-	-	-	-	1	1	3	2	5	6	12	4	8	14	11	12	5	85		
C67.3	-	-	-	-	-	-	-	-	1	2	1	1	5	1	2	1	-	14		
C67.4	-	-	-	-	-	-	-	-	1	1	7	3	6	5	5	2	1	1	32	
C67.5	-	-	-	-	-	-	-	-	1	-	1	2	1	7	8	2	2	1	27	
C67.6	-	-	-	-	1	1	1	-	1	1	5	5	7	4	1	4	3	1	35	
C67.8	-	-	-	-	-	-	-	1	3	1	-	-	4	3	3	5	3	3	26	
C67.9	-	-	-	-	-	-	-	2	1	4	5	8	11	11	4	11	13	5	75	
C68	OTHER AND UNSPECIFIED URINARY ORGANS	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	
C68.0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	
C69	EYE AND ADNEXA	2	-	-	-	-	1	-	-	2	1	2	3	2	6	3	2	-	24	
C69.0	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	5		
C69.2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3		
C69.3	-	-	-	-	-	-	1	-	-	1	1	3	1	1	-	-	-	8		
C69.4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1		
C69.6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2		
C69.9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	5		
C70	MENINGES	-	-	-	-	-	-	1	-	4	5	3	5	2	2	3	-	-	25	
C70.0	-	-	-	-	-	-	-	-	-	4	5	2	4	2	1	2	-	-	20	
C70.1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2		
C70.9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3		
C71	BRAIN	2	3	2	2	6	10	11	13	14	29	35	43	33	34	32	11	8	291	
C71.0	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2		
C71.1	-	-	-	-	-	-	-	4	3	4	1	6	3	8	4	8	2	1	44	
C712	-	-	-	-	-	-	1	3	3	1	7	6	6	6	6	3	1	-	44	

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												ALL AGES						
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C71.3		-	-	-	-	-	1	1	-	4	1	9	5	5	4	5	-	-	36	
C71.4		-	-	-	-	-	1	-	-	1	-	1	1	2	1	-	-	-	7	
C71.5		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	
C71.6		-	-	2	-	1	-	-	1	-	1	-	1	-	-	1	-	-	8	
C71.7		2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	4	
C71.8		-	-	-	-	1	-	2	-	3	3	8	6	5	3	3	2	2	39	
C71.9		-	2	1	2	-	3	2	3	2	5	4	9	17	14	11	17	7	6	
<b>C72</b>	<b>SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM</b>																			
C72.0		2	-	1	-	1	-	-	1	-	-	-	-	2	1	2	-	-	10	
C72.3		-	2	-	-	1	-	-	1	-	-	-	-	2	1	-	-	-	7	
C72.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
<b>C73</b>	<b>THYROID GLAND</b>																			
C74	<b>ADRENAL GLAND</b>																		15	
C74.0		-	-	1	1	-	-	1	1	1	-	1	2	3	2	2	2	-	5	
C74.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C74.9		-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	2	2	9	
<b>C75</b>	<b>OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES</b>																		3	
C75.0		-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	2	
<b>C76</b>	<b>OTHER AND ILL-DEFINED SITES</b>																		1	
C76.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
C76.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
C76.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	
C76.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
<b>C80</b>	<b>MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE</b>																		18	
<b>C81</b>	<b>HODGKIN'S DISEASE</b>			2	-	1	4	12	4	7	3	4	2	4	2	-	3	3	-	52
C81.0		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	
C81.1		-	-	-	-	10	1	3	2	2	1	1	-	-	-	-	-	-	22	
C81.2		1	-	1	-	1	1	1	1	-	1	1	-	1	3	-	-	-	13	
C81.3		-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2		
C81.9		-	-	4	1	2	3	-	1	-	-	-	-	2	-	-	-	-	13	
<b>C82</b>	<b>FOLLICULAR NON-HODGKIN'S LYMPHOMA</b>			-	-	-	-	2	1	2	3	3	1	4	1	2	3	1	26	
C82.0		-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	3	
C82.1		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
C82.2		-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	4		

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES

## NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS											ALL AGES					
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84
C91.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C91.9		-	-	-	1	1	-	-	-	-	-	-	-	2	2	3	-	9
<b>C92 MYELOID LEUKAEMIA</b>		1	-	1	2	4	3	1	4	4	7	4	9	13	17	21	13	7
C92.0		1	-	-	1	2	1	1	2	3	3	2	-	3	6	9	2	5
C92.1		-	-	1	1	2	2	-	2	1	3	2	9	5	9	8	2	55
C92.4		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C92.5		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
C92.7		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C92.9		-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	3	-
<b>C93 MONOCYTIC LEUKAEMIA</b>		-	-	-	1	-	-	1	-	1	-	-	-	1	1	-	-	6
C93.0		-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	4
C93.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C93.9		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
<b>C94 OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE</b>		-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	-	7
C94.1		-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	4
C94.7		-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	3
<b>C95 LEUKAEMIA, UNSPECIFIED CELL TYPE</b>		2	-	-	1	1	-	2	-	-	4	2	1	2	3	6	2	26
C95.0		2	-	-	1	-	-	1	-	-	2	2	-	1	2	4	-	15
C95.1		-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2
C95.2		-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2
C95.9		-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	7
<b>C96 OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES</b>		-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2
C96.0		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C96.1		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
D06		-	-	-	16	36	66	72	56	45	26	17	11	7	2	1	-	355

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS										WORLD STAND. RATE									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C00-97	ALL SITES	21.1	14.5	12.4	13.2	23.0	32.5	48.2	78.0	140.8	278.7	502.5	807.5	1138.7	1488.5	1695.6	1897.8	1770.4	1573.4	448.9	260.7
C00	LIP	-	-	-	-	-	-	0.3	0.4	-	0.8	4.2	7.6	7.7	15.1	16.6	18.0	17.6	14.7	3.8	2.0
C00.0		-	-	-	-	-	-	-	-	-	0.8	0.4	0.5	-	0.6	0.9	1.5	-	0.2	0.1	
C00.1		-	-	-	-	-	-	0.3	0.4	-	0.8	3.0	5.7	4.8	13.4	15.4	16.3	14.6	11.0	3.1	1.7
C00.3		-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.6	-	-	-	0.1	0.0	
C00.4		-	-	-	-	-	-	-	-	-	-	-	-	1.5	1.4	0.6	0.6	0.9	1.5	3.7	
C00.8		-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.6	-	-	-	0.1	0.1	
C01	BASE OF TONGUE	-	-	-	-	0.3	-	-	-	1.2	1.5	1.5	5.3	4.3	4.1	6.8	4.3	4.4	3.7	1.7	1.0
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	-	-	-	-	0.3	-	1.5	1.2	1.5	-	4.5	4.2	5.8	9.9	2.5	1.7	1.5	-	1.9	1.3
C02.0		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	2.3	-	-	-	0.1	0.1
C02.1		-	-	-	-	0.3	-	1.1	0.8	0.8	0.8	1.1	2.4	4.6	0.6	0.9	1.5	-	-	0.8	0.5
C02.2		-	-	-	-	-	-	-	-	-	-	0.8	0.4	1.4	0.6	0.6	0.9	-	-	0.2	0.2
C02.3		-	-	-	-	-	-	-	-	-	-	0.4	1.1	-	-	-	-	-	-	0.1	0.1
C02.8		-	-	-	-	-	-	-	-	-	0.4	1.1	0.4	0.5	-	-	-	-	-	0.2	0.1
C02.9		-	-	-	-	-	-	-	-	-	0.4	0.4	1.5	1.1	1.4	2.3	1.2	-	-	0.5	0.3
C03	GUM	-	-	-	-	-	-	-	-	-	-	1.1	1.1	2.3	2.4	1.7	1.2	0.9	-	0.6	0.4
C03.0		-	-	-	-	-	-	-	-	-	-	0.4	0.8	1.1	1.4	0.6	0.6	-	-	0.3	0.2
C03.1		-	-	-	-	-	-	-	-	-	-	0.8	0.4	1.1	1.0	1.2	-	0.9	-	0.3	0.2
C03.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0	
C04	FLOOR OF MOUTH	-	-	-	-	-	-	1.2	0.8	6.8	5.7	3.4	1.7	1.8	-	2.9	-	1.4	0.9		
C04.0		-	-	-	-	-	-	0.8	-	0.8	1.5	0.5	0.6	0.6	-	-	-	-	0.3	0.2	
C04.1		-	-	-	-	-	-	-	-	3.0	0.4	-	0.6	0.6	-	1.5	-	-	0.3	0.2	
C04.8		-	-	-	-	-	-	-	-	0.4	0.4	1.5	1.4	-	-	-	-	-	0.2	0.2	
C04.9		-	-	-	-	-	-	-	0.4	0.4	2.6	2.3	1.4	0.6	0.6	-	1.5	-	0.6	0.4	
C05	PALATE	-	-	-	-	-	-	0.4	-	-	2.3	1.1	1.9	0.6	0.6	0.9	-	-	0.5	0.3	
C05.0		-	-	-	-	-	-	-	-	-	-	0.4	0.5	-	-	0.9	-	-	0.1	0.0	
C05.1		-	-	-	-	-	-	-	0.4	-	-	1.5	0.8	1.4	-	0.6	-	-	0.3	0.2	
C05.8		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	0.0	
C05.9		-	-	-	-	-	-	-	-	-	0.4	-	-	0.6	-	-	-	-	0.1	0.0	
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	-	-	-	-	0.3	0.4	-	0.4	-	0.8	1.4	2.3	-	2.6	-	-	0.4	0.2		
C06.0		-	-	-	-	-	0.4	-	0.4	-	-	0.5	0.6	-	0.9	-	-	0.1	0.1		
C06.1		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0		
C06.2		-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	0.0	0.0		
C06.8		-	-	-	-	-	-	-	-	-	0.4	-	1.2	-	0.9	-	-	0.1	0.1		
C06.9		-	-	-	-	0.3	-	-	-	-	-	0.5	0.6	-	0.9	-	-	0.1	0.1		
C07	PAROTID GLAND	-	-	-	-	1.4	0.7	0.4	1.5	1.1	1.9	3.4	2.3	3.1	6.0	7.3	3.7	1.3	0.8		
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	-	-	-	-	-	-	0.4	0.4	-	0.8	0.5	4.1	1.8	0.9	1.5	3.7	0.5	0.3		
C08.0		-	-	-	-	-	-	-	0.4	-	-	0.8	-	3.5	1.2	0.9	1.5	3.7	0.4	0.2	
C08.9		-	-	-	-	-	-	-	0.4	-	-	0.5	0.6	-	0.6	-	-	0.1	0.1		

Part 1

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

Part 2

CODE ICD-10	SITE	AGE AT DIAGNOSIS											WORLD STAND. RATE							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
<b>C09</b>	<b>TONSIL</b>	-	-	-	-	-	-	-	-	1.9	2.6	4.9	9.5	5.8	2.9	2.5	1.7	1.5	-	2.0
C09.0		-	-	-	-	-	-	-	-	0.4	0.4	0.4	0.5	-	-	-	1.5	-	0.1	
C09.1		-	-	-	-	-	-	-	-	0.4	0.4	-	1.1	1.0	1.2	0.6	-	-	0.3	
C09.8		-	-	-	-	-	-	-	-	0.8	0.8	1.5	-	-	-	-	-	-	0.2	
C09.9		-	-	-	-	-	-	-	-	0.8	1.9	3.8	6.4	4.3	1.7	1.8	1.7	-	1.4	
<b>C10</b>	<b>OPHARYNX</b>	-	-	-	-	-	-	-	-	0.3	-	2.6	3.0	1.9	5.8	1.2	2.5	3.4	2.9	-
C10.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	
C10.2		-	-	-	-	-	-	-	-	-	0.4	-	-	0.5	-	-	0.9	-	-	
C10.3		-	-	-	-	-	-	-	-	-	0.4	-	-	0.8	1.4	1.2	-	-	-	
C10.4		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	
C10.8		-	-	-	-	-	-	-	-	-	-	1.5	0.4	0.8	1.4	-	1.2	-	1.5	
C10.9		-	-	-	-	-	-	-	-	0.3	-	-	0.4	2.3	0.4	2.4	-	0.6	2.6	
<b>C11</b>	<b>NASOPHARYNX</b>	-	<b>0.6</b>	-	<b>0.7</b>	-	<b>0.4</b>	<b>0.8</b>	-	<b>1.5</b>	<b>2.3</b>	<b>1.9</b>	<b>5.3</b>	<b>4.1</b>	<b>3.1</b>	<b>1.7</b>	-	<b>1.2</b>	<b>0.9</b>	
C11.0		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.6	-	-	-	
C11.1		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.1	
C11.2		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	1.2	1.8	-	-	
C11.3		-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	0.6	-	-	0.1	
C11.8		-	-	-	-	-	-	-	-	0.4	-	1.5	0.4	0.5	-	-	-	-	0.2	
C11.9		-	<b>0.6</b>	-	-	-	<b>0.4</b>	<b>0.4</b>	-	<b>1.5</b>	<b>0.4</b>	<b>0.4</b>	<b>0.8</b>	<b>0.5</b>	<b>0.6</b>	<b>0.9</b>	-	<b>0.1</b>	<b>0.1</b>	
<b>C12</b>	<b>PYRIFORM SINUS</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>C13</b>	<b>HYPOPHARYNX</b>	-	-	-	-	-	<b>0.3</b>	-	<b>1.2</b>	<b>4.9</b>	<b>3.8</b>	<b>4.9</b>	<b>5.8</b>	<b>1.2</b>	<b>2.5</b>	-	<b>2.9</b>	-	<b>1.6</b>	
C13.1		-	-	-	-	-	-	-	-	0.8	-	0.4	0.5	-	-	-	-	-	0.1	
C13.2		-	-	-	-	-	-	-	-	0.8	-	0.4	1.4	-	-	-	-	-	0.2	
C13.8		-	-	-	-	-	-	-	-	1.9	0.4	2.3	0.5	-	-	-	-	-	0.4	
C13.9		-	-	-	-	-	-	-	-	0.3	-	1.2	1.5	3.4	1.9	3.4	1.2	2.5	-	
<b>C14</b>	<b>OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX</b>	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	<b>0.8</b>	-	<b>1.2</b>	<b>0.6</b>	-	-	<b>3.7</b>	
C14.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<b>0.2</b>	<b>0.1</b>	
C14.8		-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	-	<b>1.2</b>	<b>0.6</b>	-	-	<b>3.7</b>	
<b>C15</b>	<b>OESOPHAGUS</b>	-	-	-	-	-	<b>0.3</b>	-	<b>0.7</b>	<b>1.2</b>	<b>2.2</b>	<b>8.7</b>	<b>13.6</b>	<b>14.4</b>	<b>13.9</b>	<b>12.3</b>	<b>6.8</b>	<b>19.0</b>	<b>11.0</b>	<b>4.5</b>
C15.0		-	-	-	-	-	-	-	-	-	-	0.4	-	1.0	-	0.6	-	-	0.1	
C15.1		-	-	-	-	-	-	-	-	0.4	0.8	2.6	1.4	1.2	-	-	-	-	0.5	
C15.2		-	-	-	-	-	-	-	-	-	-	0.5	0.6	-	0.9	1.5	-	0.1	0.1	
C15.3		-	-	-	-	-	-	-	-	0.4	1.1	1.1	0.5	-	0.6	-	1.5	-	0.3	
C15.4		-	-	-	-	-	-	-	-	0.4	0.4	1.5	0.4	2.4	0.6	0.6	-	1.5	-	
C15.5		-	-	-	-	-	-	-	-	0.4	1.1	2.3	3.8	3.8	4.3	1.7	4.4	-	0.3	
C15.8		-	-	-	-	-	-	-	-	-	-	0.4	1.0	-	0.6	-	-	-	0.7	
C15.9		-	-	-	-	-	-	-	-	0.7	0.4	-	2.6	5.3	3.8	8.7	4.3	10.2	7.3	
<b>C16</b>	<b>STOMACH</b>	-	-	-	-	-	<b>0.4</b>	<b>0.7</b>	<b>2.2</b>	<b>10.4</b>	<b>9.0</b>	<b>27.2</b>	<b>40.9</b>	<b>64.3</b>	<b>96.3</b>	<b>129.7</b>	<b>146.3</b>	<b>153.6</b>	<b>117.4</b>	<b>28.4</b>
C16.0		-	-	-	-	-	-	-	-	0.4	1.2	2.2	5.3	6.4	11.0	13.5	12.0	11.7	7.3	2.0
C16.1		-	-	-	-	-	-	-	-	0.4	0.8	1.0	0.6	0.6	0.6	0.6	2.6	-	0.3	

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												WORLD STAND. RATE						
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C16.2		-	-	-	-	0.4	0.8	0.4	0.8	0.4	3.0	6.8	10.1	13.9	19.1	22.2	16.1	14.7	4.0	2.1
C16.3		-	-	-	-	0.3	-	1.6	1.5	5.3	5.7	9.6	16.2	19.7	29.1	23.4	11.0	4.6	2.4	
C16.4		-	-	-	-	0.3	-	0.8	0.8	0.4	1.1	3.4	4.1	6.2	3.4	5.8	-	1.1	0.6	
C16.5		-	-	-	-	-	-	0.4	0.4	1.9	4.2	3.8	8.7	8.0	8.6	8.8	11.0	2.0	1.1	
C16.6		-	-	-	-	-	-	0.4	0.8	1.9	2.3	1.4	2.3	8.6	6.0	-	7.3	1.2	0.6	
C16.8		-	-	-	-	0.3	-	0.4	2.7	1.1	4.5	4.9	9.1	12.2	26.4	16.3	10.2	7.3	4.0	2.2
C16.9		-	-	-	-	-	-	0.7	2.7	1.9	4.5	8.7	14.9	27.3	27.7	46.2	77.6	58.7	7.9	4.0
<b>C17</b>	<b>SMALL INTESTINE</b>	-	-	-	-	<b>0.3</b>	-	-	<b>0.4</b>	<b>1.5</b>	<b>1.1</b>	<b>1.9</b>	<b>1.2</b>	<b>3.7</b>	<b>3.4</b>	<b>2.9</b>	-	<b>0.7</b>	<b>0.4</b>	
C17.0		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C17.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C17.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C17.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C17.9		-	-	-	-	0.3	-	-	0.4	0.4	0.4	0.4	0.4	1.0	1.2	3.1	2.6	2.9	-	0.5
<b>C18</b>	<b>COLON</b>	-	-	<b>0.4</b>	<b>1.0</b>	<b>2.8</b>	<b>4.7</b>	<b>8.5</b>	<b>14.3</b>	<b>28.7</b>	<b>45.4</b>	<b>91.2</b>	<b>125.9</b>	<b>150.6</b>	<b>192.5</b>	<b>172.6</b>	<b>143.0</b>	<b>35.2</b>	<b>19.1</b>	
C18.0		-	-	-	-	0.7	0.7	0.8	2.6	1.9	6.8	6.7	13.9	16.0	17.1	17.6	14.7	-	3.6	
C18.1		-	-	-	-	0.3	0.3	-	-	0.4	-	-	-	-	-	-	-	0.1	0.1	
C18.2		-	-	-	-	0.3	-	0.7	3.1	3.0	5.3	6.4	13.0	16.2	26.4	25.7	17.6	22.0	5.2	
C18.3		-	-	-	-	-	-	0.4	0.8	0.8	3.0	3.4	3.8	8.1	3.7	8.6	13.2	3.7	1.9	
C18.4		-	-	-	-	0.4	-	0.3	1.1	0.4	2.2	4.9	6.0	4.8	8.7	15.4	13.7	11.7	3.1	
C18.5		-	-	-	-	0.3	0.3	-	0.4	0.8	2.3	3.0	6.7	7.0	6.8	6.0	10.2	3.7	1.9	
C18.6		-	-	-	-	0.3	-	0.8	1.1	1.9	1.5	9.6	8.7	14.8	13.7	7.3	3.7	2.6	1.4	
C18.7		-	-	-	-	0.3	1.8	2.3	2.6	7.9	14.0	39.8	51.6	52.3	84.7	57.1	44.0	13.0	6.9	
C18.8		-	-	-	-	0.3	-	-	-	0.4	0.4	-	0.4	0.4	0.6	1.7	4.4	-	0.3	
C18.9		-	-	-	-	-	-	-	1.1	0.8	3.8	6.7	11.0	14.8	21.4	33.6	47.7	3.6	1.8	
<b>C19</b>	<b>RECTOSIGMOID JUNCTION</b>	-	-	-	-	-	<b>0.4</b>	<b>2.6</b>	<b>3.4</b>	<b>5.3</b>	<b>8.6</b>	<b>18.0</b>	<b>20.3</b>	<b>28.2</b>	<b>35.1</b>	<b>25.7</b>	<b>4.7</b>	<b>2.4</b>		
<b>C20</b>	<b>RECTUM</b>	-	-	<b>1.0</b>	<b>2.6</b>	<b>3.5</b>	<b>14.3</b>	<b>25.7</b>	<b>42.0</b>	<b>68.6</b>	<b>96.3</b>	<b>111.3</b>	<b>96.7</b>	<b>86.3</b>	<b>47.7</b>	<b>24.5</b>	<b>13.8</b>			
<b>C21</b>	<b>ANUS AND ANAL CANAL</b>	-	-	<b>0.3</b>	-	-	<b>1.9</b>	<b>1.5</b>	<b>1.9</b>	<b>1.4</b>	<b>1.7</b>	-	<b>0.9</b>	<b>5.8</b>	<b>3.7</b>	<b>0.7</b>	<b>0.5</b>			
C21.0		-	-	-	-	0.3	-	-	0.4	0.8	1.5	0.5	0.6	-	0.9	2.9	3.7	0.4		
C21.1		-	-	-	-	-	-	-	1.5	0.4	0.4	1.0	0.6	-	-	2.9	-	0.3		
C21.2		-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	0.0		
C21.8		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0		
<b>C22</b>	<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	-	-	<b>1.1</b>	<b>0.7</b>	<b>2.2</b>	<b>3.9</b>	<b>8.6</b>	<b>12.8</b>	<b>20.1</b>	<b>22.6</b>	<b>42.9</b>	<b>44.9</b>	<b>46.2</b>	<b>51.2</b>	<b>58.7</b>	<b>11.6</b>	<b>6.6</b>		
C22.0		-	-	0.4	0.3	0.7	1.1	1.6	3.4	6.0	8.2	13.9	17.8	13.7	14.6	3.7	4.0	2.3		
C22.1		-	-	-	-	-	-	0.4	0.4	2.3	1.9	2.9	0.6	-	1.5	11.0	0.6	0.4		
C22.3		-	-	0.4	-	-	-	-	0.4	0.4	-	-	-	-	-	-	0.1	0.1		
C22.7		-	-	-	-	-	-	-	0.4	-	0.8	1.0	4.1	1.8	3.4	1.5	-	0.5		
C22.9		-	-	0.4	0.3	-	1.1	1.9	4.5	6.0	10.6	11.5	22.0	24.6	29.1	33.6	44.0	6.4		
<b>C23</b>	<b>GALLBLADDER</b>	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	<b>1.1</b>	<b>1.5</b>	<b>2.9</b>	<b>4.1</b>	<b>4.9</b>	<b>9.4</b>	<b>11.7</b>	<b>7.3</b>	<b>1.4</b>	<b>0.7</b>		
<b>C24</b>	<b>OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT</b>	-	-	-	<b>0.3</b>	<b>0.4</b>	-	<b>0.8</b>	<b>2.6</b>	<b>2.6</b>	<b>4.3</b>	<b>4.9</b>	<b>6.0</b>	<b>10.2</b>	<b>11.0</b>	<b>1.5</b>	<b>0.8</b>			
C24.0		-	-	-	0.3	-	-	0.4	2.3	1.4	1.7	1.2	4.3	5.8	11.0	0.8	0.4			

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS										WORLD STAND. RATE									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C24.1		-	-	-	-	-	-	-	-	0.4	1.1	0.4	1.4	1.2	1.8	1.7	2.9	-	0.5	0.3	
C24.9		-	-	-	-	-	-	-	0.4	-	0.4	1.1	-	1.4	-	1.8	-	1.5	-	0.3	
<b>C25 PANCREAS</b>		-	-	-	-	-	-	-	<b>0.3</b>	<b>2.9</b>	<b>7.0</b>	<b>11.3</b>	<b>20.4</b>	<b>37.1</b>	<b>53.5</b>	<b>71.9</b>	<b>76.1</b>	<b>40.3</b>	<b>16.8</b>	<b>9.5</b>	
C25.0		-	-	-	-	-	-	-	0.4	5.0	6.0	11.0	20.4	19.2	34.2	29.5	32.5	38.0	11.0	8.8	
C25.1		-	-	-	-	-	-	-	0.4	0.8	2.6	4.9	2.9	7.5	5.5	5.1	2.9	3.7	1.6	0.9	
C25.2		-	-	-	-	-	-	-	0.4	0.8	0.8	2.6	0.8	2.6	0.5	2.9	0.6	2.6	-	0.6	
C25.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5	-	0.0	
C25.4		-	-	-	-	-	-	-	-	0.4	0.4	0.4	0.4	-	-	-	-	-	-	0.1	
C25.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C25.8		-	-	-	-	-	-	-	-	1.1	0.4	1.5	1.5	1.9	4.3	4.6	6.2	8.6	4.4	-	1.5
C25.9		-	-	-	-	-	-	-	0.3	1.1	-	1.9	4.2	6.8	8.6	14.5	11.1	23.1	29.3	25.7	4.1
<b>C26 OTHER AND ILL-DEFINED DIGESTIVE ORGANS</b>		-	-	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	<b>0.8</b>	<b>0.4</b>	-	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>2.6</b>	<b>2.9</b>	<b>7.3</b>	<b>0.4</b>	
C26.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	0.1	
C26.9		-	-	-	-	-	-	-	0.4	0.4	0.8	0.4	-	0.6	0.6	0.6	0.9	2.9	7.3	0.3	
<b>C30 NASAL CAVITY AND MIDDLE EAR</b>		-	-	<b>0.7</b>	<b>0.3</b>	-	-	-	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>1.4</b>	-	<b>1.2</b>	-	-	<b>3.7</b>	<b>0.3</b>	<b>0.2</b>	
C30.0		-	-	-	-	0.4	0.3	-	-	-	0.4	0.4	0.4	0.4	-	1.2	-	-	3.7	0.3	0.2
C30.1		-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	-	-	-	-	0.1	0.1	
<b>C31 ACCESSORY SINUSES</b>		-	-	<b>0.3</b>	<b>0.3</b>	-	-	-	<b>1.1</b>	<b>1.1</b>	<b>1.5</b>	<b>1.4</b>	<b>2.3</b>	<b>1.8</b>	<b>0.9</b>	-	<b>3.7</b>	<b>0.6</b>	<b>0.4</b>		
C31.0		-	-	-	-	0.3	-	-	-	-	1.1	1.1	1.5	0.5	1.7	1.2	0.9	-	-	0.5	
C31.1		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.0	0.0	
C31.8		-	-	-	-	-	-	-	0.3	-	-	-	-	0.5	0.6	-	-	-	0.1	0.1	
C31.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.7	0.0	0.0	
<b>C32 LARYNX</b>		-	<b>0.6</b>	-	-	-	-	-	<b>1.8</b>	<b>8.9</b>	<b>17.7</b>	<b>32.1</b>	<b>48.8</b>	<b>54.2</b>	<b>40.0</b>	<b>35.7</b>	<b>24.8</b>	<b>14.6</b>	<b>7.3</b>	<b>15.3</b>	<b>9.8</b>
C32.0		-	-	-	-	-	-	-	0.4	2.7	6.4	11.0	14.4	20.2	12.2	13.5	11.1	5.8	-	5.2	3.3
C32.1		-	-	-	-	-	-	-	0.4	1.1	3.0	4.9	4.3	5.8	4.3	2.6	-	-	-	1.4	0.9
C32.2		-	-	-	-	-	-	-	-	-	-	-	0.4	0.5	0.6	-	-	-	0.1	0.1	
C32.3		-	-	-	-	-	-	-	-	-	-	-	0.4	0.5	-	0.6	-	-	-	0.1	
C32.8		-	-	-	-	-	-	-	-	2.7	5.6	8.3	14.0	13.0	8.7	5.5	1.7	4.4	-	3.7	
C32.9		-	0.6	-	-	-	-	-	1.5	3.1	4.5	9.8	14.8	15.8	12.8	11.7	9.4	4.4	7.3	4.8	
<b>C33 TRACHEA</b>		-	-	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.5</b>	<b>1.2</b>	-	-	-	-	<b>0.2</b>	<b>0.1</b>	
<b>C34 BRONCHUS AND LUNG</b>		-	-	<b>0.4</b>	-	<b>2.1</b>	<b>8.4</b>	<b>16.6</b>	<b>56.7</b>	<b>120.0</b>	<b>211.9</b>	<b>279.4</b>	<b>316.3</b>	<b>272.4</b>	<b>230.2</b>	<b>137.5</b>	<b>128.4</b>	<b>82.3</b>	<b>49.3</b>		
C34.0		-	-	0.4	-	0.3	0.4	1.9	9.0	20.8	33.7	42.2	50.5	38.1	30.8	17.6	-	12.4	7.5		
C34.1		-	-	-	-	1.4	2.9	7.4	23.3	43.0	87.4	105.6	129.4	105.1	79.6	54.1	36.7	31.9	19.2		
C34.2		-	-	-	-	-	-	1.5	1.2	3.0	9.4	14.0	23.0	20.9	17.8	18.0	5.8	7.3	5.8		
C34.3		-	-	-	-	0.3	1.1	2.3	9.0	22.6	36.0	48.0	58.0	49.8	39.4	22.0	22.0	14.4	8.6		
C34.8		-	-	-	-	-	-	-	0.4	1.9	2.3	3.4	6.2	3.5	4.3	6.0	2.9	7.3	1.6		
C34.9		-	-	-	-	-	-	-	2.6	3.5	10.5	21.9	37.5	54.2	54.0	56.5	35.1	55.0	16.2		
<b>C37 THYMUS</b>		-	-	<b>0.3</b>	-	-	<b>0.4</b>	<b>0.4</b>	-	<b>1.0</b>	-	<b>0.6</b>	-	<b>0.6</b>	-	-	<b>0.2</b>	<b>0.1</b>			
<b>C38 HEART, MEDIASTINUM, AND PLEURA</b>		<b>0.6</b>	-	-	<b>0.4</b>	-	<b>0.3</b>	-	<b>0.4</b>	<b>0.8</b>	<b>0.8</b>	<b>0.5</b>	<b>1.2</b>	<b>1.7</b>	<b>4.4</b>	<b>7.3</b>	<b>0.5</b>	<b>0.4</b>			

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES  
 Part 5

CODE ICD-10	SITE	AGE AT DIAGNOSIS												WORLD STAND. RATE							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C38.1	-	-	-	-	-	-	-	0.3	-	-	0.8	-	-	-	-	-	0.9	-	-	0.1	
C38.2	0.6	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	1.5	-	-	0.1	
C38.3	-	-	-	-	0.4	-	-	-	-	-	0.4	-	0.6	1.2	-	1.5	7.3	0.2	0.1		
C38.4	-	-	-	-	-	-	-	-	-	-	0.4	-	0.6	-	-	0.9	-	-	0.1		
C38.8	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	1.5	-	-	0.0	
C39	OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C39.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.0	
C40	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	0.6	-	-	1.2	0.4	0.3	0.3	0.4	0.4	0.8	0.4	0.8	0.4	0.8	1.4	1.2	0.6	0.9	-	0.6
C40.0	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.6	-	-	-	0.0
C40.1	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	-	-	-	-	0.1	
C40.2	0.6	-	-	1.2	0.4	0.3	-	0.4	-	-	0.4	-	0.4	-	1.0	0.6	0.6	-	-	0.3	
C40.3	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C40.9	-	-	-	-	-	-	-	-	-	-	-	0.8	0.5	-	-	-	0.9	-	-	0.1	
C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES	-	-	0.4	0.4	-	0.3	-	0.8	0.4	0.4	0.4	0.4	0.4	1.0	1.2	1.2	1.7	1.5	-	0.5
C41.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	1.5	-	0.1	
C41.1	-	-	-	-	0.4	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.1	
C41.3	-	-	-	-	-	-	-	-	0.4	0.4	-	-	0.5	-	-	0.6	-	-	-	0.1	
C41.4	-	-	-	0.4	-	-	0.3	-	-	-	-	0.4	0.5	0.6	-	-	-	-	-	0.1	
C41.9	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.6	-	1.7	-	-	0.1	
C43	MELANOMA OF SKIN	0.6	-	-	0.7	0.7	1.4	2.2	5.0	5.3	9.8	7.2	15.1	16.0	16.3	27.8	27.3	5.1	3.1	-	0.3
C43.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C43.2	-	-	-	-	-	-	-	-	-	-	0.4	0.5	-	-	-	-	1.5	-	-	0.0	
C43.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.3	1.8	0.9	-	3.7	
C43.4	-	-	-	-	-	0.3	-	0.4	-	0.4	0.8	1.4	1.7	2.5	2.6	1.5	-	-	-	0.5	
C43.5	-	-	-	-	-	0.7	0.7	0.3	1.8	2.3	5.3	2.9	8.7	6.8	6.0	14.6	-	-	2.4	1.5	
C43.6	-	-	-	-	-	-	-	0.4	0.4	0.4	-	0.8	1.9	1.2	0.6	2.6	4.4	-	-	0.5	
C43.7	-	0.6	-	-	-	-	0.7	-	1.2	1.5	1.5	1.1	0.5	-	2.5	2.6	2.9	-	0.7	0.5	
C43.8	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	0.6	-	-	-	0.1		
C43.9	-	-	-	-	-	-	-	0.8	1.1	0.8	1.1	-	1.2	1.2	1.7	2.9	3.7	0.5	0.3		
C44	OTHER SKIN	-	-	1.1	1.4	3.4	5.5	14.3	19.5	28.3	54.5	91.2	149.1	204.1	267.8	299.9	319.1	46.2	24.3	-	-
C44.0	-	-	-	-	-	-	-	0.4	0.4	0.8	1.9	1.4	2.3	2.5	4.3	8.8	3.7	0.9	0.5	-	
C44.1	-	-	-	-	-	-	-	-	1.2	1.1	1.9	2.3	4.8	8.1	9.2	9.4	8.8	11.0	2.0	1.1	
C44.2	-	-	-	-	0.4	-	-	-	0.8	0.4	0.8	1.5	5.3	9.3	20.9	41.0	36.7	3.6	1.7	-	
C44.3	-	-	-	-	-	0.7	2.4	3.3	5.0	9.8	13.6	31.0	55.7	81.2	121.7	159.2	137.5	157.7	25.5	13.4	-

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS											WORLD STAND. RATE								
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C44.4	-	-	-	-	-	-	-	0.3	-	1.6	1.9	3.4	6.0	8.2	12.8	18.4	21.4	35.1	40.3	4.4	
C44.5	-	-	-	-	0.4	0.3	1.5	4.3	3.4	7.2	6.8	10.6	24.4	18.4	35.1	39.5	40.3	6.4	3.5		
C44.6	-	-	-	-	-	-	0.3	-	1.2	1.1	0.8	1.9	3.8	5.2	9.8	6.0	20.5	18.3	2.0	1.0	
C44.7	-	-	-	-	0.4	0.3	-	0.4	-	1.5	-	2.6	1.4	5.2	1.2	6.8	7.3	3.7	1.1	0.6	
C44.8	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	1.2	2.6	1.5	3.7	0.2	0.1	
C44.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	2.6	-	3.7	0.2	
<b>C45 MESOTHELIOMA</b>	-	-	-	-	-	-	-	<b>1.1</b>	-	<b>0.8</b>	<b>0.8</b>	<b>2.3</b>	<b>1.0</b>	<b>2.3</b>	<b>1.2</b>	<b>0.9</b>	-	-	<b>0.6</b>	<b>0.4</b>	
C45.0	-	-	-	-	-	-	-	1.1	-	0.4	0.4	2.3	0.5	1.7	0.6	0.9	-	-	0.5	0.3	
C45.1	-	-	-	-	-	-	-	-	-	0.4	0.4	-	0.5	0.6	-	-	-	-	0.1	0.1	
C45.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0	
<b>C46 KAPOSI'S SARCOMA</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	<b>1.0</b>	<b>0.6</b>	-	<b>1.7</b>	<b>1.5</b>	-	<b>0.2</b>	
C46.0	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.6	-	1.7	-	0.1	0.1	
C46.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5	-	0.0	0.0	
<b>C47 PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM</b>	<b>0.6</b>	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.4</b>	-	-	<b>0.4</b>	-	<b>0.6</b>	-	<b>0.1</b>	<b>0.1</b>	
C47.0	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C47.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.0	
C47.4	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	
C47.9	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	
<b>C48 RETROPERITONEUM AND PERITONEUM</b>	<b>0.6</b>	-	<b>0.4</b>	-	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>1.1</b>	<b>4.8</b>	<b>3.5</b>	<b>1.2</b>	-	<b>2.9</b>	-	<b>0.8</b>	<b>0.6</b>	
C48.0	0.6	-	0.4	-	0.4	0.4	0.4	0.8	0.8	0.8	1.1	4.8	2.9	1.2	-	1.5	-	0.8	0.6		
C48.1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.0	0.0	
C48.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5	-	0.0	0.0	
<b>C49 CONNECTIVE AND OTHER SOFT TISSUES</b>	<b>1.1</b>	<b>0.6</b>	<b>0.5</b>	<b>1.2</b>	<b>0.7</b>	<b>0.7</b>	<b>1.4</b>	<b>0.7</b>	<b>0.8</b>	<b>1.9</b>	<b>1.9</b>	<b>4.9</b>	<b>5.8</b>	<b>4.6</b>	<b>8.6</b>	<b>8.6</b>	<b>5.8</b>	-	<b>2.4</b>	<b>1.7</b>	
C49.0	0.6	-	-	-	0.4	0.3	-	-	-	0.8	0.4	0.4	0.5	0.6	0.6	0.6	-	-	-	0.3	0.3
C49.1	-	-	-	-	0.8	-	-	0.7	0.7	0.4	0.8	-	1.5	1.0	2.3	2.5	3.4	1.5	-	0.4	
C49.2	-	-	-	-	-	-	-	-	0.4	-	-	-	0.8	0.5	-	0.6	-	1.5	-	0.5	
C49.3	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	0.5	-	0.6	1.7	-	0.2	0.1	
C49.4	-	-	-	-	-	-	-	-	-	-	0.4	0.8	1.0	1.2	-	0.9	-	-	0.2	0.1	
C49.5	0.6	-	-	0.4	-	-	-	-	-	0.4	0.4	0.4	0.5	0.6	1.8	1.7	2.9	-	0.3	0.2	
C49.6	-	-	-	-	0.3	-	-	0.4	0.4	0.8	-	-	-	-	-	1.2	-	-	0.2	0.1	
C49.8	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	
C49.9	-	0.6	0.5	-	-	-	-	-	-	-	-	-	-	1.0	-	1.2	0.9	-	0.2	0.2	
<b>C50 BREAST</b>	-	-	-	-	-	<b>0.4</b>	<b>0.8</b>	<b>0.8</b>	<b>1.1</b>	<b>1.9</b>	<b>2.9</b>	<b>8.7</b>	<b>5.5</b>	<b>5.1</b>	<b>4.4</b>	<b>3.7</b>	<b>1.4</b>	<b>0.8</b>	<b>0.8</b>		
C50.0	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.8	0.6	0.9	1.5	-	0.2	0.1	
C50.1	-	-	-	-	-	-	-	-	-	-	-	-	0.8	0.4	1.0	2.9	-	3.7	0.4	0.2	
C50.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	
C50.4	-	-	-	-	-	-	-	-	-	-	0.4	1.1	0.5	2.3	1.8	0.9	-	-	0.4	0.2	
C50.5	-	-	-	-	-	-	-	-	-	-	0.4	0.5	-	0.6	-	-	-	-	0.1	0.1	

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

Part 7

CODE ICD-10	SITE	AGE AT DIAGNOSIS										WORLD STAND. RATE								
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C50.8	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	1.2	0.9	-	-	0.1
C50.9	-	-	-	-	-	-	-	-	0.8	0.4	-	-	-	0.6	1.2	1.7	2.9	-	-	0.3
<b>C60 PENIS</b>	-	-	-	-	<b>0.3</b>	-	<b>0.7</b>	-	<b>0.8</b>	<b>2.3</b>	<b>1.1</b>	<b>6.7</b>	<b>3.5</b>	<b>3.1</b>	<b>2.6</b>	<b>8.8</b>	<b>11.0</b>	<b>1.4</b>	<b>0.8</b>	
C60.0	-	-	-	-	-	-	-	-	0.4	-	1.5	0.4	-	-	-	-	4.4	3.7	0.4	
C60.1	-	-	-	-	-	-	-	-	0.8	0.4	0.4	2.9	0.6	1.8	1.7	2.9	3.7	0.5	0.3	
C60.2	-	-	-	-	-	-	-	-	-	-	-	-	1.4	0.6	-	-	1.5	-	0.2	
C60.8	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.0	
C60.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
<b>C61 PROSTATE GLAND</b>	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>2.2</b>	<b>8.3</b>	<b>33.7</b>	<b>76.3</b>	<b>123.0</b>	<b>202.9</b>	<b>306.3</b>	<b>289.7</b>	<b>308.1</b>	<b>39.1</b>
<b>C62 TESTIS</b>	<b>1.1</b>	-	<b>2.3</b>	<b>6.6</b>	<b>11.6</b>	<b>12.4</b>	<b>11.7</b>	<b>5.4</b>	<b>5.6</b>	<b>3.4</b>	<b>3.4</b>	<b>1.9</b>	<b>2.9</b>	<b>3.7</b>	<b>1.7</b>	<b>2.9</b>	-	<b>5.2</b>	<b>4.5</b>	
C62.0	0.6	-	-	0.4	0.3	0.3	0.7	-	-	-	0.4	-	-	-	0.6	-	-	-	-	0.2
C62.1	-	-	-	1.6	3.6	5.1	4.8	7.3	3.1	3.0	1.5	1.5	1.4	0.6	1.2	-	1.5	-	2.5	
C62.9	0.6	-	-	0.8	2.6	6.2	7.2	3.6	2.3	2.6	1.9	1.5	0.5	2.3	1.8	1.7	1.5	-	2.5	
<b>C63 OTHER AND UNSPECIFIED MALE GENITAL ORGANS</b>	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.5</b>	-	<b>1.8</b>	-	<b>1.5</b>	-	<b>0.2</b>	<b>0.1</b>
C63.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.0
C63.2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	1.5	-	0.1	
C63.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.0
<b>C64 KIDNEY</b>	<b>1.7</b>	-	-	<b>0.7</b>	<b>1.4</b>	<b>2.6</b>	<b>7.4</b>	<b>13.2</b>	<b>15.9</b>	<b>18.9</b>	<b>28.8</b>	<b>32.5</b>	<b>33.2</b>	<b>41.1</b>	<b>29.3</b>	<b>18.3</b>	<b>10.8</b>	<b>6.7</b>	<b>1.1</b>	<b>0.6</b>
<b>C65 RENAL PELVIS</b>	-	-	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	<b>0.8</b>	<b>2.6</b>	<b>2.4</b>	<b>4.6</b>	<b>5.5</b>	<b>5.1</b>	-	<b>3.7</b>	<b>1.1</b>	<b>0.6</b>	
<b>C66 URETER</b>	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>1.2</b>	<b>0.6</b>	<b>2.6</b>	<b>1.5</b>	-	<b>0.2</b>	<b>0.1</b>	
<b>C67 BLADDER</b>	-	-	-	<b>1.0</b>	<b>0.7</b>	<b>1.8</b>	<b>8.5</b>	<b>14.6</b>	<b>34.0</b>	<b>48.4</b>	<b>79.7</b>	<b>105.6</b>	<b>129.1</b>	<b>136.0</b>	<b>137.5</b>	<b>113.7</b>	<b>30.3</b>	<b>16.8</b>		
C67.0	-	-	-	-	-	-	-	0.4	0.8	1.1	2.6	3.4	8.1	2.5	4.3	2.9	3.7	1.2	0.7	
C67.1	-	-	-	-	-	-	-	-	0.4	-	0.8	2.4	1.2	1.2	3.4	2.9	-	0.5	0.3	
C67.2	-	-	-	-	-	-	-	1.1	2.7	4.1	9.8	13.6	25.9	31.3	43.0	37.6	29.3	8.9	5.0	
C67.3	-	-	-	-	-	-	-	-	-	-	3.4	2.3	5.8	9.3	8.6	7.7	13.2	14.7	2.1	1.2
C67.4	-	-	-	-	-	-	-	0.3	0.4	1.2	1.5	2.3	4.2	9.6	9.9	11.7	11.1	8.8	14.7	
C67.5	-	-	-	-	-	-	-	0.3	-	0.4	1.5	1.1	3.4	1.0	2.3	12.3	5.1	11.7	-	
C67.6	-	-	-	-	-	-	-	0.7	-	0.4	1.2	1.1	1.9	3.8	5.3	5.5	6.8	7.3	-	
C67.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.0	
C67.8	-	-	-	-	-	-	-	0.3	-	0.8	0.8	3.0	6.0	7.7	13.4	19.1	15.4	17.6	14.7	
C67.9	-	-	-	-	-	-	-	-	-	1.9	4.5	11.3	11.7	18.2	24.4	25.2	44.5	43.9	36.7	7.8
<b>C68 OTHER AND UNSPECIFIED URINARY ORGANS</b>	-	-	-	-	-	-	-	-	-	-	-	-	<b>0.5</b>	-	<b>0.6</b>	-	<b>1.5</b>	<b>3.7</b>	<b>0.1</b>	
C68.0	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	1.5	-	0.0	
C68.9	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	3.7	0.1	0.0	
<b>C69 EYE AND ADNEKXA</b>	<b>1.1</b>	<b>0.6</b>	-	-	<b>0.3</b>	-	<b>0.8</b>	-	<b>0.4</b>	<b>1.1</b>	<b>1.4</b>	-	<b>1.2</b>	<b>0.9</b>	-	<b>3.7</b>	<b>0.5</b>	<b>0.4</b>		
C69.0	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	0.1	
C69.1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.0	
C69.2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.1	
C69.3	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.5	-	0.6	-	-	0.1	
C69.4	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS										WORLD STAND. RATE									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C69.6	-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	0.1		
C69.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.7	0.1		
<b>C70 MENINGES</b>	-	-	-	-	-	-	-	-	<b>0.4</b>	<b>0.8</b>	-	<b>1.4</b>	<b>0.6</b>	<b>1.8</b>	-	<b>4.4</b>	-	<b>0.4</b>	<b>0.3</b>		
C70.0	-	-	-	-	-	-	-	-	0.4	0.4	0.4	0.8	-	1.0	-	1.2	-	1.5	-		
C70.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0		
C70.9	-	-	-	-	-	-	-	-	-	-	0.4	-	-	0.5	-	0.6	-	2.9	-		
<b>C71 BRAIN</b>	<b>4.0</b>	<b>3.6</b>	<b>1.0</b>	<b>2.3</b>	<b>2.9</b>	<b>2.7</b>	<b>4.5</b>	<b>5.5</b>	<b>5.0</b>	<b>13.2</b>	<b>15.1</b>	<b>15.9</b>	<b>20.6</b>	<b>24.4</b>	<b>17.8</b>	<b>24.0</b>	<b>19.0</b>	<b>11.0</b>	<b>9.5</b>		
C71.0	-	-	-	-	-	-	-	-	0.4	-	0.4	-	-	1.0	-	-	0.9	-	0.2		
C71.1	-	0.6	-	0.5	-	0.7	0.7	0.7	0.7	1.2	1.1	2.6	2.6	2.3	1.9	2.3	0.6	3.4	4.4	-	
C71.2	-	1.2	-	0.8	0.7	0.3	1.4	1.1	1.2	2.6	2.6	4.2	3.4	4.1	1.8	4.3	-	-	1.7	1.3	
C71.3	-	0.6	-	0.8	-	-	1.0	-	0.8	1.9	2.3	1.5	2.4	4.1	3.7	0.9	2.9	-	1.2	0.8	
C71.4	-	-	-	-	-	-	-	-	-	-	1.1	0.4	0.5	-	0.6	0.9	-	-	0.2	0.1	
C71.5	-	-	-	0.8	-	-	-	-	-	0.4	-	-	0.4	-	0.6	-	-	-	0.1	0.1	
C71.6	-	1.1	0.6	-	-	0.7	1.0	-	0.4	0.4	0.4	0.4	0.4	0.4	0.5	-	-	-	0.4	0.5	
C71.7	-	0.6	0.5	-	-	0.3	-	-	0.4	0.4	-	0.4	-	0.8	1.0	-	0.6	-	0.3	0.3	
C71.8	-	1.1	-	-	-	-	-	-	1.0	1.5	1.2	1.1	1.1	2.3	2.9	2.9	1.8	0.9	1.5	1.1	
C71.9	-	1.1	0.6	-	-	0.4	0.3	0.3	1.5	-	4.1	4.9	4.2	7.2	10.4	8.6	12.8	10.2	11.0	3.1	
<b>C72 SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM</b>	<b>0.6</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>0.3</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.8</b>	<b>0.4</b>	<b>-</b>	<b>0.4</b>	<b>0.8</b>	<b>0.4</b>	<b>-</b>	<b>0.5</b>	<b>1.2</b>	<b>0.6</b>	<b>-</b>	<b>0.3</b>	
C72.0	-	0.6	-	0.4	-	0.3	-	-	0.4	0.4	-	0.4	-	-	0.6	-	-	-	-	0.2	
C72.9	-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	0.4	-	0.5	0.6	0.6	-	0.1	
<b>C73 THYROID GLAND</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.7</b>	<b>0.3</b>	<b>1.0</b>	<b>0.7</b>	<b>0.8</b>	<b>0.4</b>	<b>4.5</b>	<b>2.6</b>	<b>3.8</b>	<b>1.7</b>	<b>1.2</b>	<b>1.7</b>	<b>1.5</b>	<b>-</b>	<b>1.2</b>	<b>0.8</b>
<b>C74 ADRENAL GLAND</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.8</b>	<b>1.9</b>	<b>0.8</b>	<b>0.5</b>	<b>2.3</b>	<b>-</b>	<b>1.5</b>	<b>-</b>	<b>0.5</b>	<b>0.4</b>
C74.0	-	-	-	-	-	-	-	-	-	-	0.4	-	0.8	-	0.8	-	0.5	0.6	-	-	0.1
C74.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	
C74.9	-	-	-	-	-	-	-	-	0.4	-	0.8	0.8	0.8	-	1.7	-	-	1.5	-	0.3	
<b>C75 OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES</b>	<b>-</b>	<b>0.5</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.6</b>	<b>-</b>	<b>-</b>	<b>0.1</b>	<b>0.1</b>	
C75.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0	
C75.3	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1	
C75.9	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	
<b>C76 OTHER AND ILL-DEFINED SITES</b>	<b>0.6</b>	<b>0.6</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.8</b>	<b>-</b>	<b>0.8</b>	<b>1.0</b>	<b>2.3</b>	<b>0.6</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.4</b>	
C76.0	-	-	-	-	-	-	-	-	-	0.4	-	-	-	1.0	-	-	-	-	-	0.1	
C76.1	-	0.6	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.6	-	-	0.0	0.1	
C76.2	-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	0.2	0.2	
C76.3	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	
<b>C80 MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE</b>	<b>-</b>	<b>-</b>	<b>0.8</b>	<b>-</b>	<b>-</b>	<b>1.0</b>	<b>2.2</b>	<b>3.5</b>	<b>14.3</b>	<b>26.4</b>	<b>49.4</b>	<b>59.8</b>	<b>87.9</b>	<b>89.0</b>	<b>54.1</b>	<b>80.7</b>	<b>20.5</b>	<b>11.6</b>	<b>-</b>	<b>2.4</b>	<b>2.0</b>
<b>C81 HODGKIN'S DISEASE</b>	<b>0.6</b>	<b>-</b>	<b>3.6</b>	<b>0.8</b>	<b>1.8</b>	<b>1.4</b>	<b>3.8</b>	<b>3.3</b>	<b>3.1</b>	<b>3.0</b>	<b>3.0</b>	<b>2.6</b>	<b>2.4</b>	<b>2.9</b>	<b>4.3</b>	<b>1.7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.1</b>	

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS										WORLD STAND. RATE							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+ ALL AGES
C90	MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS	-	-	-	-	-	-	-	-	0.8	1.9	3.0	4.5	5.3	4.6	10.4	13.7	7.3	2.3
C90.0		-	-	-	-	-	-	-	-	0.4	1.1	1.9	3.4	3.8	4.1	8.6	12.8	7.3	3.7
C90.1		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.1
C90.2		-	-	-	-	-	-	-	-	-	-	-	-	1.1	1.1	0.6	1.8	-	0.4
C91	LYMPHOID LEUKAEMIA	<b>6.3</b>	<b>4.2</b>	<b>3.1</b>	<b>1.6</b>	<b>1.8</b>	<b>0.7</b>	<b>1.4</b>	<b>1.1</b>	<b>0.4</b>	<b>0.8</b>	<b>0.4</b>	<b>0.8</b>	<b>1.1</b>	<b>1.1</b>	<b>1.0</b>	<b>0.6</b>	<b>0.9</b>	<b>-</b>
C91.0		6.3	3.6	3.1	1.6	1.5	0.7	1.0	0.4	0.4	-	-	-	-	-	-	-	-	0.3
C91.1		-	-	-	-	-	-	-	-	0.4	0.8	1.5	4.2	3.4	5.3	12.8	11.7	13.7	-
C91.4		-	-	-	-	-	-	-	-	0.4	0.8	1.1	0.4	0.8	-	-	-	-	0.2
C91.5		-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	0.0
C91.9		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0
C92	MYELOID LEUKAEMIA	<b>0.6</b>	<b>0.6</b>	<b>1.6</b>	-	<b>1.1</b>	<b>1.7</b>	<b>1.0</b>	<b>0.7</b>	<b>2.3</b>	<b>3.0</b>	<b>3.0</b>	<b>4.9</b>	<b>3.8</b>	<b>9.9</b>	<b>12.3</b>	<b>12.0</b>	<b>10.2</b>	<b>11.0</b>
C92.0		-	-	1.0	-	0.4	1.4	0.3	0.4	1.2	1.1	1.1	2.3	2.4	2.3	4.3	1.7	4.4	-
C92.1		-	-	0.6	-	0.7	-	0.3	0.4	0.8	1.9	1.5	1.9	1.0	5.8	5.5	6.8	2.9	11.0
C92.4		-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	0.0
C92.5		0.6	-	0.5	-	-	0.3	-	-	-	-	0.4	-	-	-	-	-	-	0.1
C92.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
C92.9		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.3
C93	MONOCYTIC LEUKAEMIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<b>0.1</b>
C93.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
C93.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
C94	OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE	-	-	-	-	-	-	-	-	0.4	0.4	0.4	1.1	0.5	1.2	1.2	-	<b>2.9</b>	-
C94.0		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	<b>0.4</b>
C94.1		-	-	-	-	-	-	-	-	0.4	-	-	-	1.1	0.5	-	-	-	0.1
C94.5		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.6	-	-	0.1
C94.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	-	0.0
C95	LEUKAEMIA, UNSPECIFIED CELL TYPE	-	-	-	-	-	-	-	-	0.7	<b>0.4</b>	-	<b>1.1</b>	<b>0.4</b>	<b>0.8</b>	<b>1.4</b>	<b>2.3</b>	<b>3.7</b>	<b>2.6</b>
C95.0		-	-	-	-	-	-	-	-	0.3	0.4	-	0.8	0.4	0.4	1.0	1.2	0.6	1.7
C95.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5	
C95.9		-	-	-	-	-	-	-	-	0.3	-	-	0.4	-	0.5	1.2	0.6	0.9	-
C96	OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES	<b>0.6</b>	-	<b>0.5</b>	-	<b>0.3</b>	-	<b>0.4</b>	-	<b>0.4</b>	-	<b>0.4</b>	-	<b>0.4</b>	-	<b>0.4</b>	-	<b>0.4</b>	<b>0.4</b>
C96.0		-	-	0.5	-	0.3	-	0.3	-	-	-	-	-	-	-	-	-	-	0.1
C96.1		0.6	-	-	-	-	-	-	-	-	0.4	-	0.4	-	0.4	-	-	-	0.1

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												WORLD STAND. RATE							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C00-97	ALL SITES	19.4	10.9	8.7	13.1	24.6	37.0	87.1	165.6	260.6	377.0	495.5	629.6	749.0	886.0	1009.3	1151.7	1097.1	1064.6	396.0	212.7
<b>C00</b>	LIP	-	-	-	-	-	-	-	-	-	0.4	1.4	1.0	2.8	1.8	6.3	5.8	12.2	10.0	1.6	0.6
C00.0		-	-	-	-	-	-	-	-	-	0.4	0.3	0.4	-	0.4	1.2	1.7	4.0	0.2	0.1	
C00.1		-	-	-	-	-	-	-	-	-	0.4	0.7	1.6	1.8	5.0	4.6	6.1	4.0	1.0	0.4	
C00.3		-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	-	-	2.0	0.1	
C00.4		-	-	-	-	-	-	-	-	-	-	-	0.8	-	0.4	-	1.7	-	0.1	0.1	
C00.6		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0	
C00.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	0.0	0.0	
C00.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	1.7	-	
<b>C01</b>	BASE OF TONGUE	-	-	-	-	-	0.4	-	0.4	-	0.4	0.3	0.4	0.9	-	1.7	1.7	-	0.3	0.2	
<b>C02</b>	OTHER AND UNSPECIFIED PARTS OF TONGUE	-	-	-	0.4	-	0.4	-	0.4	1.1	1.0	1.6	0.5	1.4	2.3	-	2.0	0.6	0.3		
C02.0		-	-	-	-	-	-	-	-	-	0.4	0.3	-	-	-	-	-	-	0.1	0.0	
C02.1		-	-	-	-	-	-	-	-	0.4	-	-	0.8	-	0.9	1.7	-	-	0.2	0.1	
C02.2		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0	
C02.3		-	-	-	-	-	-	-	-	-	0.4	0.3	0.4	0.5	-	-	-	2.0	0.1	0.1	
C02.8		-	-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	0.1	0.0	
C02.9		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.6	-	-	0.1	0.0	
<b>C03</b>	GUM	-	-	-	-	-	0.4	0.4	-	0.4	0.7	0.4	1.8	-	1.2	0.9	2.0	0.4	0.2		
C03.0		-	-	-	-	-	-	-	-	0.4	-	0.4	-	-	-	-	-	-	0.1	0.1	
C03.1		-	-	-	-	-	-	-	-	0.4	-	0.4	-	-	-	-	-	-	0.2	0.1	
C03.9		-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.9	-	-	-	0.9	-	
<b>C04</b>	FLOOR OF MOUTH	-	-	-	-	-	-	-	-	0.4	0.7	-	-	-	-	0.4	0.6	0.9	-	0.2	
C04.1		-	-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	0.1	0.0	
C04.9		-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	-	0.6	0.9	-	0.1	
<b>C05</b>	PALATE	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.4	-	-	0.1	0.0	
C05.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	
C05.1		-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.0	0.0	
<b>C06</b>	OTHER AND UNSPECIFIED PARTS OF MOUTH	-	-	-	-	-	-	-	-	0.4	-	-	1.0	-	0.5	0.4	1.2	-	4.0	0.2	
C06.0		-	-	-	-	-	-	-	-	0.4	-	-	0.3	-	0.5	-	1.2	-	2.0	0.1	
C06.8		-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	2.0	0.1	
C06.9		-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.4	-	-	0.1	0.0	
<b>C07</b>	PAROTID GLAND	-	-	-	0.4	-	0.7	0.4	-	1.5	1.4	0.3	1.2	2.3	2.2	1.7	5.2	-	0.9	0.5	
<b>C08</b>	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	-	-	-	-	-	-	-	-	0.4	-	-	0.3	-	0.5	-	0.6	0.9	-	0.1	
C08.0		-	-	-	-	-	-	-	-	-	0.4	-	0.3	-	0.5	-	0.6	-	0.1	0.1	
C08.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	0.0	0.0	
<b>C09</b>	TONSIL	-	-	-	-	-	-	-	-	-	-	-	0.3	0.4	1.4	0.4	0.6	1.7	-	0.2	0.1
C09.0		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.4	-	0.9	-	0.1	0.0	
C09.1		-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	0.0	0.0	

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												WORLD STAND. RATE							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C09.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
<b>C10 OROPHARYNX</b>	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.3</b>	<b>0.4</b>	-	<b>0.4</b>	<b>1.7</b>	<b>0.9</b>	-	<b>0.2</b>	<b>0.1</b>	
C10.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C10.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C10.9	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.3</b>	-	-	-	-	-	-	-	0.1	
<b>C11 NASOPHARYNX</b>	-	-	<b>0.4</b>	<b>0.4</b>	-	<b>0.4</b>	-	-	-	-	-	<b>0.7</b>	<b>2.4</b>	<b>1.8</b>	<b>1.8</b>	<b>0.6</b>	-	<b>2.0</b>	<b>0.6</b>	<b>0.3</b>	
C11.0	-	-	<b>0.4</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C11.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C11.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C11.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C11.8	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	-	-	-	-	-	-	-	-	0.0	
C11.9	-	-	-	-	-	<b>0.4</b>	-	-	-	-	-	<b>0.7</b>	<b>1.2</b>	<b>0.9</b>	<b>1.4</b>	<b>0.6</b>	-	<b>2.0</b>	<b>0.4</b>	<b>0.2</b>	
<b>C13 HYPOPHARYNX</b>	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.4</b>	-	<b>0.4</b>	<b>0.6</b>	-	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	
C13.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C13.9	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.4</b>	-	-	-	-	-	-	0.0	
<b>C14 OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX</b>	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.4</b>	-	-	<b>0.4</b>	<b>0.5</b>	-	<b>0.6</b>	-	<b>2.0</b>	<b>0.2</b>	
C14.0	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	-	-	-	-	-	<b>0.6</b>	-	<b>2.0</b>	<b>0.1</b>	
C14.8	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	-	-	-	-	-	<b>0.6</b>	-	<b>2.0</b>	<b>0.1</b>	
<b>C15 OESOPHAGUS</b>	-	-	-	-	-	-	-	-	-	-	<b>1.5</b>	<b>0.4</b>	<b>0.7</b>	<b>0.8</b>	<b>0.9</b>	<b>4.5</b>	<b>5.2</b>	<b>7.0</b>	<b>10.0</b>	<b>1.1</b>	<b>0.4</b>
C15.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<b>0.9</b>	-	<b>0.0</b>	<b>0.0</b>	
C15.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<b>2.0</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	
C15.3	-	-	-	-	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	-	-	-	-	-	<b>0.9</b>	-	<b>0.1</b>	<b>0.1</b>	
C15.4	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	-	-	-	-	-	-	<b>0.0</b>	<b>0.0</b>	
C15.5	-	-	-	-	-	-	-	-	-	-	<b>0.7</b>	-	-	<b>0.4</b>	<b>0.5</b>	<b>2.2</b>	<b>1.2</b>	<b>0.9</b>	<b>4.0</b>	<b>0.4</b>	
C15.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.0</b>	<b>0.0</b>	
C15.9	-	-	-	-	-	-	-	-	-	-	-	<b>0.7</b>	-	-	-	-	<b>0.9</b>	<b>4.0</b>	<b>4.0</b>	<b>0.4</b>	
<b>C16 STOMACH</b>	-	-	<b>0.4</b>	<b>5.2</b>	<b>3.1</b>	<b>7.0</b>	<b>8.9</b>	<b>17.0</b>	<b>26.7</b>	<b>35.6</b>	<b>53.2</b>	<b>94.6</b>	<b>91.6</b>	<b>109.6</b>	<b>17.8</b>	<b>7.3</b>	-	-	-		
C16.0	-	-	-	-	-	<b>0.8</b>	<b>0.4</b>	<b>0.4</b>	-	-	<b>2.0</b>	<b>2.0</b>	<b>6.4</b>	<b>2.7</b>	<b>3.5</b>	<b>7.0</b>	<b>8.0</b>	<b>1.3</b>	<b>0.6</b>	<b>0.6</b>	
C16.1	-	-	-	-	-	<b>0.4</b>	-	-	-	-	<b>0.7</b>	<b>1.2</b>	<b>0.5</b>	-	<b>1.7</b>	<b>1.7</b>	<b>2.0</b>	<b>0.3</b>	<b>0.2</b>	<b>0.2</b>	
C16.2	-	-	-	-	-	<b>0.4</b>	<b>0.8</b>	<b>0.4</b>	<b>1.1</b>	<b>1.8</b>	<b>2.0</b>	<b>2.4</b>	<b>6.8</b>	<b>9.0</b>	<b>13.8</b>	<b>14.0</b>	<b>10.0</b>	<b>2.6</b>	<b>1.1</b>		
C16.3	-	-	-	-	-	<b>1.5</b>	<b>0.8</b>	<b>1.5</b>	<b>1.4</b>	<b>3.4</b>	<b>4.9</b>	<b>8.7</b>	<b>11.3</b>	<b>17.9</b>	<b>9.6</b>	<b>14.0</b>	<b>3.2</b>	<b>1.4</b>	<b>1.4</b>		
C16.4	-	-	-	-	-	-	-	-	-	-	<b>1.0</b>	<b>0.4</b>	<b>0.9</b>	<b>0.4</b>	<b>3.5</b>	<b>1.7</b>	<b>2.0</b>	<b>0.4</b>	<b>0.2</b>	<b>0.2</b>	
C16.5	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	-	<b>1.1</b>	<b>0.7</b>	<b>1.4</b>	<b>2.4</b>	<b>1.4</b>	<b>5.4</b>	<b>5.8</b>	<b>3.5</b>	<b>6.0</b>	<b>1.2</b>	<b>0.6</b>		
C16.6	-	-	-	-	-	-	-	-	-	<b>0.7</b>	<b>0.3</b>	<b>1.2</b>	<b>0.5</b>	<b>2.2</b>	<b>3.5</b>	<b>4.4</b>	<b>2.0</b>	<b>0.6</b>	<b>0.2</b>		
C16.8	-	-	-	-	-	<b>1.1</b>	<b>0.4</b>	<b>1.1</b>	<b>1.4</b>	<b>2.7</b>	<b>5.3</b>	<b>2.7</b>	<b>7.7</b>	<b>9.2</b>	<b>9.6</b>	<b>10.0</b>	<b>2.2</b>	<b>1.0</b>	<b>1.0</b>		
C16.9	-	-	-	-	-	<b>0.7</b>	<b>0.4</b>	<b>1.2</b>	<b>1.8</b>	<b>3.4</b>	<b>6.9</b>	<b>7.8</b>	<b>14.4</b>	<b>35.8</b>	<b>40.1</b>	<b>55.8</b>	<b>5.8</b>	<b>2.2</b>	<b>2.2</b>		
<b>C17 SMALL INTESTINE</b>	-	-	-	<b>0.4</b>	-	-	<b>0.7</b>	<b>0.7</b>	<b>0.8</b>	<b>1.4</b>	<b>0.4</b>	<b>1.7</b>	<b>1.7</b>	<b>2.0</b>	<b>0.5</b>	<b>0.3</b>	-	-	-		
C17.0	-	-	-	-	-	<b>0.4</b>	-	-	-	<b>0.7</b>	-	<b>0.9</b>	<b>0.4</b>	<b>0.6</b>	-	-	-	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	
C17.1	-	-	-	-	-	<b>0.4</b>	-	-	-	<b>0.3</b>	<b>0.4</b>	-	-	-	-	-	<b>2.0</b>	<b>0.1</b>	<b>0.1</b>		

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS											WORLD STAND. RATE								
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C17.2		-	-	-	-	-	-	-	-	-	0.7	-	0.3	0.4	-	-	0.9	-	0.1	0.1	
C17.9		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	1.2	0.9	-	0.1	
<b>C18 COLON</b>		-	<b>0.8</b>	-	<b>1.1</b>	<b>0.7</b>	<b>4.1</b>	<b>6.6</b>	<b>15.1</b>	<b>22.8</b>	<b>43.5</b>	<b>59.6</b>	<b>75.3</b>	<b>92.0</b>	<b>118.2</b>	<b>112.5</b>	<b>107.6</b>	<b>29.5</b>	<b>13.4</b>		
C18.0		-	-	-	-	-	-	0.4	1.2	2.6	3.2	4.8	6.1	14.6	11.3	19.6	13.1	14.0	4.1	1.9	
C18.1		-	-	0.8	-	-	-	-	-	-	0.7	0.3	0.4	-	-	-	-	-	0.2	0.1	
C18.2		-	-	-	-	-	-	1.5	1.2	1.5	2.8	4.1	6.9	9.6	17.1	19.6	14.0	25.9	4.3	1.8	
C18.3		-	-	-	-	-	-	-	-	0.4	-	1.1	2.7	2.8	5.5	2.7	6.3	7.0	4.0	1.5	0.6
C18.4		-	-	-	-	-	-	0.4	0.8	2.2	2.8	5.4	7.7	8.2	9.0	11.0	12.2	8.0	3.2	1.5	
C18.5		-	-	-	-	-	-	-	0.4	-	1.1	1.8	3.1	4.0	3.6	4.1	4.0	6.1	2.0	1.5	0.7
C18.6		-	-	-	-	-	-	0.7	-	0.8	0.7	2.1	3.4	3.6	5.0	7.7	5.8	7.8	4.0	2.0	1.0
C18.7		-	-	-	-	-	-	-	1.1	2.3	6.6	7.5	17.3	23.9	25.1	32.9	34.6	28.8	19.9	9.8	4.6
C18.8		-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.4	1.2	-	-	0.1	0.0	0.0
C18.9		-	-	-	-	-	-	0.4	-	0.4	0.7	2.0	4.0	3.6	6.8	16.2	23.6	29.9	2.9	1.0	
<b>C19 RECTOSIGMOID JUNCTION</b>		-	-	-	-	-	-	0.4	-	0.4	0.7	3.9	5.1	4.9	11.0	14.4	16.2	23.6	21.9	4.1	1.7
<b>C20 RECTUM</b>		-	<b>0.4</b>	-	<b>1.4</b>	-	<b>2.2</b>	<b>6.2</b>	<b>8.1</b>	<b>14.6</b>	<b>23.5</b>	<b>30.4</b>	<b>45.2</b>	<b>49.6</b>	<b>63.4</b>	<b>54.1</b>	<b>43.9</b>	<b>16.1</b>	<b>7.5</b>		
<b>C21 ANUS AND ANAL CANAL</b>		-	-	-	-	-	-	-	-	0.4	0.7	0.7	0.4	-	0.4	1.7	0.9	2.0	0.3	0.1	
C21.0		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	1.2	0.9	2.0	0.1	0.0
C21.1		-	-	-	-	-	-	-	-	0.4	0.4	0.7	0.4	-	-	0.6	-	-	0.2	0.1	
C21.2		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.0	0.0	
<b>C22 LIVER AND INTRAHEPATIC BILE DUCTS</b>		-	-	-	-	-	<b>0.4</b>	<b>1.9</b>	<b>1.5</b>	<b>3.2</b>	<b>6.1</b>	<b>6.9</b>	<b>20.1</b>	<b>20.8</b>	<b>22.5</b>	<b>28.8</b>	<b>21.9</b>	<b>5.8</b>	<b>2.4</b>		
C22.0		-	-	-	-	-	0.4	-	0.8	0.7	0.4	2.0	3.6	6.4	5.0	5.2	4.4	-	1.5	0.7	
C22.1		-	-	-	-	-	-	-	0.4	0.7	1.4	0.8	1.4	0.9	1.7	1.7	-	0.5	0.2	0.1	
C22.7		-	-	-	-	-	-	-	0.4	0.4	-	-	1.4	0.4	2.9	0.9	-	0.3	0.1	0.1	
C22.9		-	-	-	-	-	-	0.4	1.2	-	1.8	2.7	2.4	11.0	14.4	12.7	21.8	21.9	3.4	1.4	
<b>C23 GALLBLADDER</b>		-	-	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	<b>2.8</b>	<b>2.0</b>	<b>5.7</b>	<b>11.4</b>	<b>13.5</b>	<b>13.8</b>	<b>10.5</b>	<b>14.0</b>	<b>3.2</b>	<b>1.4</b>	
<b>C24 OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT</b>		-	-	-	-	-	-	<b>0.4</b>	<b>0.8</b>	<b>0.4</b>	-	1.4	1.6	2.7	<b>3.2</b>	<b>3.5</b>	<b>4.0</b>	<b>0.9</b>	<b>0.4</b>		
C24.0		-	-	-	-	-	-	0.4	-	0.4	-	0.7	0.8	1.8	2.7	1.7	2.6	4.0	0.6	0.2	
C24.1		-	-	-	-	-	-	0.4	0.4	-	0.3	0.4	0.9	0.4	1.2	-	-	0.2	0.1	0.1	
C24.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	0.0	0.0	0.0	
C24.9		-	-	-	-	-	-	0.4	-	-	0.3	0.4	-	-	0.6	-	-	0.1	0.1	0.1	
<b>C25 PANCREAS</b>		-	-	<b>0.4</b>	<b>0.4</b>	<b>0.7</b>	<b>0.4</b>	<b>1.1</b>	<b>2.7</b>	<b>5.5</b>	<b>8.2</b>	<b>11.6</b>	<b>19.4</b>	<b>29.7</b>	<b>41.0</b>	<b>46.1</b>	<b>45.4</b>	<b>43.9</b>	<b>11.2</b>	<b>5.0</b>	
C25.0		-	-	0.4	-	0.4	0.4	1.9	2.2	5.3	4.1	10.5	14.6	20.8	24.2	20.1	19.9	5.6	2.5	2.5	
C25.1		-	-	-	0.4	-	0.8	0.4	0.7	0.7	3.4	1.6	5.9	2.7	5.2	3.5	2.0	1.4	0.7	0.7	
C25.2		-	-	0.4	-	-	-	0.7	-	0.3	2.0	1.4	0.4	0.6	2.6	-	0.4	0.2	0.2	0.2	
C25.4		-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	0.0	0.0	0.0	0.0	
C25.8		-	-	-	-	-	-	0.4	0.7	1.8	0.7	2.0	2.3	5.4	2.3	2.6	2.0	1.0	0.5	0.5	
C25.9		-	-	-	-	-	-	0.4	-	-	1.1	0.4	3.1	3.2	5.5	11.7	13.8	15.7	19.9	2.8	1.1
<b>C26 OTHER AND ILL-DEFINED DIGESTIVE ORGANS</b>		-	-	-	-	-	-	<b>0.8</b>	<b>0.4</b>	-	-	-	-	<b>0.4</b>	-	<b>1.7</b>	<b>2.0</b>	<b>0.2</b>	<b>0.1</b>		
C26.0		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0	0.0	

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												WORLD STAND. RATE							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C26.9	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	0.4	-	1.7	2.0	0.2	0.1	
<b>C30</b>	<b>NASAL CAVITY AND MIDDLE EAR</b>	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	-	<b>0.6</b>	-	<b>4.0</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	
C30.0	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	0.6	-	2.0	0.1	0.0	0.0	
C30.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	0.0	0.0	0.0	
<b>C31</b>	<b>ACCESSORY SINUSES</b>	-	-	-	-	-	-	-	-	<b>0.4</b>	-	<b>0.3</b>	<b>1.2</b>	<b>0.5</b>	<b>0.9</b>	<b>1.7</b>	<b>0.9</b>	-	<b>0.3</b>	<b>0.1</b>	
C31.0	-	-	-	-	-	-	-	-	0.4	0.8	0.4	1.8	2.7	4.0	0.5	1.4	1.7	-	-	0.2	
C31.8	-	-	-	-	-	-	-	-	0.4	-	0.3	1.2	0.5	-	-	1.7	-	-	0.1		
<b>C32</b>	<b>LARYNX</b>	-	-	-	-	-	-	-	-	0.4	-	0.7	0.7	1.6	0.5	1.4	0.6	0.9	-	0.4	
C32.0	-	-	-	-	-	-	-	-	0.4	-	-	0.7	-	0.4	-	-	-	-	0.2		
C32.1	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	0.1		
C32.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.0		
C32.8	-	-	-	-	-	-	-	-	-	-	-	1.0	0.8	-	-	-	-	-	0.1		
C32.9	-	-	-	-	-	-	-	-	0.8	0.4	0.4	0.7	1.2	-	-	1.2	0.9	-	0.3		
<b>C33</b>	<b>TRACHEA</b>	-	-	-	-	-	-	-	-	0.4	-	0.4	-	0.4	-	-	-	-	0.1		
<b>C34</b>	<b>BRONCHUS AND LUNG</b>	-	-	-	-	-	-	-	1.2	-	3.0	9.7	12.2	18.1	30.6	32.8	36.5	34.7	49.0	43.6	
C34.0	-	-	-	-	-	-	-	-	0.4	1.2	2.2	2.5	4.1	3.6	2.3	2.7	3.5	1.7	4.0	1.5	
C34.1	-	-	-	-	-	-	-	-	0.8	4.7	4.8	4.3	12.6	14.2	14.1	9.9	12.1	10.5	10.0	5.1	
C34.2	-	-	-	-	-	-	-	-	0.4	-	1.1	2.1	2.0	2.4	2.3	2.2	2.3	2.6	2.0	1.0	
C34.3	-	-	-	-	-	-	-	-	0.8	-	0.4	1.2	1.5	5.0	5.1	6.5	8.2	10.4	9.8	7.8	
C34.8	-	-	-	-	-	-	-	-	-	0.4	-	0.4	-	0.7	-	1.2	0.9	1.2	-	2.0	
C34.9	-	-	-	-	-	-	-	-	0.4	-	0.4	1.1	2.3	2.6	3.6	6.8	4.9	8.7	8.6	20.2	
<b>C37</b>	<b>THYMUS</b>	-	-	-	-	-	-	-	0.4	-	-	0.4	-	0.7	-	0.4	-	0.4	-	-	
<b>C38</b>	<b>HEART, MEDIASTINUM, AND PLEURA</b>	-	-	-	-	-	-	-	0.5	-	0.4	-	0.4	-	0.7	0.8	0.9	0.4	-	-	
C38.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.4	0.5	-	-	0.1	
C38.1	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	
C38.3	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.3	-	-	-	-	-	0.1	
C38.4	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	
C38.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.0	
<b>C40</b>	<b>BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS</b>	-	-	-	-	-	-	-	0.6	-	0.4	1.5	0.7	-	1.1	0.7	1.0	1.2	0.5	<b>0.4</b>	<b>0.6</b>
C40.0	-	-	-	-	-	-	-	-	0.6	-	0.4	-	-	0.4	-	-	0.5	-	-	0.6	
C40.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
C40.2	-	-	-	-	-	-	-	-	0.6	-	0.4	1.5	0.4	-	0.4	-	-	-	-	0.0	
C40.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	
C40.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
<b>C41</b>	<b>BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES</b>	-	-	-	-	-	-	-	0.6	-	0.5	0.4	-	-	0.8	-	1.4	1.4	0.6	0.9	-
									-	-	-	0.8	-	0.7	-	-	-	-	-	0.4	

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS														WORLD STAND. RATE				
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C41.0	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C41.1	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C41.2	-	-	-	-	-	-	-	-	0.4	-	-	-	0.5	-	-	-	-	-	0.1	0.0
C41.3	-	-	-	-	-	-	-	-	-	-	-	0.8	-	0.4	-	-	-	-	0.1	0.0
C41.4	-	-	0.4	0.4	-	-	-	-	-	-	-	-	0.5	-	0.5	-	-	-	0.1	0.1
C41.9	0.6	0.5	-	-	0.4	1.1	0.7	1.9	3.1	3.7	8.2	5.1	6.5	7.8	8.1	7.5	14.0	16.0	3.9	2.2
<b>C43 MELANOMA OF SKIN</b>	-	-	-	-	0.4	1.1	0.7	1.9	3.1	3.7	8.2	5.1	6.5	7.8	8.1	7.5	14.0	16.0	3.9	2.2
C43.2	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.1	0.0
C43.3	-	-	-	-	-	-	-	-	-	0.4	0.7	0.4	1.8	0.4	1.7	1.7	8.0	0.4	0.2	0.2
C43.4	-	-	-	-	-	-	-	-	0.4	0.4	-	-	0.4	-	-	0.6	0.9	-	0.1	0.1
C43.5	-	-	-	-	0.4	0.4	0.4	0.4	1.2	1.8	2.5	1.0	2.4	2.3	0.9	1.2	-	-	0.9	0.6
C43.6	-	-	-	-	-	0.7	-	0.4	-	0.4	1.1	1.4	-	1.4	0.9	1.7	1.7	-	0.5	0.3
C43.7	-	-	-	-	-	-	0.4	0.8	1.6	1.5	3.9	1.4	3.2	2.3	4.1	1.7	6.1	-	1.5	0.8
C43.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	0.0	0.0
C43.9	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	1.8	0.6	1.7	6.0	0.3
<b>C44 OTHER SKIN</b>	-	-	0.4	0.7	4.3	5.2	10.9	13.2	21.7	41.1	65.2	97.6	122.2	160.3	194.5	217.3	38.6	16.5	16.5	16.5
C44.0	-	-	-	-	-	-	-	-	1.2	0.4	0.7	1.7	1.6	3.6	3.2	4.6	2.6	4.0	1.1	0.5
C44.1	-	-	-	-	-	-	-	-	1.2	1.5	1.1	1.7	4.5	6.4	6.8	8.6	6.1	12.0	2.1	1.0
C44.2	-	-	-	-	-	-	-	-	-	-	-	0.3	2.4	2.7	2.2	4.6	13.1	8.0	1.1	0.4
C44.3	-	-	-	-	-	0.7	0.7	2.2	5.4	4.8	11.7	22.1	37.7	68.0	89.8	114.2	129.1	153.5	25.2	10.2
C44.4	-	-	-	-	-	0.4	-	0.4	0.7	1.1	4.4	3.2	4.6	4.5	6.3	7.0	6.0	1.8	0.8	0.5
C44.5	-	-	0.4	-	3.2	3.0	2.3	4.0	4.3	6.8	8.5	7.3	7.2	9.2	12.2	8.0	3.9	2.2	2.2	2.2
C44.6	-	-	-	-	-	-	-	-	0.7	1.4	1.4	3.6	3.2	4.1	6.3	15.7	16.0	1.8	0.7	0.7
C44.7	-	-	-	-	-	-	-	0.4	0.7	1.4	2.4	3.2	1.4	3.6	5.2	7.0	8.0	1.4	0.6	0.6
C44.8	-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	0.4	1.2	0.9	-	0.2	0.1	0.1
C44.9	-	-	-	-	-	-	-	-	-	-	0.3	-	0.5	0.4	-	0.9	2.0	0.1	0.1	0.1
<b>C45 MESOTHELIOMA</b>	-	-	-	0.4	0.4	-	1.2	0.7	-	-	0.8	0.9	0.9	-	-	-	0.3	0.2	0.2	0.2
C45.0	-	-	-	0.4	0.4	-	1.2	0.4	-	-	0.4	0.9	0.9	-	-	-	0.3	0.2	0.2	0.2
C45.1	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	0.1	0.0	0.0	0.0
<b>C46 KAPOSI'S SARCOMA</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	0.9	2.0	0.1	0.0	0.1
C46.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	0.0	0.0	0.0
C46.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0	0.0
C46.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.9	-	0.1	0.0	0.0
<b>C47 PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.2
C47.3	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1	0.1
C47.4	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.2
C47.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0
<b>C48 RETROPERITONEUM AND PERITONEUM</b>	-	-	-	0.4	0.7	0.7	0.4	1.1	1.4	1.7	1.6	1.4	1.7	1.6	1.4	1.7	2.6	3.5	3.6	3.6

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												WORLD STAND. RATE								
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
C48.0		-	-	-	-	0.4	0.7	0.4	0.4	0.4	0.4	1.4	1.4	1.2	0.9	3.6	2.9	0.9	6.0	0.9	0.5	
C48.1		-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	-	-	-	0.1	0.0	
C48.2		-	-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	0.2	0.1	0.1	
C48.8		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.6	-	-	0.1	0.0	
<b>C49</b>	<b>CONNECTIVE AND OTHER SOFT TISSUES</b>	<b>1.8</b>	<b>1.9</b>	<b>1.1</b>	<b>0.4</b>	<b>0.4</b>	<b>1.4</b>	<b>0.7</b>	<b>1.9</b>	<b>1.6</b>	<b>5.2</b>	<b>2.5</b>	<b>1.7</b>	<b>5.3</b>	<b>3.2</b>	<b>3.6</b>	<b>5.2</b>	<b>3.5</b>	<b>-</b>	<b>2.3</b>	<b>1.9</b>	
C49.0		1.2	0.6	-	-	-	-	-	-	0.4	0.4	-	0.4	-	0.3	0.4	-	0.9	-	1.7	-	0.3
C49.1		-	0.6	-	-	-	-	0.7	-	-	0.4	1.1	-	-	0.8	0.5	-	0.6	-	-	0.3	0.3
C49.2		-	-	0.5	-	-	-	0.4	0.8	0.4	1.8	1.8	0.3	3.2	2.3	2.2	2.3	0.9	-	-	1.0	0.6
C49.3		-	-	-	0.5	-	-	0.4	0.4	-	-	-	0.4	0.3	0.4	-	-	-	-	-	-	0.1
C49.4		-	-	-	-	-	-	-	0.4	-	-	0.4	-	0.3	0.4	0.5	-	0.6	-	-	0.2	0.1
C49.5		-	0.6	-	0.4	-	0.4	-	1.1	0.4	0.7	0.4	-	-	-	-	1.2	-	-	0.3	0.3	
C49.6		-	-	0.5	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.9	-	0.1	0.1	
C49.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C49.9		0.6	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.4	0.6	-	-	0.1	0.1
<b>C50</b>	<b>BREAST</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.8</b>	<b>6.5</b>	<b>16.1</b>	<b>48.2</b>	<b>88.6</b>	<b>129.6</b>	<b>147.3</b>	<b>170.3</b>	<b>169.3</b>	<b>193.4</b>	<b>197.5</b>	<b>196.1</b>	<b>170.0</b>	<b>159.5</b>	<b>90.4</b>	<b>51.8</b>		
C50.0		-	-	-	-	-	-	0.4	0.4	1.1	4.3	5.9	7.5	7.5	8.5	10.5	10.4	11.0	8.7	6.0	4.4	
C50.1		-	-	-	-	-	-	0.4	2.2	8.2	9.9	17.4	12.2	13.8	13.2	15.8	16.2	7.0	10.0	7.0	4.1	
C50.2		-	-	-	-	-	-	1.4	1.8	2.6	9.3	12.5	12.8	10.9	10.5	15.1	18.5	14.4	12.2	8.0	7.2	
C50.3		-	-	-	-	-	-	0.4	1.1	1.9	2.3	6.3	5.7	7.8	11.8	10.5	7.7	13.8	3.5	10.0	4.4	
C50.4		-	-	-	-	-	-	0.8	2.5	7.1	22.1	44.3	58.2	55.8	73.4	68.9	78.9	78.0	70.9	63.7	41.9	
C50.5		-	-	-	-	-	-	0.7	1.8	6.0	6.6	10.3	13.9	14.6	15.4	22.4	22.6	17.9	15.7	4.0	8.5	
C50.6		-	-	-	-	-	-	-	-	-	0.4	-	0.4	1.1	0.7	-	0.5	-	-	0.2	0.1	
C50.8		-	-	-	-	-	-	0.4	3.2	9.7	10.5	19.1	23.5	30.2	32.4	31.5	29.8	27.7	34.9	27.9	14.8	
C50.9		-	-	-	-	-	-	0.7	0.4	2.2	3.1	7.0	9.6	12.9	8.1	11.0	14.9	24.2	24.4	51.8	6.9	
<b>C51</b>	<b>VULVA</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.7</b>	<b>0.7</b>	<b>0.8</b>	<b>0.4</b>	<b>1.8</b>	<b>2.1</b>	<b>1.4</b>	<b>2.8</b>	<b>8.7</b>	<b>14.9</b>	<b>13.3</b>	<b>10.5</b>	<b>8.0</b>	<b>3.0</b>	<b>1.3</b>		
C51.0		-	-	-	-	-	-	0.4	-	-	0.7	0.4	0.3	0.4	4.1	4.5	5.2	4.4	-	1.0	0.4	
C51.1		-	-	-	-	-	-	-	-	-	0.4	0.3	-	0.9	2.2	1.2	-	-	0.3	0.1	0.1	
C51.2		-	-	-	-	-	-	-	-	-	-	0.3	0.4	0.9	1.4	1.2	-	-	2.0	0.2	0.1	
C51.8		-	-	-	-	-	-	-	-	-	0.4	-	-	0.4	0.5	1.4	2.3	1.7	6.0	0.4	0.1	
C51.9		-	-	-	-	-	-	0.7	0.4	0.8	0.4	0.7	1.4	0.3	1.6	2.3	5.4	3.5	4.4	-	1.1	
<b>C52</b>	<b>VAGINA</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>-</b>	<b>1.1</b>	<b>0.7</b>	<b>1.2</b>	<b>-</b>	<b>3.2</b>	<b>2.3</b>	<b>5.2</b>	<b>4.0</b>	<b>0.8</b>	
<b>C53</b>	<b>CERVIX UTERI</b>	<b>-</b>	<b>-</b>	<b>0.8</b>	<b>1.5</b>	<b>7.2</b>	<b>27.1</b>	<b>47.9</b>	<b>50.9</b>	<b>61.8</b>	<b>56.2</b>	<b>53.0</b>	<b>51.4</b>	<b>31.0</b>	<b>34.7</b>	<b>34.0</b>	<b>23.6</b>	<b>14.0</b>	<b>30.4</b>	<b>21.2</b>		
C53.0		-	-	-	-	-	-	0.7	5.7	13.8	18.2	19.5	19.6	15.0	18.6	10.0	11.3	8.6	4.4	-	9.2	
C53.1		-	-	0.8	0.8	4.7	16.1	19.4	19.4	25.8	22.8	23.5	21.1	12.8	16.2	10.4	9.6	6.0	13.0	9.2		
C53.8		-	-	-	-	-	0.4	1.1	0.8	1.2	3.7	3.2	3.1	2.0	2.7	0.9	2.9	0.9	-	1.4		
C53.9		-	-	-	-	0.8	1.4	4.3	13.8	12.0	12.9	10.7	11.6	9.7	5.5	6.3	12.1	8.7	8.0	6.8	4.6	
<b>C54</b>	<b>CORPUS UTERI</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>2.1</b>	<b>4.9</b>	<b>12.8</b>	<b>28.7</b>	<b>55.8</b>	<b>73.1</b>	<b>85.9</b>	<b>82.6</b>	<b>74.0</b>	<b>64.0</b>	<b>41.9</b>	<b>23.9</b>	<b>31.0</b>	<b>17.0</b>		
C54.0		-	-	-	-	-	-	-	0.8	-	-	0.4	0.7	0.4	1.4	-	-	-	0.2	0.2		
C54.1		-	-	-	-	-	-	0.4	1.8	2.2	9.3	22.8	48.7	64.6	70.1	69.8	60.9	52.5	29.6	6.0	25.6	
C54.2		-	-	-	-	-	-	-	1.1	1.9	2.6	2.1	2.4	3.2	2.3	4.5	2.9	3.5	4.0	1.6	0.9	
C54.3		-	-	-	-	-	-	-	-	0.4	0.4	0.4	0.7	1.2	2.3	1.4	1.2	0.9	-	0.5	0.2	

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS												WORLD STAND. RATE									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
C54.8		-	-	-	-	-	-	-	0.4	-	0.7	1.0	1.0	3.6	1.8	1.8	1.2	0.9	2.0	0.7	0.4		
C54.9		-	-	-	-	-	-	-	0.4	0.4	1.2	2.2	3.6	3.7	7.3	5.0	5.4	6.3	7.0	12.0	2.5	1.3	
C55	UTERUS, NOS	-	-	-	-	-	-	-	0.4	-	1.2	1.5	1.8	1.0	0.4	0.9	3.2	5.8	4.4	6.0	1.1	0.5	
C56	OVARY	-	1.1	3.3	3.5	3.6	5.4	11.2	17.5	18.4	37.7	36.7	45.4	47.0	49.6	43.8	32.3	31.9	21.1	12.4			
C57	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	-	-	-	-	-	-	-	0.8	0.7	1.4	0.3	0.4	3.2	2.2	1.2	0.9	-	0.6	0.4			
C57.0		-	-	-	-	-	-	-	0.4	0.7	1.4	0.3	0.3	0.4	1.8	2.2	1.2	-	-	0.5	0.3		
C57.4		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0			
C57.9		-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	0.9	-	0.1	0.1		
C58	PLACENTA	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	-	-	-	-	-	0.1	0.1		
C64	KIDNEY	1.8	-	-	0.4	0.4	1.8	2.2	5.0	8.5	6.4	11.2	10.1	13.2	12.6	13.8	7.0	8.0	5.6	3.4			
C65	RENAL PELVIS	-	-	-	-	-	-	-	-	0.4	0.4	-	0.4	0.4	0.9	0.4	1.2	-	2.0	0.2	0.1		
C66	URETER	-	-	-	-	-	-	-	-	0.7	-	0.3	0.4	0.5	0.4	0.5	0.6	0.9	-	0.2	0.1		
C67	BLADDER	-	-	0.8	0.7	0.7	3.4	3.5	5.9	10.0	11.2	14.2	19.6	18.5	21.9	37.5	31.9	8.0	4.0				
C67.0		-	-	-	-	-	-	0.4	0.7	0.4	-	0.4	-	-	1.8	0.6	2.6	-	0.3	0.2			
C67.1		-	-	-	-	-	-	0.8	-	-	0.7	-	-	0.4	-	4.4	-	0.2	0.1				
C67.2		-	-	0.4	0.4	1.1	0.8	1.8	2.1	4.1	1.6	3.6	6.3	6.3	10.5	10.0	2.1	1.0					
C67.3		-	-	-	-	-	-	-	0.4	0.7	0.3	0.4	2.3	0.4	1.2	0.9	-	0.4	0.2				
C67.4		-	-	-	-	-	-	-	0.4	0.4	2.5	1.0	2.4	2.3	2.2	1.2	0.9	2.0	0.8	0.4			
C67.5		-	-	-	-	-	-	0.4	-	0.4	0.7	0.7	0.4	3.2	3.6	1.2	1.7	2.0	0.7	0.3			
C67.6		-	-	0.4	0.4	0.4	-	0.4	0.4	1.8	1.7	2.8	1.8	0.4	2.3	2.6	2.0	0.9	0.5				
C67.8		-	-	-	-	-	-	-	0.4	1.2	0.4	-	-	1.6	1.4	2.9	2.6	6.0	0.7	0.3			
C67.9		-	-	-	-	-	-	0.8	0.4	1.5	1.8	2.7	4.5	5.0	1.8	6.3	11.3	10.0	1.9	0.9			
C68	OTHER AND UNSPECIFIED URINARY ORGANS	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.9	2.0	0.1	0.0			
C68.0		-	-	-	-	-	-	-	0.4	-	0.7	0.4	0.7	1.2	0.9	2.7	1.7	-	0.9	2.0	0.1		
C69	EYE AND ADNEXA	1.2	-	-	-	-	-	-	0.4	-	0.7	-	0.3	-	-	0.4	0.6	-	-	0.6	0.4		
C69.0		-	1.2	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.1			
C69.2		-	-	-	-	-	-	-	0.4	-	0.4	0.3	1.2	0.5	0.4	-	-	-	-	0.1	0.2		
C69.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.1			
C69.4		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.0	0.0			
C69.6		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	0.6	-	-	0.1	0.0			
C69.9		-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	1.7	-	0.1	0.0			
C70	MENINGES	-	-	-	-	-	-	-	0.4	-	1.5	1.8	1.0	2.0	0.9	0.9	1.7	-	-	0.6	0.4		
C70.0		-	-	-	-	-	-	-	1.5	1.8	0.7	1.6	0.9	0.4	1.2	-	-	-	-	0.5	0.3		
C70.1		-	-	-	-	-	-	-	0.4	-	-	0.3	-	-	-	-	-	-	-	0.1	0.0		
C70.9		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.4	0.6	-	-	-	0.1	0.0		
C71	BRAIN	1.2	1.9	1.6	0.8	0.8	2.2	3.6	4.1	5.0	5.2	10.3	11.9	17.4	15.1	15.3	18.5	9.6	16.0	7.3	4.6		
C71.0		-	0.6	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.1	0.1		
C71.1		-	-	-	-	-	-	-	-	-	-	-	1.4	1.1	1.6	0.4	2.1	1.0	3.2	1.8	1.2	0.9	
C71.2		-	-	-	-	-	-	-	1.1	1.2	0.4	2.5	2.4	2.7	2.7	1.7	0.9	-	-	1.1	0.7		

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS										WORLD STAND. RATE										
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
C71.3	-	-	-	-	-	-	-	0.4	0.4	0.4	0.4	0.4	0.4	3.1	2.0	2.3	1.8	2.9	-	0.9	0.5	
C71.4	-	-	-	-	-	-	-	0.4	-	-	-	0.4	0.4	0.5	0.9	0.6	-	-	-	0.2	0.1	
C71.5	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.6	-	-	-	0.1	0.0	
C71.6	-	-	1.1	-	0.4	-	-	-	-	0.4	-	0.4	-	-	-	0.6	-	-	2.0	0.2	0.2	
C71.7	-	1.2	-	-	-	0.4	-	0.4	-	-	-	-	-	-	-	-	-	-	-	0.1	0.2	
C71.8	-	-	-	0.4	-	0.7	-	1.2	1.1	2.8	2.0	2.0	2.0	1.4	1.4	1.2	1.7	2.0	1.0	0.6		
C71.9	-	1.3	0.5	0.8	-	1.1	0.7	1.1	0.8	1.8	1.4	3.1	6.9	6.4	5.0	9.8	6.1	12.0	2.6	1.6		
<b>C72</b>	<b>SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM</b>	<b>1.3</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>-</b>	<b>0.8</b>	<b>0.5</b>	<b>0.9</b>	<b>-</b>	<b>-</b>	<b>0.2</b>	<b>0.3</b>	
C72.0	-	1.3	-	-	0.4	-	-	0.4	-	-	0.4	-	-	-	-	0.8	0.5	-	-	-	0.2	0.2
C72.3	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	
C72.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	0.1	0.0	
<b>C73</b>	<b>THYROID GLAND</b>	<b>-</b>	<b>0.5</b>	<b>0.4</b>	<b>1.2</b>	<b>2.9</b>	<b>5.4</b>	<b>6.0</b>	<b>7.4</b>	<b>8.5</b>	<b>10.0</b>	<b>10.9</b>	<b>7.3</b>	<b>7.3</b>	<b>5.4</b>	<b>9.2</b>	<b>7.0</b>	<b>7.0</b>	<b>5.5</b>	<b>3.7</b>		
<b>C74</b>	<b>ADRENAL GLAND</b>	<b>-</b>	<b>0.5</b>	<b>0.4</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>-</b>	<b>0.3</b>	<b>0.8</b>	<b>1.4</b>	<b>0.9</b>	<b>1.2</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.3</b>		
C74.0	-	-	0.5	-	-	-	-	-	-	0.4	0.4	-	0.3	-	0.5	-	-	-	-	0.1	0.1	
C74.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.0	0.0	
C74.9	-	-	-	0.4	-	-	-	-	0.4	-	-	-	-	-	0.4	0.9	0.9	1.2	-	0.2	0.1	
<b>C75</b>	<b>OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>-</b>	<b>0.4</b>	<b>0.4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.1</b>	<b>0.1</b>		
C75.0	-	-	-	-	-	-	-	0.4	-	0.4	0.4	-	-	-	-	-	-	-	-	0.1	0.1	
C75.3	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	
<b>C76</b>	<b>OTHER AND ILL-DEFINED SITES</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1.1</b>	<b>0.7</b>	<b>0.4</b>	<b>1.8</b>	<b>1.7</b>	<b>1.7</b>	<b>-</b>	<b>0.4</b>	<b>0.2</b>	
C76.0	-	-	-	-	-	-	-	-	-	-	0.4	0.3	-	-	-	-	-	1.7	-	0.1	0.0	
C76.1	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0	
C76.2	-	-	-	-	-	-	-	-	-	-	0.4	0.3	0.4	1.4	1.4	1.7	-	-	0.3	0.1		
C76.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.0	0.0	
<b>C80</b>	<b>MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>1.6</b>	<b>4.6</b>	<b>1.4</b>	<b>2.5</b>	<b>1.1</b>	<b>1.6</b>	<b>0.7</b>	<b>1.4</b>	<b>0.7</b>	<b>1.4</b>	<b>1.4</b>	<b>-</b>	<b>0.9</b>	<b>-</b>	<b>0.3</b>	<b>0.4</b>	
<b>C81</b>	<b>HODGKIN'S DISEASE</b>	<b>1.2</b>	<b>-</b>	<b>0.5</b>	<b>1.6</b>	<b>4.6</b>	<b>1.4</b>	<b>2.5</b>	<b>1.1</b>	<b>1.6</b>	<b>0.7</b>	<b>1.4</b>	<b>0.7</b>	<b>-</b>	<b>1.4</b>	<b>1.4</b>	<b>-</b>	<b>0.9</b>	<b>-</b>	<b>1.3</b>	<b>1.4</b>	
C81.0	-	0.6	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.1	0.1	
C81.1	-	-	-	-	-	3.8	0.4	1.1	0.8	0.8	0.7	0.4	0.3	-	-	-	-	-	-	0.6	0.6	
C81.2	-	0.6	-	0.5	-	0.4	0.4	0.4	0.4	0.4	-	0.4	0.3	-	0.5	1.4	-	-	-	0.3	0.3	
C81.3	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.9	-	0.1	0.0	
C81.9	-	-	-	1.6	0.4	0.7	1.1	-	0.4	-	-	-	-	0.9	-	-	-	-	-	0.3	0.4	
<b>C82</b>	<b>FOLLICULAR NON-HODGKIN'S LYMPHOMA</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.7</b>	<b>0.4</b>	<b>0.8</b>	<b>1.1</b>	<b>1.1</b>	<b>1.0</b>	<b>0.4</b>	<b>1.8</b>	<b>0.4</b>	<b>1.2</b>	<b>2.6</b>	<b>2.0</b>	<b>0.7</b>	<b>0.4</b>			
C82.0	-	-	-	-	-	-	-	0.4	-	-	0.3	-	-	-	-	-	-	2.0	0.1	0.1		
C82.1	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	0.0		
C82.2	-	-	-	-	-	-	-	0.4	-	-	0.7	-	-	-	-	-	0.9	-	0.1	0.1		

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS										WORLD STAND. RATE								
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C82.7		-	-	-	-	-	-	0.4	-	0.8	-	-	0.3	0.4	-	-	-	-	0.1	0.1
C82.9		-	-	-	-	-	-	-	-	0.4	0.7	0.3	-	1.8	0.4	1.2	1.7	-	0.3	0.2
<b>C83</b>	<b>DIFFUSE NON-HODGKIN'S LYMPHOMA</b>	-	-	-	0.8	0.7	1.1	2.2	0.4	0.7	3.2	4.8	3.6	5.9	8.1	5.8	0.9	-	<b>2.3</b>	<b>1.3</b>
C83.0		-	-	0.4	-	-	-	-	-	-	0.7	0.3	0.4	0.9	1.4	-	-	-	-	0.2
C83.1		-	-	-	-	-	-	-	-	-	0.4	-	0.4	0.5	-	0.6	-	-	0.1	0.1
C83.2		-	-	-	-	-	-	-	-	0.4	-	0.3	-	-	-	-	-	-	0.1	0.0
C83.3		-	-	0.4	0.4	0.7	1.1	0.4	0.4	1.1	0.4	1.1	1.7	2.0	1.8	2.7	2.9	0.9	-	1.0
C83.4		-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.4	-	-	0.1	0.0
C83.5		-	-	-	-	-	-	-	-	-	-	0.4	-	0.4	-	0.9	1.2	-	-	0.2
C83.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0
C83.8		-	-	-	-	-	-	0.4	0.8	-	-	0.7	1.7	-	1.4	0.9	0.6	-	0.4	0.2
C83.9		-	-	-	-	0.4	-	0.4	-	-	-	0.7	0.4	0.9	1.8	-	-	-	0.3	0.2
<b>C84</b>	<b>PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS</b>	<b>0.6</b>	-	-	-	-	-	<b>0.4</b>	<b>0.4</b>	-	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.9</b>	<b>0.9</b>	-	<b>0.3</b>	<b>0.2</b>	
C84.0		-	-	-	-	-	-	-	0.4	-	0.4	-	0.3	-	0.5	0.4	-	0.9	-	0.1
C84.3		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C84.4		-	0.6	-	-	-	-	-	-	-	-	-	0.4	0.5	-	-	-	-	0.1	0.1
C84.5		-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.4	-	-	-	0.1	0.0
<b>C85</b>	<b>OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA</b>	<b>1.1</b>	<b>0.4</b>	-	<b>0.4</b>	<b>1.4</b>	<b>0.4</b>	<b>1.2</b>	<b>1.1</b>	<b>2.5</b>	<b>2.0</b>	<b>3.6</b>	<b>5.0</b>	<b>5.0</b>	<b>5.0</b>	<b>6.9</b>	<b>7.0</b>	<b>4.0</b>	<b>2.0</b>	<b>1.1</b>
C85.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0
C85.1		-	-	-	-	-	-	-	-	-	0.4	0.3	-	-	-	-	-	-	0.1	0.0
C85.7		-	-	-	-	-	-	-	0.4	-	-	0.3	0.8	-	0.9	-	-	-	0.2	0.1
C85.9		-	1.1	0.4	-	0.4	1.4	0.4	0.8	1.1	2.1	1.4	2.8	5.0	4.1	6.3	7.0	4.0	1.8	1.0
<b>C88</b>	<b>MALIGNANT IMMUNOPROLIFERATIVE DISEASES</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	<b>0.4</b>	-	-	<b>0.0</b>	<b>0.0</b>	
C88.0		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.0	0.0
<b>C90</b>	<b>MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS</b>	-	-	-	-	-	-	-	-	-	<b>2.1</b>	<b>4.4</b>	<b>6.9</b>	<b>8.7</b>	<b>7.7</b>	<b>6.9</b>	<b>2.6</b>	<b>2.0</b>	<b>2.2</b>	<b>1.1</b>
C90.0		-	-	-	-	-	-	-	-	-	2.1	3.4	5.7	6.8	6.8	6.9	1.7	2.0	1.9	0.9
C90.1		-	-	-	-	-	-	-	-	-	0.3	-	0.5	-	-	0.9	-	0.1	0.0	0.0
C90.2		-	-	-	-	-	-	-	-	-	0.7	1.2	1.4	0.9	-	-	-	0.2	0.1	0.1
<b>C91</b>	<b>LYMPHOID LEUKAEMIA</b>	<b>7.9</b>	<b>4.5</b>	<b>0.5</b>	<b>0.8</b>	<b>1.2</b>	-	<b>0.4</b>	<b>0.4</b>	<b>2.6</b>	<b>0.7</b>	<b>1.7</b>	<b>3.6</b>	<b>8.2</b>	<b>9.9</b>	<b>8.1</b>	<b>5.2</b>	<b>10.0</b>	<b>3.0</b>	<b>2.7</b>
C91.0		7.9	4.5	0.5	0.8	-	-	0.4	0.4	0.7	0.4	-	-	-	0.9	-	2.0	0.8	1.7	
C91.1		-	-	-	-	-	-	-	0.4	-	1.5	0.4	1.4	3.2	5.9	8.6	5.8	4.4	8.0	1.7
C91.4		-	-	-	-	-	-	-	-	0.4	-	0.3	0.4	0.5	0.4	-	-	-	0.1	0.1

## CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2006 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS										WORLD STAND. RATE									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C91.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C91.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
<b>C92</b>	<b>MYELOID LEUKAEMIA</b>	<b>0.6</b>	<b>-</b>	<b>0.5</b>	<b>0.8</b>	<b>1.5</b>	<b>1.1</b>	<b>0.4</b>	<b>1.5</b>	<b>1.6</b>	<b>2.6</b>	<b>1.4</b>	<b>3.1</b>	<b>5.3</b>	<b>7.8</b>	<b>9.5</b>	<b>7.5</b>	<b>6.1</b>	<b>-</b>	<b>2.8</b>	
C92.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	
C92.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	
C92.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	
C92.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	
C92.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C92.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
<b>C93</b>	<b>MONOCYTIC LEUKAEMIA</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.3</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.6</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.2</b>	
C93.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
C93.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
C93.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
<b>C94</b>	<b>OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.7</b>	<b>0.4</b>	<b>-</b>	<b>0.9</b>	<b>0.6</b>	<b>-</b>	<b>-</b>	<b>0.2</b>	<b>0.1</b>	
C94.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
C94.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
<b>C95</b>	<b>LEUKAEMIA, UNSPECIFIED CELL TYPE</b>	<b>1.2</b>	<b>-</b>	<b>-</b>	<b>0.4</b>	<b>0.4</b>	<b>-</b>	<b>0.8</b>	<b>-</b>	<b>-</b>	<b>1.4</b>	<b>0.7</b>	<b>0.4</b>	<b>0.9</b>	<b>1.4</b>	<b>3.5</b>	<b>1.7</b>	<b>-</b>	<b>0.7</b>	<b>0.5</b>	
C95.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	
C95.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C95.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C95.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
<b>C96</b>	<b>OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	
C96.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
C96.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
<b>D06</b>	<b>NOT INCLUDED ABOVE CA IN SITU OF CERVIX UTERI</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>6.1</b>	<b>12.9</b>	<b>23.6</b>	<b>26.9</b>	<b>21.8</b>	<b>16.6</b>	<b>9.2</b>	<b>5.8</b>	<b>4.5</b>	<b>3.2</b>	<b>0.9</b>	<b>0.6</b>	<b>-</b>	<b>9.0</b>
																				<b>7.8</b>	

## AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 BY PRIMARY CANCER SITES AND YEAR OF DIAGNOSIS IN BULGARIA 1981-2006, MALES Part 1

CODE ICD-9	SITE	YEAR OF DIAGNOSIS												CODE ICD-10							
		1981	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999								
140-208	ALL SITES	184.7	177.8	186.6	187.6	188.9	189.6	199.7	197.4	208.0	197.3	239.7	234.4	235.2	233.8	239.7	243.2	254.5	257.8	260.7	C00-97
140	LIP	7.6	6.3	5.6	4.8	4.7	4.4	4.4	4.1	3.4	3.3	3.7	3.6	3.1	2.5	2.6	2.4	2.5	2.4	2.0	C00
141	TONGUE	0.5	0.9	1.1	2.0	1.8	1.6	1.7	1.8	1.9	2.0	1.7	1.8	1.9	1.9	1.9	1.9	1.7	1.7	2.3	C01-02
142	SALIVARY GLANDS	0.7	0.4	0.5	0.8	0.6	0.7	0.6	0.6	0.7	0.6	0.7	0.4	0.5	0.8	0.7	0.8	0.7	0.9	1.0	C07-08
143	GUM	0.3	0.3	0.2	0.6	0.5	0.5	0.4	0.4	0.4	0.6	0.6	0.4	0.5	0.3	0.4	0.5	0.4	0.4	0.3	C03
144	MOUTH	0.1	0.3	0.6	0.7	0.4	0.5	0.8	0.6	0.9	0.7	0.9	0.8	0.7	1.0	0.7	0.7	0.8	0.9	0.8	C04
145	OTHER AND UNSPECIFIED PARTS OF MOUTH	0.2	0.3	0.4	0.5	0.5	0.6	0.5	0.6	0.5	0.6	0.5	0.6	0.5	0.5	0.8	0.9	0.7	0.5	0.5	C05-06
146	OROPHARYNX	0.5	0.7	0.9	1.2	1.4	1.1	1.3	1.2	1.5	1.5	1.9	1.7	1.8	1.7	1.8	1.4	1.2	1.2	2.1	C09-10
147	NASOPHARYNX	0.8	0.9	0.7	1.0	0.9	0.9	1.1	0.9	0.9	0.6	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.9	0.9	C11
148	HYPOPHARYNX	0.1	0.6	0.6	0.9	1.0	1.0	1.1	0.8	1.2	1.0	1.2	0.8	0.9	1.2	1.2	1.3	1.1	1.2	1.2	C12-13
149	PHARYNX UNSPECIFIED	0.1	0.1	0.0	0.1	0.1	0.1	-	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	C14
150	OESOPHAGUS	1.5	1.0	1.7	1.5	2.0	1.7	1.6	1.6	2.2	1.6	2.5	2.5	2.5	2.2	2.1	1.8	2.4	2.4	2.3	C15
151	STOMACH	23.5	18.9	17.7	17.7	16.2	16.0	16.3	15.1	17.1	15.6	18.4	16.8	17.4	16.2	16.9	16.9	15.5	16.3	15.3	C16
152	SMALL INTESTINE	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.4	0.2	0.3	0.4	0.3	0.4	0.5	0.4	C17
153	COLON	7.4	8.4	9.9	9.4	9.2	10.7	10.5	10.7	12.0	11.4	14.6	14.4	15.8	16.0	16.7	17.5	17.6	18.1	19.1	C18
154	RECTUM	9.5	9.8	10.8	10.5	11.7	11.8	12.2	12.5	12.7	12.7	14.7	14.2	15.6	14.3	14.8	14.2	15.4	15.7	16.7	C19-21
155	LIVER	4.9	3.9	3.8	4.1	3.4	4.5	4.0	4.0	4.7	3.8	6.2	6.9	5.7	5.0	5.5	5.2	5.5	5.8	6.6	C22
156	GALLBLADDER ETC.	1.1	1.0	0.8	0.9	1.0	0.7	0.9	1.0	0.9	1.0	0.9	1.3	1.6	1.3	1.2	1.2	1.4	1.6	1.5	C23-24
157	PANCREAS	5.6	5.5	6.2	6.4	6.2	6.6	6.6	6.3	6.6	6.8	9.1	8.4	9.0	8.4	8.0	8.7	9.7	8.2	9.5	C25
158	PERITONEUM ETC.	0.4	0.2	0.3	0.3	0.5	0.6	0.6	0.5	0.7	0.6	0.9	0.9	0.8	0.9	1.0	0.7	0.8	0.6	0.7	C45.1, C48
159	OTHER SITES WITHIN THE DIGESTIVE ORGANS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	C26
160	NOSE, SINUSES ETC.	0.4	0.5	0.3	0.5	0.4	0.5	0.3	0.4	0.5	0.4	0.5	0.4	0.6	0.4	0.4	0.6	0.6	0.6	0.5	C30-31
161	LARYNX	6.4	6.5	7.6	8.4	8.2	8.5	7.3	7.9	7.9	7.3	8.2	8.1	9.0	9.0	10.0	10.5	9.9	9.7	9.8	C32
162	BRONCHUS, LUNG	39.1	38.8	40.4	41.8	42.1	44.7	43.2	41.5	52.8	47.5	50.3	48.3	48.3	51.3	50.2	50.9	49.4	49.4	49.4	C33-34
163	PLEURA	0.1	0.0	0.1	0.1	0.1	0.2	0.1	0.3	0.2	0.1	0.2	0.3	0.3	0.3	0.5	0.4	0.6	0.3	0.3	C38.4, C45.2
164	OTHER TORACIC ORGANS																				C37, C38.0-3, C38.8,
		0.5	0.2	0.2	0.3	0.4	0.5	0.6	0.6	0.4	0.6	0.8	0.5	1.1	0.7	0.7	0.6	0.5	1.0	0.4	

## AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 BY PRIMARY CANCER SITES AND YEAR OF DIAGNOSIS IN BULGARIA 1981-2006, MALES

CODE ICD-9	SITE	YEAR OF DIAGNOSIS												CODE ICD-10						
		1981	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
165	OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-	0.0 C39
170	BONE	0.9	1.0	0.7	0.8	0.6	0.8	0.8	1.1	0.9	0.9	0.9	0.8	1.5	1.0	1.3	0.9	1.1	1.5	0.8 C40-41
171	CONNECTIVE TISSUE	2.3	1.7	1.6	2.1	1.4	1.6	2.2	1.5	1.6	1.7	2.1	2.0	1.7	1.9	2.2	2.2	2.1	1.8 C47, C49	
172	MELANOMA OF SKIN	1.3	1.6	1.5	1.9	2.3	2.4	2.6	2.1	2.5	2.3	2.6	3.2	2.4	2.5	2.6	2.8	3.5	2.6 C43	
173	OTHER SKIN	25.8	24.0	24.1	22.3	23.0	19.7	22.4	21.0	22.3	17.7	20.6	22.0	20.3	20.3	21.1	20.3	23.6	24.0 C44	
175	BREAST	0.2	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.6	0.6	0.6	0.6 C50	
185	PROSTATE	9.0	8.9	10.0	10.0	10.3	11.6	12.1	12.3	13.3	14.7	16.7	16.0	16.5	17.1	18.1	18.2	20.5	20.6 C61	
186	TESTIS	2.4	3.4	2.8	3.0	3.5	3.0	3.4	4.0	3.3	3.5	3.7	4.5	3.5	3.5	3.2	3.6	3.8	4.1 C62	
187	PENIS ETC.	0.4	0.6	0.6	0.6	0.7	0.4	0.8	0.6	0.5	0.7	0.7	1.0	0.8	0.8	0.8	0.8	0.7	0.9 C60, C63	
188	BLADDER	7.9	8.7	9.0	8.9	8.6	9.2	9.4	10.6	11.2	9.9	12.2	12.3	12.4	13.2	13.9	13.5	15.0	16.8 C67	
189	KIDNEY ETC.	2.3	2.3	2.8	3.1	3.1	3.5	4.1	4.0	4.8	3.8	5.5	5.7	6.0	5.8	6.2	5.8	7.0	8.2 C64-66, C68	
190	EYE	0.3	0.3	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.4	0.6	0.4 C69	
191	BRAIN	3.2	3.0	3.3	3.5	3.0	3.5	3.6	4.3	4.2	3.8	5.5	6.0	4.9	6.3	5.5	6.0	6.6	6.5 C71	
192	OTHER PARTS OF NERVOUS SYSTEM	0.3	0.3	0.1	0.2	0.1	0.2	0.3	0.1	0.3	0.1	0.3	0.6	0.3	0.3	0.4	0.5	0.5	C70, C72	
193	THYROID	0.8	0.7	0.7	0.8	0.5	0.8	0.7	0.8	0.7	0.8	0.8	0.8	0.8	0.9	0.9	0.9	0.8	1.1 C73	
194	OTHER ENDOCRINE GLANDS	0.1	0.1	0.1	0.0	0.2	0.3	0.2	0.2	0.1	0.3	0.4	0.3	0.4	0.2	0.2	0.2	0.5	0.4 C74-75	
195	OTHER AND ILL-DEFINED SITES	0.3	0.1	0.2	0.2	0.3	0.3	0.3	0.2	0.4	0.2	0.4	0.2	0.1	0.3	0.2	0.2	0.2	0.4 C76	
199	NEOPLASM WITHOUT SPECIFICATION OF SITE	3.3	4.4	6.1	6.3	7.0	6.6	7.6	7.8	8.5	9.2	9.7	9.6	9.6	10.6	10.7	11.2	11.4	13.0 C80	
200+202	NON-HODGKIN'S LYMPHOMA	2.5	2.2	1.7	2.7	2.8	2.5	3.1	2.9	3.4	3.1	3.7	4.3	3.6	3.6	4.3	4.0	4.0	3.5 C82-85, C96	
201	HODGKIN'S DISEASE	1.8	1.6	1.3	1.6	1.6	1.8	1.8	2.4	2.4	2.8	2.7	2.2	2.3	2.5	2.1	2.6	1.7	2.0 C81	
203	MULTIPLE MYELOMA	0.8	0.5	0.5	0.6	0.6	0.8	0.8	0.9	0.7	0.9	1.2	1.2	1.0	1.1	1.1	1.2	1.4	1.4 C88, C90	
204	LYMPHOID LEUKAEMIA	1.9	2.0	1.7	2.1	2.3	1.9	1.8	2.1	2.6	2.8	3.0	2.4	2.8	3.0	3.2	2.8	3.5	4.0 C91	
205	MYELOID LEUKAEMIA	1.2	0.7	0.8	0.6	0.6	0.9	1.2	0.9	1.1	1.4	1.8	1.7	2.5	2.0	2.2	2.7	2.1	2.2 C92	
206	MONOCYTIC LEUKAEMIA	0.0	-	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.0 C93	
207	OTHER LEUKAEMIA	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.4	0.4	0.4	0.7	0.6	0.1	0.2 C94	
208	LEUKAEMIA, CELL UNSPECIFIED	1.1	1.2	1.1	0.9	0.9	1.1	1.5	1.0	0.7	1.4	1.0	0.8	0.7	0.6	0.5	0.4	0.4	0.7 C95	

## AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 BY PRIMARY CANCER SITES AND YEAR OF DIAGNOSIS IN BULGARIA 1981 - 2006, FEMALES

CODE ICD-9	SITE	YEAR OF DIAGNOSIS												CODE ICD-10								
		1981	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999									
140-208	ALL SITES	151.8	150.0	152.6	154.6	162.4	158.8	167.1	167.2	175.2	168.4	186.7	190.4	183.6	190.3	192.9	199.1	205.8	205.3	212.7	C00-97	
140	LIP	1.2	1.1	1.1	0.9	0.8	0.9	0.7	0.7	0.7	0.9	0.7	0.8	0.6	0.5	0.4	0.5	0.7	0.5	0.5	0.6	C00
141	TONGUE	0.1	0.2	0.2	0.3	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.4	0.3	0.5	0.5	0.2	0.5	C01-02
142	SALIVARY GLANDS	0.4	0.4	0.5	0.3	0.5	0.6	0.4	0.4	0.2	0.4	0.4	0.2	0.4	0.3	0.4	0.5	0.3	0.4	0.5	0.5	C07-08
143	GUM	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.2	0.2	C03
144	MOUTH	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	C04
145	OTHER AND UNSPECIFIED PARTS OF MOUTH	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.1	C05-06
146	OROPHARYNX	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	C09-10
147	NASOPHARYNX	0.4	0.4	0.4	0.8	0.3	0.4	0.2	0.3	0.4	0.4	0.3	0.4	0.3	0.4	0.2	0.5	0.2	0.4	0.4	0.3	C11
148	HYPOPHARYNX	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	C12-13
149	PHARYNX UNSPECIFIED	0.1	0.0	-	0.0	-	-	0.0	0.0	-	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	C14
150	OESOPHAGUS	0.2	0.4	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.3	0.4	0.5	0.4	0.4	0.6	0.4	0.5	0.4	C15
151	STOMACH	13.2	10.3	9.0	8.4	8.1	8.2	7.9	7.5	7.9	7.2	8.8	8.3	8.4	7.2	8.3	7.2	7.6	7.0	7.3	C16	
152	SMALL INTESTINE	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.3	0.1	0.2	0.2	0.2	0.3	C17
153	COLON	7.3	7.1	7.7	7.9	8.0	8.4	8.3	8.3	9.4	9.0	10.5	10.0	11.2	11.6	12.0	12.5	12.3	13.2	13.4	C18	
154	RECTUM	6.6	6.6	6.3	7.2	7.5	7.0	8.1	7.6	8.4	7.6	8.2	8.8	8.2	8.4	7.9	8.4	8.7	9.0	9.3	C19-21	
155	LIVER	2.8	1.7	2.0	2.0	1.6	1.8	2.1	2.3	2.1	2.2	2.8	3.1	2.8	2.0	2.1	2.2	2.1	2.4	2.4	C22	
156	GALLBLADDER ETC.	2.3	2.2	1.7	1.8	1.5	1.5	1.2	1.6	1.5	1.9	1.9	2.0	1.6	1.8	2.0	1.6	1.9	1.8	1.8	C23-24	
157	PANCREAS	2.9	2.8	3.0	3.4	3.0	3.5	3.2	3.3	3.3	3.4	4.4	4.0	4.8	4.2	4.0	4.9	5.1	4.8	5.0	C25	
158	PERITONEUM ETC.	0.6	0.4	0.5	0.4	0.5	0.4	0.4	0.6	0.6	0.7	0.7	0.7	0.6	0.7	0.6	0.7	0.7	0.7	0.7	0.7	C48,
159	OTHER SITES WITHIN THE DIGESTIVE ORGANS	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	C26
160	NOSE, SINUSES ETC.	0.3	0.1	0.2	0.1	0.2	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	C30-31
161	LARYNX	0.3	0.3	0.2	0.3	0.2	0.5	0.2	0.3	0.3	0.2	0.3	0.4	0.5	0.4	0.5	0.4	0.4	0.4	0.4	0.5	C32
162	BRONCHUS, LUNG	4.4	5.4	4.3	5.8	5.2	5.6	5.3	5.5	5.9	5.2	7.3	7.2	6.8	6.7	7.0	7.4	7.5	7.6	7.8	C33-34	
163	PLEURA	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.3	0.2	0.3	0.2	0.3	0.2	0.1	0.2	0.2	C38.4, C45.0,	
164	OTHER TORACIC ORGANS	0.3	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.1	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.2	C37, C38.0-3, C38.8, C45.2,
165	OTHER SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	-	-	-	-	-	-	-	-	-	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-	C39
170	BONE	0.6	0.4	0.5	0.6	0.8	0.6	0.7	0.7	0.5	0.9	0.8	1.0	0.7	0.8	0.8	0.6	0.8	0.6	0.8	0.9	C40-41

## AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 BY PRIMARY CANCER SITES AND YEAR OF DIAGNOSIS IN BULGARIA 1981 - 2006, FEMALES

CODE ICD-9	SITE	YEAR OF DIAGNOSIS												CODE ICD-10						
		1981	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
171	CONNECTIVE TISSUE	3.0	1.0	1.1	1.2	1.8	1.2	1.3	1.6	1.3	1.2	1.0	1.2	1.2	1.3	1.2	1.3	1.5	1.3	1.8
172	MELANOMA OF SKIN	1.7	1.5	2.0	2.4	2.2	2.1	1.9	2.3	2.4	2.5	2.7	1.8	2.3	2.2	2.1	2.8	2.1	2.2	C47, C49
173	OTHER SKIN	20.1	19.5	18.9	16.3	17.1	15.3	16.2	15.6	15.8	12.9	14.1	16.2	13.4	15.0	13.5	14.7	17.0	17.9	16.5 C43
174	BREAST	32.1	35.8	37.6	38.6	43.3	40.8	45.0	45.1	45.9	46.5	46.1	46.5	45.3	49.8	49.6	51.8	51.9	51.2	C44
179	UTERUS UNSPECIFIED	0.0	0.1	0.2	0.4	0.5	0.6	0.4	0.5	0.4	0.4	0.7	0.8	0.8	0.6	0.7	0.7	0.7	0.7	C55
180	CERVIX UTERI	10.3	10.1	12.3	14.0	14.3	14.0	14.8	14.8	16.7	15.6	17.0	17.3	17.1	18.8	19.4	19.3	19.5	18.9	C53
181	PLACENTA	0.2	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.0	0.0	0.0	0.1	0.1	0.1	C58
182	CORPUS UTERI	9.4	11.4	12.1	12.7	12.7	13.5	14.7	14.8	15.1	13.5	14.8	15.6	15.2	14.7	15.4	15.9	17.0	17.0	C54
183	OVARY ETC.	8.7	8.4	9.7	9.4	9.9	10.6	11.1	10.6	11.5	10.3	11.6	11.2	10.7	11.4	12.3	12.0	13.3	12.4	C56, C57,0-4
184	OTHER FEMALE GENITAL																			C51, C52, C57,7-9
188	BLADDER	1.0	1.4	1.5	1.3	1.6	1.2	1.4	1.3	1.4	1.5	1.8	1.6	1.6	1.5	1.6	1.5	1.9	1.7	1.7
189	KIDNEY ETC.	1.5	1.7	1.5	1.5	1.8	1.8	1.6	1.6	1.9	2.1	1.9	2.0	2.3	2.3	2.6	2.4	2.8	3.0	3.3 C67
190	EYE	1.3	1.5	1.8	1.6	1.8	2.1	2.1	2.3	2.2	2.5	2.6	2.6	2.5	2.6	2.6	2.9	2.7	3.9	C64-66, C68
191	BRAIN	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.4	0.3	0.4	0.3	0.5	0.4	0.3	0.4	0.5	0.4 C69
192	OTHER PARTS OF NERVOUS SYSTEM	2.6	2.4	2.4	2.5	2.7	2.5	2.2	3.1	2.5	2.5	2.2	4.4	4.0	3.6	3.6	4.0	4.0	4.6	C71
193	THYROID	0.2	0.1	0.1	0.2	0.2	0.3	0.1	0.3	0.2	0.1	0.3	0.4	0.3	0.5	0.4	0.4	0.4	0.4	C70, C72
194	OTHER ENDOCRINE GLANDS	3.0	2.4	1.6	1.9	2.1	2.0	1.9	2.1	2.5	2.7	2.5	2.7	2.7	3.0	3.5	3.5	3.5	3.7 C73	
195	OTHER AND ILL-DEFINED SITES	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2	C74-75
199	NEOPLASM WITHOUT SPECIFICATION OF SITE	0.4	0.3	0.2	0.4	0.2	0.4	0.2	0.4	0.5	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.1	0.2 C76	
200+202	NON-HODGKIN'S LYMPHOMA	2.5	2.9	3.1	3.6	3.9	4.1	4.4	3.8	4.5	4.9	5.1	5.0	4.9	5.5	5.3	5.5	5.7	5.6 C80	
201	HODGKIN'S DISEASE	1.5	1.6	1.9	1.3	1.5	1.0	1.7	1.7	1.8	2.1	2.4	2.8	2.9	3.0	2.9	2.8	2.5	3.0 C96	
203	MULTIPLE MYELOMA	1.0	1.0	1.0	1.2	1.2	1.4	1.1	1.0	1.1	2.0	1.8	2.0	1.4	1.3	1.6	1.7	1.3	1.4 C81	
204	LYMPHOID LEUKAEMIA	0.6	0.4	0.5	0.6	0.5	0.5	0.7	0.7	0.4	0.7	0.9	1.0	0.8	0.9	1.1	1.0	1.1	1.1 C88, C90	
205	MYELOID LEUKAEMIA	1.4	0.9	0.9	1.1	1.5	1.2	1.0	1.4	1.6	1.7	2.2	2.5	2.0	1.7	1.4	1.9	1.9	2.7 C91	
206	MONOCYTIC LEUKAEMIA	1.0	0.5	0.7	0.5	0.8	0.8	0.8	0.8	1.0	1.4	1.6	1.5	1.8	1.4	1.4	1.4	1.4	1.4 C92	
207	OTHER LEUKAEMIA	0.0	-	0.0	-	-	-	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1 C93	
208	LEUKAEMIA, CELL UNSPECIFIED	0.9	0.9	0.8	0.8	0.6	0.8	0.5	0.8	0.9	0.8	0.6	0.4	0.4	0.4	0.5	0.5	0.7	0.5 C95	

**PERCENTAGE DISTRIBUTION OF MORPHOLOGICALLY VERIFIED CANCER CASES  
BY PRIMARY SITES, SEX AND AGE AT DIAGNOSIS IN BULGARIA 2006**

Part 1

CODE ICD-10	SITE	SEX	AGE AT DIAGNOSIS								
			0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+	ALL AGES
C00-97	ALL SITES	M	90.59	95.88	96.60	88.06	83.45	80.54	78.41	68.89	78.17
		F	93.85	94.79	96.25	95.06	94.33	91.14	86.10	71.15	85.89
C00	LIP	M	-	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	-	100.00	100.00	94.44	93.10	95.16
C01	BASE OF TONGUE	M	-	-	100.00	100.00	100.00	65.22	61.11	11.11	62.90
		F	-	-	100.00	-	100.00	50.00	-	20.00	33.33
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	M	-	-	100.00	85.71	93.75	86.96	85.71	100.00	88.73
		F	-	-	100.00	100.00	100.00	85.71	100.00	100.00	95.45
C03	GUM	M	-	-	-	-	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	100.00	100.00	100.00	75.00	75.00	85.71
C04	FLOOR OF MOUTH	M	-	-	-	100.00	100.00	95.45	100.00	100.00	98.11
		F	-	-	-	100.00	100.00	-	100.00	-	66.67
C05	PALATE	M	-	-	-	100.00	83.33	100.00	100.00	100.00	94.12
		F	-	-	-	-	-	100.00	100.00	-	100.00
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	M	-	-	100.00	100.00	100.00	80.00	75.00	100.00	86.67
		F	-	-	-	100.00	-	100.00	100.00	100.00	100.00
C07	PAROTID GLAND	M	-	-	100.00	100.00	85.71	100.00	100.00	100.00	97.92
		F	-	100.00	100.00	100.00	100.00	75.00	100.00	77.78	91.43
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	M	-	-	-	-	100.00	66.67	90.00	66.67	77.78
		F	-	-	-	100.00	-	100.00	100.00	100.00	100.00
C09	TONSIL	M	-	-	-	100.00	95.00	86.49	88.89	100.00	90.54
		F	-	-	-	-	-	100.00	100.00	100.00	100.00
C10	OROPHARYNX	M	-	-	100.00	-	100.00	88.24	100.00	83.33	93.33
		F	-	-	-	-	100.00	100.00	100.00	25.00	62.50
C11	NASOPHARYNX	M	100.00	100.00	-	100.00	100.00	93.75	100.00	100.00	97.83
		F	-	100.00	100.00	100.00	-	100.00	87.50	50.00	90.91
C12	PYRIFORM SINUS	M	-	-	-	-	-	66.67	-	-	40.00
C13	HYPOPHARYNX	M	-	-	100.00	66.67	95.65	100.00	83.33	-	91.67
		F	-	-	-	-	100.00	-	100.00	100.00	75.00
C14	OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	M	-	-	-	-	100.00	50.00	100.00	-	71.43
		F	-	-	100.00	-	-	100.00	-	-	33.33
C15	OESOPHAGUS	M	-	-	100.00	60.00	65.52	77.27	72.73	29.17	66.86
		F	-	-	-	-	100.00	50.00	83.33	18.18	48.84
C16	STOMACH	M	-	100.00	100.00	84.85	88.54	80.99	73.47	53.90	71.35
		F	-	100.00	75.00	86.36	84.09	84.48	78.57	47.53	65.91
C17	SMALL INTESTINE	M	-	-	100.00	-	100.00	71.43	25.00	50.00	59.26
		F	-	100.00	100.00	-	100.00	100.00	100.00	50.00	85.00
C18	COLON	M	-	100.00	100.00	97.14	93.86	88.39	85.71	74.08	84.11
		F	-	100.00	80.00	92.86	95.24	91.64	89.70	72.42	84.98
C19	RECTOSIGMOID JUNCTION	M	-	-	-	-	81.25	78.13	73.44	53.13	67.23
		F	-	-	100.00	100.00	92.31	92.59	71.43	45.45	66.46
C20	RECTUM	M	-	-	100.00	75.00	97.17	94.09	93.95	81.08	91.47
		F	-	100.00	100.00	100.00	96.83	96.53	94.26	80.93	91.21
C21	ANUS AND ANAL CANAL	M	-	-	100.00	-	100.00	87.50	100.00	83.33	92.59
		F	-	-	-	-	100.00	100.00	100.00	40.00	75.00
C22	LIVER AND INTRAHEPATIC BILE DUCTS	M	-	66.67	75.00	50.00	50.88	48.00	46.94	34.29	45.14
		F	-	-	100.00	33.33	61.54	60.00	37.78	30.12	39.91
C23	GALLBLADDER	M	-	-	-	100.00	100.00	80.00	46.67	33.33	52.94
		F	-	-	-	100.00	44.44	85.00	85.45	48.84	70.31
C24	OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT	M	-	-	-	-	88.89	81.25	69.23	52.94	68.42
		F	-	-	-	100.00	100.00	75.00	61.54	83.33	75.68
C25	PANCREAS	M	-	-	100.00	69.23	50.00	56.98	47.72	32.65	48.01
		F	-	50.00	100.00	80.00	63.16	56.10	53.85	29.22	47.42
C26	OTHER AND ILL-DEFINED DIGESTIVE ORGANS	M	-	-	-	-	33.33	-	-	-	7.14
		F	-	-	-	-	-	-	66.67	-	75.00
C30	NASAL CAVITY AND MIDDLE EAR	M	-	100.00	-	100.00	100.00	100.00	50.00	100.00	83.33
		F	-	-	-	-	-	100.00	-	66.67	75.00
C31	ACCESSORY SINUSES	M	-	-	100.00	-	66.67	85.71	100.00	50.00	83.33
		F	-	-	-	-	100.00	75.00	100.00	100.00	91.67

**PERCENTAGE DISTRIBUTION OF MORPHOLOGICALLY VERIFIED CANCER CASES  
BY PRIMARY SITES, SEX AND AGE AT DIAGNOSIS IN BULGARIA 2006**

Part 2

CODE ICD-10	SITE	SEX	AGE AT DIAGNOSIS								
			0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+ ALL AGES	
C32	LARYNX	M	-	-	-	100.00	94.70	90.08	82.68	73.17	88.62
		F	-	-	-	100.00	100.00	100.00	75.00	80.00	94.44
C33	TRACHEA	M	-	-	-	100.00	100.00	100.00	100.00	-	100.00
		F	-	-	-	-	100.00	-	-	-	50.00
C34	BRONCHUS AND LUNG	M	-	100.00	83.33	74.24	76.33	70.58	64.88	41.71	65.99
		F	-	100.00	-	75.76	77.38	74.27	66.88	36.77	63.25
C37	THYMUS	M	-	-	100.00	100.00	100.00	100.00	100.00	-	100.00
		F	-	-	100.00	-	100.00	100.00	-	-	80.00
C38	HEART, MEDIASTINUM, AND PLEURA	M	100.00	100.00	100.00	-	100.00	66.67	50.00	-	50.00
		F	-	-	-	-	100.00	50.00	-	-	30.00
C40	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	M	100.00	100.00	100.00	100.00	100.00	40.00	100.00	-	80.95
		F	100.00	100.00	100.00	-	80.00	66.67	50.00	-	73.91
C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES	M	-	100.00	100.00	50.00	100.00	100.00	25.00	-	58.82
		F	100.00	100.00	-	100.00	50.00	100.00	50.00	50.00	72.22
C43	MELANOMA OF SKIN	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C44	OTHER SKIN	M	-	100.00	100.00	98.08	100.00	99.70	99.83	99.17	99.54
		F	-	100.00	100.00	100.00	100.00	100.00	100.00	99.51	99.80
C45	MESOTHELIOMA	M	-	-	-	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	100.00	100.00	100.00	100.00	-	-	100.00
C46	KAPSI'S SARCOMA	M	-	-	-	-	-	100.00	100.00	100.00	100.00
		F	-	-	-	-	-	-	-	100.00	100.00
C47	PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	M	100.00	-	-	-	100.00	100.00	-	-	75.00
		F	100.00	-	-	-	-	100.00	-	-	100.00
C48	RETROPERITONEUM AND PERITONEUM	M	100.00	100.00	-	100.00	75.00	84.62	50.00	50.00	74.19
		F	-	-	75.00	-	71.43	77.78	72.73	38.46	59.57
C49	CONNECTIVE AND OTHER SOFT TISSUES	M	100.00	100.00	100.00	100.00	100.00	96.00	95.45	92.86	96.67
		F	100.00	100.00	100.00	100.00	100.00	94.44	93.33	76.92	94.57
C50	BREAST	M	-	-	-	100.00	100.00	100.00	91.67	90.00	94.34
		F	-	100.00	98.41	98.60	97.39	95.97	94.78	82.93	94.06
C51	VULVA	F	-	-	100.00	100.00	90.91	90.91	94.23	97.44	95.00
C52	VAGINA	F	-	-	100.00	100.00	100.00	80.00	100.00	100.00	96.67
C53	CERVIX UTERI	F	-	100.00	98.96	99.23	99.39	98.94	93.79	90.32	97.85
C54	CORPUS UTERI	F	-	-	100.00	100.00	99.15	99.06	97.10	90.06	97.32
C55	UTERUS, NOS	F	-	-	100.00	66.67	77.78	100.00	55.56	38.89	59.09
C56	OVARY	F	100.00	94.12	100.00	96.00	95.51	94.55	82.63	59.69	86.62
C57	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	F	-	-	-	50.00	100.00	100.00	66.67	66.67	76.00
C58	PLACENTA	F	-	-	100.00	100.00	-	-	-	-	100.00
C60	PENIS	M	-	-	100.00	100.00	87.50	94.12	81.82	91.67	90.20
C61	PROSTATE GLAND	M	-	-	-	100.00	85.71	89.92	90.59	77.81	84.78
C62	TESTIS	M	100.00	100.00	98.57	100.00	100.00	92.31	81.82	50.00	96.91
C63	OTHER AND UNSPECIFIED MALE GENITAL ORGANS	M	-	-	-	-	100.00	100.00	66.67	100.00	83.33
C64	KIDNEY	M	100.00	-	100.00	88.46	81.82	84.55	69.09	50.68	74.32
		F	100.00	100.00	83.33	84.21	92.68	87.93	85.96	63.89	84.16
C65	RENAL PELVIS	M	-	-	-	100.00	100.00	91.67	100.00	100.00	97.50
		F	-	-	-	-	100.00	100.00	100.00	100.00	100.00

**PERCENTAGE DISTRIBUTION OF MORPHOLOGICALLY VERIFIED CANCER CASES  
BY PRIMARY SITES, SEX AND AGE AT DIAGNOSIS IN BULGARIA 2006**

Part 3

CODE ICD-10	SITE	SEX	AGE AT DIAGNOSIS								
			0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+	ALL AGES
C66	URETER	M	-	-	-	-	-	100.00	66.67	50.00	62.50
		F	-	-	-	-	100.00	50.00	100.00	100.00	87.50
C67	BLADDER	M	-	-	100.00	88.89	95.35	96.26	91.33	80.99	90.45
		F	-	100.00	100.00	100.00	95.45	97.06	92.86	81.44	91.17
C68	OTHER AND UNSPECIFIED URINARY ORGANS	M	-	-	-	-	-	100.00	-	50.00	50.00
		F	-	-	-	-	-	100.00	-	100.00	100.00
C69	EYE AND ADNEXA	M	100.00	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	50.00	-	100.00	-	100.00	100.00	87.50	80.00	87.50
C70	MENINGES	M	-	-	-	100.00	100.00	66.67	75.00	33.33	75.00
		F	-	-	-	-	100.00	100.00	50.00	66.67	84.00
C71	BRAIN	M	66.67	92.86	95.24	89.29	76.00	64.71	54.93	36.36	66.57
		F	75.00	75.00	81.25	79.17	83.72	70.51	59.70	23.53	63.23
C72	SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	M	100.00	-	100.00	-	33.33	-	33.33	-	36.36
		F	100.00	100.00	100.00	100.00	-	50.00	-	-	60.00
C73	THYROID GLAND	M	-	100.00	100.00	100.00	100.00	80.00	100.00	66.67	91.30
		F	100.00	100.00	100.00	97.14	98.04	98.00	92.86	68.00	94.01
C74	ADRENAL GLAND	M	-	100.00	-	100.00	71.43	66.67	50.00	-	66.67
		F	100.00	100.00	-	100.00	100.00	66.67	20.00	-	53.33
C75	OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	M	100.00	-	-	-	-	-	100.00	-	66.67
		F	-	-	100.00	100.00	100.00	-	-	-	100.00
C76	OTHER AND ILL-DEFINED SITES	M	-	-	-	100.00	-	75.00	60.00	-	64.29
		F	-	-	-	-	66.67	33.33	42.86	20.00	38.89
C80	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	M	-	50.00	33.33	60.00	42.59	39.65	32.11	20.86	34.03
		F	-	-	71.43	52.94	52.73	39.66	31.01	24.83	35.11
C81	HODGKIN'S DISEASE	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C82	FOLLICULAR NON-HODGKIN'S LYMPHOMA	M	-	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C83	DIFFUSE NON-HODGKIN'S LYMPHOMA	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C84	PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS	M	100.00	-	100.00	-	100.00	100.00	100.00	100.00	100.00
		F	100.00	-	-	100.00	100.00	100.00	100.00	100.00	100.00
C85	OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C88	MALIGNANT IMMUNOPROLIFERATIVE DISEASES	M	-	100.00	-	-	-	100.00	100.00	100.00	100.00
		F	-	-	-	-	-	-	100.00	-	100.00
C90	MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS	M	-	-	-	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	-	100.00	100.00	100.00	100.00	100.00
C91	LYMPHOID LEUKAEMIA	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C92	MYELOID LEUKAEMIA	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C93	MONOCYTIC LEUKAEMIA	M	-	-	-	-	-	100.00	100.00	-	100.00
		F	-	100.00	-	100.00	100.00	100.00	100.00	100.00	100.00
C94	OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE	M	-	-	-	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	-	100.00	100.00	100.00	100.00	100.00
C95	LEUKAEMIA, UNSPECIFIED CELL TYPE	M	-	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C96	OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES	M	100.00	-	100.00	100.00	100.00	-	-	-	100.00
		F	-	-	-	-	-	100.00	-	100.00	100.00

**NUMBER AND PERCENTAGE OF NEW BREAST CANCER CASES BY HISTOLOGIC TYPE AND SEX IN BULGARIA 2006**

CODE ICD-10	MORPHOLOGY	ALL		MALES		FEMALES				
		NUMBER	% FROM ALL	% FROM MORPHOLOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHOLOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHOLOGICALLY CONFIRMED
<b>ALL</b>		<b>3637</b>	<b>100.0</b>	-	<b>53</b>	<b>100.0</b>	-	<b>3584</b>	<b>100.0</b>	-
	WITHOUT MORPHOLOGY	216	5.9	-	3	5.7	-	213	5.9	-
	WITH MORPHOLOGY	3421	94.1	100.0	50	94.3	100.0	3371	94.1	100.0
80013	TUMOR CELLS, MALIGNANT	136	3.7	4.0	-	-	-	136	3.8	4.0
80103	CARCINOMA, NOS	11	0.3	0.3	1	1.9	2.0	10	0.3	0.3
80203	CARCINOMA, UNDIFFERENTIATED, NOS	17	0.5	0.5	-	-	-	17	0.5	0.5
80213	CARCINOMA, ANAPLASTIC, NOS	3	0.1	0.1	-	-	-	3	0.1	0.1
80503	PAPILLARY CARCINOMA, NOS	8	0.2	0.2	-	-	-	8	0.2	0.2
81403	ADENOCAKRIONA, NOS	34	0.9	1.0	3	5.7	6.0	31	0.9	0.9
81413	SCIRRHOUS ADENOCAKRIONA	16	0.4	0.5	-	-	-	16	0.4	0.4
82003	ADENOID CYSTIC CARCINOMA	1	0.0	0.0	-	-	-	1	0.0	0.0
82013	CRIBRIFORM CARCINOMA	7	0.2	0.2	-	-	-	7	0.2	0.2
82113	TUBULAR ADENOCAKRIONA	15	0.4	0.4	2	3.8	4.0	13	0.4	0.4
82603	PAPILLARY ADENOCAKRIONA, NOS	2	0.1	0.1	-	-	-	2	0.1	0.1
84403	CYSTADENOCAKRIONA, NOS	1	0.0	0.0	1	1.9	2.0	-	-	-
84803	MUCINOUS ADENOCAKRIONA	69	1.9	2.0	-	-	-	69	1.9	2.0
84813	MUCIN-PRODUCING ADENOCAKRIONA	9	0.2	0.3	-	-	-	9	0.3	0.3
84903	SIGNETRING CELL CARCINOMA	1	0.0	0.0	-	-	-	1	0.0	0.0
85003	INFILTRATING DUCT CARCINOMA	2238	61.5	65.4	33	62.3	66.0	2205	61.5	65.4
85013	COMEDOCARCINOMA, NOS	25	0.7	0.7	-	-	-	25	0.7	0.7
85033	INTRADUCTAL PAPILLARY ADENOCAKRIONA, WITH INVASION	15	0.4	0.4	-	-	-	15	0.4	0.4
85043	INTRACYSTIC CARCINOMA, NOS	3	0.1	0.1	-	-	-	3	0.1	0.1
85103	MEDULLARY CARCINOMA, NOS	61	1.7	1.8	1	1.9	2.0	60	1.7	1.8
85123	MEDULLARY CARCINOMA WITH LYMPHOID STROMA	2	0.1	0.1	-	-	-	2	0.1	0.1
85203	LOBULAR CARCINOMA, NOS	598	16.4	17.5	7	13.2	14.0	591	16.5	17.5
85223	INFILTRATING DUCT AND LOBULAR CARCINOMA	117	3.2	3.4	1	1.9	2.0	116	3.2	3.4
85303	INFLAMMATORY CARCINOMA	3	0.1	0.1	-	-	-	3	0.1	0.1
85403	PAGET DISEASE, MAMMARY	12	0.3	0.4	-	-	-	12	0.3	0.4
85413	PAGET DISEASE AND INFILTRATING DUCT CARCINOMA OF BREAST	1	0.0	0.0	-	-	-	1	0.0	0.0
85433	PAGET DISEASE AND INTRADUCTAL CARCINOMA OF BREAST	3	0.1	0.1	-	-	-	3	0.1	0.1
85503	ACINAR CELL CARCINOMA	1	0.0	0.0	-	-	-	1	0.0	0.0
85603	ADENOSQUAMOUS CARCINOMA	1	0.0	0.0	-	-	-	1	0.0	0.0
88503	LIPOSARCOMA, NOS	1	0.0	0.0	1	1.9	2.0	-	-	-
88523	MYXOID LIPOSARCOMA	1	0.0	0.0	-	-	-	1	0.0	0.0
88543	PLEOMORPHIC LIPOSARCOMA	1	0.0	0.0	-	-	-	1	0.0	0.0
88803	CARCINOSARCOMA, NOS	4	0.1	0.1	-	-	-	4	0.1	0.1
89903	MESENCHYMOA, MALIGNANT	1	0.0	0.0	-	-	-	1	0.0	0.0
90203	PHYLODES TUMOR, MALIGNANT	3	0.1	0.1	-	-	-	3	0.1	0.1

**NUMBER AND PERCENTAGE OF NEW LUNG (INCL. TRACHEA AND BRONCHUS) CANCER CASES BY HISTOLOGIC TYPE AND SEX IN BULGARIA 2006**

CODE ICD-10	MORPHOLOGY	ALL		MALES		FEMALES	
		NUMBER	% FROM ALL	% FROM ALL	% FROM ALL	NUMBER	% FROM ALL
	ALL	3683	100.0	-	3077	100.0	-
	WITHOUT MORPHOLOGY	1267	34.4	-	1044	33.9	-
	WITH MORPHOLOGY	2416	65.6	100.0	2033	66.1	100.0
80013	TUMOR CELLS, MALIGNANT	66	1.8	2.7	52	1.7	2.3
80103	CARCINOMA, NOS	16	0.4	0.7	14	0.5	0.5
80123	LARGE CELL CARCINOMA, NOS	70	1.9	2.9	59	1.9	2.9
80203	CARCINOMA, UNDIFFERENTIATED, NOS	39	1.1	1.6	36	1.2	0.5
80213	CARCINOMA, ANAPLASTIC, NOS	3	0.1	0.1	1	0.0	0.3
80223	PLEOMORPHIC CARCINOMA	1	0.0	0.0	1	0.0	-
80313	GIANT CELL CARCINOMA	17	0.5	0.7	17	0.6	-
80323	SPINDLE CELL CARCINOMA	1	0.0	0.0	-	-	-
80413	SMALL CELL CARCINOMA, NOS	303	8.2	12.5	252	8.2	12.4
80423	OAT CELL CARCINOMA	17	0.5	0.7	16	0.5	0.8
80433	SMALL CELL CARCINOMA, FUSIFORM CELL	1	0.0	0.0	1	0.0	-
80453	COMBINED SMALL CELL CARCINOMA	2	0.1	0.1	2	0.1	-
80503	PAPILLARY CARCINOMA, NOS	2	0.1	0.1	1	0.0	0.3
80523	PAPILLARY SQUAMOUS CELL CARCINOMA	2	0.1	0.1	2	0.1	-
80703	SQUAMOUS CELL CARCINOMA, NOS	1344	36.5	55.6	1196	38.9	58.8
80713	SQUAMOUS CELL CARCINOMA, KERATINIZING, NOS	66	1.8	2.7	59	1.9	2.9
80723	SQUAMOUS CELL CARCINOMA, LARGE CELL, NONKERATINIZING	31	0.8	1.3	29	0.9	1.4
80733	SQUAMOUS CELL CARCINOMA, SMALL CELL, NONKERATINIZING	1	0.0	0.0	1	0.0	-
80743	SQUAMOUS CELL CARCINOMA, SPINDLE CELL	2	0.1	0.1	2	0.1	-
81403	ADENOCARCINOMA, NOS	246	6.7	10.2	154	5.0	7.6
82003	ADENOID CYSTIC CARCINOMA	3	0.1	0.1	1	0.0	0.5
82403	CARCINOID TUMOR, NOS	14	0.4	0.6	8	0.3	0.4
82443	COMPOSITE CARCINOID	1	0.0	0.0	-	-	-
82453	ADENOCARCINOID TUMOR	1	0.0	0.0	1	0.0	-
82463	NEUROENDOCRINE CARCINOMA, NOS	3	0.1	0.1	2	0.1	0.3
82503	BRONCHIOLO - ALVEOLAR ADENOCARCINOMA	49	1.3	2.0	32	1.0	1.6
82513	ALVEOLAR ADENOCARCINOMA	2	0.1	0.1	2	0.1	-
82603	PAPILLARY ADENOCARCINOMA, NOS	22	0.6	0.9	16	0.5	1.0
83103	CLEAR CELL ADENOCARCINOMA, NOS	8	0.2	0.3	5	0.2	0.5
84303	MUCOEPIDERMOID CARCINOMA	14	0.4	0.6	12	0.4	0.6
84803	MUCINOUS ADENOCARCINOMA	2	0.1	0.1	2	0.1	-
84813	MUCIN- PRODUCING ADENOCARCINOMA	13	0.4	0.5	11	0.4	0.5
84903	SIGNET RING CELL CARCINOMA	1	0.0	0.0	1	0.0	-
85503	ACINAR CELL CARCINOMA	2	0.1	0.1	2	0.1	-
85603	ADENOSQUAMOUS CARCINOMA	48	1.3	2.0	42	1.4	2.1
88103	FIBROSARCOMA, NOS	1	0.0	0.0	-	-	-
89003	RHABDOMYOSARCOMA, NOS	1	0.0	0.0	1	0.0	-
91503	HEMANGIOPERICYTOMA, MALIGNANT	1	0.0	0.0	-	1	0.2

**NUMBER AND PERCENTAGE OF NEW COLON CANCER CASES BY HISTOLOGIC TYPE AND SEX IN BULGARIA 2006**

CODE ICD-10	MORPHOLOGY	ALL		MALES		FEMALES			
		NUMBER	% FROM ALL	% FROM MORPHOLOGICALLY CONFIRMED	NUMBER	% FROM MORPHOLOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHOLOGICALLY CONFIRMED
ALL	ALL	2487	100.0	-	1315	100.0	-	1172	100.0
	WITHOUT MORPHOLOGY	385	15.5	-	209	15.9	-	176	15.0
	WITH MORPHOLOGY	2102	84.5	100.0	1106	84.1	100.0	996	85.0
80013	TUMOR CELLS, MALIGNANT	2	0.1	0.1	1	0.1	0.1	1	0.1
80103	CARCINOMA, NOS	10	0.4	0.5	5	0.4	0.5	5	0.4
80203	CARCINOMA, UNDIFFERENTIATED, NOS	10	0.4	0.5	4	0.3	0.4	6	0.5
80213	CARCINOMA, ANAPLASTIC, NOS	3	0.1	0.1	1	0.1	0.1	2	0.2
80503	PAPILLARY CARCINOMA, NOS	1	0.0	0.0	1	0.1	0.1	-	-
80703	SQUAMOUS CELL CARCINOMA, NOS	1	0.0	0.0	1	0.1	0.1	-	-
81403	ADENOCARCINOMA, NOS	1613	64.9	76.7	863	65.6	78.0	750	64.0
81443	ADENOCARCINOMA, INTESTINAL TYPE	27	1.1	1.3	15	1.1	1.4	12	1.0
82103	ADENOCARCINOMA IN ADENOMATOUS POLYP	5	0.2	0.2	3	0.2	0.3	2	0.2
82113	TUBULAR ADENOCARCINOMA	3	0.1	0.1	3	0.2	0.3	-	-
82403	CARCINOID TUMOR, NOS	5	0.2	0.2	4	0.3	0.4	1	0.1
82433	GOBLET CELL CARCINOID	2	0.1	0.1	-	-	-	2	0.2
82603	PAPILLARY ADENOCARCINOMA, NOS	83	3.3	3.9	45	3.4	4.1	38	3.2
82613	ADENOCARCINOMA IN VILLOUS ADENOMA	8	0.3	0.4	4	0.3	0.4	4	0.3
82623	VILLOUS ADENOCARCINOMA	9	0.4	0.4	5	0.4	0.5	4	0.3
82633	ADENOCARCINOMA IN TUBULOVILLOUS ADENOMA	24	1.0	1.1	14	1.1	1.3	10	0.9
84803	MUCINOUS ADENOCARCINOMA	96	3.9	4.6	52	4.0	4.7	44	3.8
84813	MUCIN-PRODUCING ADENOCARCINOMA	194	7.8	9.2	81	6.2	7.3	113	9.6
84903	SIGNET RING CELL CARCINOMA	2	0.1	0.1	1	0.1	0.1	1	0.1
85603	ADENOSQUAMOUS CARCINOMA	1	0.0	0.0	1	0.1	0.1	-	-
88543	PLEOMORPHIC LIPOSARCOMA	1	0.0	0.0	1	0.1	0.1	-	-
89403	MIXED TUMOR, MALIGNANT, NOS	1	0.0	0.0	1	0.1	0.1	-	-
91503	HEMANGIOPERCYTOMA, MALIGNANT	1	0.0	0.0	-	-	-	1	0.1

## NUMBER AND PERCENTAGE OF NEW RECTUM AND ANUS CANCER CASES BY HISTOLOGIC TYPE AND SEX IN BULGARIA 2006

CODE ICD-10	MORPHOLOGY	ALL			MALES			FEMALES		
		NUMBER	% FROM ALL	% FROM MORPHOLOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHOLOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHOLOGICALLY CONFIRMED
	ALL	1931	100.0	-	1118	100.0	-	813	100.0	-
	WITHOUT MORPHOLOGY	252	13.1	-	138	12.3	-	114	14.0	-
	WITH GY	1679	86.9	100.0	980	87.7	100.0	699	86.0	100.0
80013	TUMOR CELLS, MALIGNANT	1	0.1	0.1	-	-	-	1	0.1	0.1
80103	CARCINOMA, NOS	8	0.4	0.5	4	0.4	0.4	4	0.5	0.6
80203	CARCINOMA, UNDIFFERENTIATED, NOS	4	0.2	0.2	3	0.3	0.3	1	0.1	0.1
80503	PAPILLARY CARCINOMA, NOS	2	0.1	0.1	-	-	-	2	0.2	0.3
80513	VERRUCOUS CARCINOMA, NOS	1	0.1	0.1	1	0.1	0.1	-	-	-
80703	SQUAMOUS CELL CARCINOMA, NOS	18	0.9	1.1	9	0.8	0.9	9	1.1	1.3
80713	SQUAMOUS CELL CARCINOMA, KERATINIZING, NOS	6	0.3	0.4	4	0.4	0.4	2	0.2	0.3
80723	SQUAMOUS CELL CARCINOMA, LARGE CELL, NONKERATINIZING, NOS	1	0.1	0.1	1	0.1	0.1	-	-	-
80763	SQUAMOUS CELL CARCINOMA, MICROINVASIVE	1	0.1	0.1	-	-	-	1	0.1	0.1
81233	BASALOID CARCINOMA	2	0.1	0.1	2	0.2	0.2	-	-	-
81403	ADENOCARCINOMA, NOS	1293	67.0	77.0	765	68.4	78.1	528	64.9	75.5
81413	SCIRRHOUS ADENOCARCINOMA	1	0.1	0.1	1	0.1	0.1	-	-	-
81443	ADENOCARCINOMA, INTESTINAL TYPE	15	0.8	0.9	8	0.7	0.8	7	0.9	1.0
82103	ADENOCARCINOMA IN ADENOMATOUS POLYP	10	0.5	0.6	6	0.5	0.6	4	0.5	0.6
82213	ADENOCARCINOMA IN MULTIPLE ADENOMATOUS POLYP	1	0.1	0.1	-	-	-	1	0.1	0.1
82403	CARCINOID TUMOR, NOS	1	0.1	0.1	-	-	-	1	0.1	0.1
82603	PAPILLARY ADENOCARCINOMA, NOS	70	3.6	4.2	41	3.7	4.2	29	3.6	4.1
82613	ADENOCARCINOMA IN VILLOUS ADENOMA	16	0.8	1.0	7	0.6	0.7	9	1.1	1.3
82623	VILLOUS ADENOCARCINOMA	16	0.8	1.0	8	0.7	0.8	8	1.0	1.1
82633	ADENOCARCINOMA IN TUBULOVILLOUS ADENOMA	20	1.0	1.2	9	0.8	0.9	11	1.4	1.6
84803	MUCINOUS ADENOCARCINOMA	52	2.7	3.1	29	2.6	3.0	23	2.8	3.3
84813	MUCIN-PRODUCING ADENOCARCINOMA	125	6.5	7.4	74	6.6	7.6	51	6.3	7.3
84903	SIGNET RING CELL CARCINOMA	5	0.3	0.3	1	0.1	0.1	4	0.5	0.6
85603	ADENOSQUAMOUS CARCINOMA	4	0.2	0.2	4	0.4	0.4	-	-	-
87203	MALIGNANT MELANOMA, NOS	2	0.1	0.1	1	0.1	0.1	1	0.1	0.1
88903	LEIOMYOSARCOMA, NOS	2	0.1	0.1	1	0.1	0.1	1	0.1	0.1
88913	EPITHELIOID LEIOMYOSARCOMA	1	0.1	0.1	-	-	-	1	0.1	0.1
89803	CARCINOSARCOMA, NOS	1	0.1	0.1	1	0.1	0.1	-	-	-

**NUMBER AND PERCENTAGE OF NEW CERVIX UTERI CANCER CASES  
BY HISTOLOGIC TYPE IN BULGARIA 2006**

CODE ICD-10	MORPHOLOGY	ALL		
		NUMBER	% FROM ALL	% FROM MORPHO- LOGICALLY CONFIRMED
	<b>ALL</b>	<b>1208</b>	<b>100.0</b>	-
	WITHOUT MORPHOLOGY	26	2.2	-
	WITH MORPHOLOGY	1182	97.8	100.0
80103	CARCINOMA, NOS	4	0.3	0.3
80203	CARCINOMA, UNDIFFERENTIATED, NOS	4	0.3	0.3
80213	CARCINOMA, ANAPLASTIC, NOS	1	0.1	0.1
80503	PAPILLARY CARCINOMA, NOS	3	0.2	0.3
80513	VERRUCOUS CARCINOMA, NOS	2	0.2	0.2
80523	PAPILLARY SQUAMOUS CELL CARCINOMA	6	0.5	0.5
80703	SQUAMOUS CELL CARCINOMA, NOS	771	63.8	65.2
80713	SQUAMOUS CELL CARCINOMA, KERATINIZING, NOS	77	6.4	6.5
80723	SQUAMOUS CELL CARCINOMA, LARGE CELL, NONKERATINIZING	89	7.4	7.5
80733	SQUAMOUS CELL CARCINOMA, SMALL CELL, NONKERATINIZING	6	0.5	0.5
80743	SQUAMOUS CELL CARCINOMA, SPINDLE CELL	1	0.1	0.1
80763	SQUAMOUS CELL CARCINOMA, MICROINVASIVE	65	5.4	5.5
81403	ADENOCARCINOMA, NOS	55	4.6	4.7
82603	PAPILLARY ADENOCARCINOMA, NOS	26	2.2	2.2
82623	VILLOUS ADENOCARCINOMA	2	0.2	0.2
83103	CLEAR CELL ADENOCARCINOMA, NOS	7	0.6	0.6
83803	ENDOMETRIOD CARCINOMA	3	0.2	0.3
84303	MUCOEPIDERMOID CARCINOMA	1	0.1	0.1
84803	MUCINOUS ADENOCARCINOMA	2	0.2	0.2
84813	MUCIN - PRODUCING ADENOCARCINOMA	1	0.1	0.1
85603	ADENOSQUAMOUS CARCINOMA	50	4.1	4.2
85703	ADENOCARCINOMA WITH SQUAMOUS METAPLASIA	2	0.2	0.2
88503	LIPOSARCOMA, NOS	1	0.1	0.1
88903	LEIOMYOSARCOMA, NOS	2	0.2	0.2
91103	MESONEPHROMA, MALIGNANT	1	0.1	0.1

**NUMBER AND PERCENTAGE OF NEW PROSTATE CANCER CASES  
BY HISTOLOGIC TYPE IN BULGARIA 2006**

CODE ICD-10	MORPHOLOGY	ALL		
		NUMBER	% FROM ALL	% FROM MORPHO- LOGICALLY CONFIRMED
	<b>ALL</b>	<b>1459</b>	<b>100.0</b>	-
	WITHOUT MORPHOLOGY	222	15.2	-
	WITH MORPHOLOGY	1237	84.8	100.0
80013	TUMOR CELLS, MALIGNANT	15	1.0	1.2
80103	CARCINOMA, NOS	18	1.2	1.5
80203	CARCINOMA, UNDIFFERENTIATED, NOS	10	0.7	0.8
80213	CARCINOMA ANAPLASTIC, NOS	4	0.3	0.3
80703	SQUAMOUS CELL CARCINOMA, NOS	1	0.1	0.1
81203	TRANSITIONAL CELL CARCINOMA	3	0.2	0.2
81403	ADENOCARCINOMA, NOS	1140	78.1	92.2
81903	TRABECULAR ADENOCARCINOMA	4	0.3	0.3
82013	CRIBRIFORM CARCINOMA	4	0.3	0.3
82303	SOLID CARCINOMA, NOS	1	0.1	0.1
83103	CLEAR CELL ADENOCARCINOMA, NOS	6	0.4	0.5
84803	MUCINOUS ADENOCARCINOMA	1	0.1	0.1
85503	ACINAR CELL CARCINOMA	30	2.1	2.4

**AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES OF CANCER PER 100 000**

CODE ICD-10	SITE	DISTRICT											
		Sofia city	Bourgas	Yambol	Sliven	Varna	Dobrich	Shoumen	Veliko Tarnovo	Gabrovo	Pleven	Lovech	Vratsa
C00-97	ALL SITES	275.8	279.6	248.1	267.5	283.9	239.6	261.4	274.1	243.5	225.8	198.5	245.9
C00	LIP	1.0	3.0	2.4	0.6	1.9	4.5	0.0	1.0	2.4	1.6	0.0	3.2
C01	BASE OF TONGUE	0.7	2.6	3.8	3.0	0.8	0.0	0.0	2.8	0.0	0.4	0.0	0.0
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	1.2	0.2	0.0	0.7	1.8	2.9	1.4	1.1	0.0	0.3	1.0	0.9
C03	GUM	0.2	0.3	0.0	0.0	0.3	0.5	0.0	0.5	1.4	0.0	0.0	0.7
C04	FLOOR OF MOUTH	0.8	0.3	1.8	1.5	0.6	0.7	0.9	1.2	1.1	1.6	0.0	4.1
C05	PALATE	0.2	0.6	0.0	0.0	0.6	0.7	0.0	1.1	0.0	0.0	0.0	0.5
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	0.1	0.0	0.8	0.4	0.3	1.4	0.0	0.5	0.0	0.0	0.8	0.0
C07	PAROTID GLAND	1.3	0.3	0.0	0.5	0.3	0.3	2.4	0.7	0.9	0.7	0.3	1.1
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	0.5	0.2	1.2	0.7	0.3	0.0	0.0	0.2	0.8	0.0	0.0	0.0
C09	TONSIL	1.4	1.1	2.0	0.8	0.6	2.0	1.6	0.4	1.7	0.0	0.8	1.5
C10	OROPHARYNX	0.5	0.3	2.0	0.0	1.0	0.3	2.2	0.0	0.0	0.0	1.8	0.0
C11	NASOPHARYNX	0.9	1.2	1.7	1.4	0.3	2.9	1.6	0.0	0.0	0.8	0.0	1.6
C12	PYRIFORM SINUS	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0
C13	HYPOPHARYNX	1.4	3.4	0.0	0.8	0.0	0.0	3.3	2.0	0.0	0.3	0.0	2.7
C14	OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0
C15	OESOPHAGUS	3.5	3.1	0.7	3.2	2.9	2.9	2.4	3.3	3.0	1.3	2.5	2.8
C16	STOMACH	12.7	9.5	14.9	19.5	16.2	16.6	11.5	12.8	25.9	11.6	13.2	12.5
C17	SMALL INTESTINE	0.3	0.6	0.9	0.6	1.8	0.0	0.5	0.0	0.3	0.0	0.0	0.0
C18	COLON	23.8	13.4	17.6	19.4	23.5	22.6	11.6	17.0	18.6	19.4	12.5	14.9
C19	RECTOSIGMOID JUNCTION	4.8	3.9	1.0	0.9	1.6	0.3	4.0	2.0	0.3	1.9	2.2	4.0
C20	RECTUM	13.3	12.8	15.3	17.2	12.7	17.0	13.9	19.2	17.4	11.7	13.8	13.8
C21	ANUS AND ANAL CANAL	0.4	0.3	0.0	0.7	0.4	0.0	0.8	0.2	0.0	0.0	0.0	1.4
C22	LIVER AND INTRAHEPATIC BILE DUCTS	6.3	14.2	7.1	8.0	7.6	8.6	2.5	7.1	4.6	0.9	2.7	7.2
C23	GALLBLADDER	0.6	0.4	1.7	0.5	0.9	0.7	0.7	0.9	0.4	0.2	0.5	1.2
C24	OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT	0.6	1.7	0.5	0.8	1.2	1.8	3.2	0.8	0.4	0.8	0.0	1.8
C25	PANCREAS	10.9	8.1	12.7	10.1	10.1	12.9	6.9	9.2	5.8	12.1	10.2	12.6
C26	OTHER AND ILL-DEFINED DIGESTIVE ORGANS	0.4	0.4	0.0	0.9	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.3
C30	NASAL CAVITY AND MIDDLE EAR	0.4	0.2	0.5	0.0	0.3	0.0	0.0	0.0	0.9	0.0	0.0	0.0
C31	ACCESSORY SINUSES	0.4	1.0	0.0	0.7	0.9	0.0	2.7	0.0	0.0	0.0	1.8	0.8
C32	LARYNX	9.7	9.6	6.9	15.8	8.5	11.3	9.6	10.0	8.1	11.6	8.1	6.4
C33	TRACHEA	0.2	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0
C34	BRONCHUS AND LUNG	44.5	45.8	48.0	49.0	50.1	45.8	60.3	66.8	45.8	47.7	33.7	44.4
C37	THYMUS	0.3	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C38	HEART, MEDIASTINUM, AND PLEURA	0.3	0.6	0.0	0.8	0.7	0.0	1.1	0.7	0.0	0.0	0.0	0.0
C39	OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C40	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	0.4	0.2	0.0	1.5	0.6	0.5	1.9	1.4	0.0	0.5	0.0	0.6
C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.5
C43	MELANOMA OF SKIN	5.1	4.0	1.9	1.9	4.3	1.7	1.0	0.9	5.5	1.3	4.0	0.4

## BY PRIMARY SITES AND DISTRICTS IN BULGARIA 2006 - MALES

DISTRICT															
Vidin	Montana	Plovdiv	Pazardjik	Smolyan	Rousse	Razgrad	Silistra	Targovi-shte	Sofia district	Kyustendil	Pernik	Blagoevgrad	Stara Zagora	Haskovo	Kurdjali
202.9	235.5	280.6	246.6	228.6	304.4	249.6	265.0	242.5	241.7	227.2	243.7	239.3	283.7	290.8	266.5
1.3	1.9	1.8	1.1	0.9	3.4	4.6	4.0	3.1	2.3	1.4	0.0	3.2	3.8	3.2	2.8
0.0	0.7	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	7.9	0.0	1.0	0.0
1.0	0.8	1.9	1.2	0.0	0.4	1.0	4.0	1.0	0.6	3.6	0.0	1.3	1.9	3.0	0.0
1.0	0.0	0.0	0.0	0.9	1.4	0.0	0.0	2.3	1.5	0.0	0.0	0.7	1.0	0.0	0.0
0.3	0.0	1.0	0.5	1.2	0.4	1.6	1.2	2.0	0.0	1.4	1.0	0.7	0.7	1.0	0.0
1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.8	0.5	0.0
1.9	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.0	0.0	0.0	0.0	0.0
0.0	0.0	0.9	0.2	0.0	2.2	1.8	0.0	0.0	0.0	1.8	1.0	0.6	0.0	1.0	1.0
0.0	0.0	0.2	0.5	0.0	1.3	0.0	0.8	0.0	0.0	0.7	0.0	0.4	0.0	0.0	0.0
3.9	2.1	1.2	1.0	0.0	1.6	0.9	3.8	5.0	1.1	2.6	2.0	0.4	0.6	1.1	1.0
0.0	0.8	0.6	0.5	0.0	0.7	0.8	2.8	0.9	0.6	0.0	4.7	0.4	2.2	0.0	1.8
1.0	2.3	0.4	1.3	0.0	1.2	3.7	0.0	0.0	0.4	0.0	1.0	0.5	0.7	1.1	1.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.0
2.9	0.2	0.8	0.5	0.0	1.6	2.1	1.1	0.0	1.7	0.9	1.6	0.9	0.0	0.9	0.0
0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0
5.8	3.9	2.2	1.7	3.2	2.6	1.6	2.3	2.4	3.3	5.2	2.0	1.9	2.5	2.2	0.0
5.5	15.7	19.1	13.4	28.0	12.2	19.3	20.9	14.7	18.1	10.0	10.2	20.2	14.2	18.3	28.3
0.0	0.0	0.2	0.0	1.5	0.4	0.0	0.9	0.0	0.0	0.9	0.8	0.9	0.8	0.0	0.5
12.9	16.5	23.0	19.3	6.9	26.4	14.1	20.2	19.2	17.2	12.5	13.4	16.9	21.8	22.4	17.5
0.7	2.2	1.9	0.5	1.7	3.0	2.9	4.2	0.0	1.0	1.2	4.1	0.6	3.9	2.7	0.5
18.4	17.6	13.1	12.1	9.6	17.2	6.7	16.6	19.5	8.4	9.6	11.0	14.7	16.0	14.8	10.2
0.0	0.0	0.4	1.2	0.0	2.2	1.3	0.0	1.3	0.6	0.0	0.8	0.4	0.2	0.0	0.0
7.3	4.1	11.1	9.0	4.8	3.8	4.6	6.9	4.6	3.5	3.8	0.0	7.6	7.4	5.1	6.8
0.0	0.8	0.8	0.0	1.0	2.2	0.0	1.7	0.7	0.8	0.3	1.1	0.0	0.6	0.5	0.6
0.0	0.6	0.9	0.0	0.0	1.2	0.0	0.8	2.1	0.6	0.9	0.0	0.2	1.0	1.0	0.0
6.7	5.3	9.8	10.7	7.5	12.7	4.5	7.7	2.4	11.0	8.1	10.3	4.6	8.8	10.9	7.8
0.4	0.9	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
2.6	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.1	1.0	0.9	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.5	0.0	0.0	0.4	0.0	0.0	0.9	0.3	0.0	1.0	0.0	0.0	0.5	0.0
8.8	6.1	10.3	6.4	7.5	10.6	15.5	10.2	5.3	8.0	14.4	13.8	8.0	13.2	9.9	8.9
0.9	0.0	0.2	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0
39.0	45.2	52.3	52.5	48.7	54.6	60.5	48.3	61.4	39.7	38.0	43.8	37.2	54.8	67.8	67.2
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.0	0.0
0.0	0.0	0.3	0.0	0.0	0.6	0.0	0.8	0.0	0.0	0.0	0.0	0.6	0.3	2.4	0.0
0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.6	0.0	0.0	0.0	1.0	0.0	1.1	2.2	0.0	0.0	0.0	0.0	1.0	0.0
0.0	0.0	0.2	0.9	1.0	1.4	0.8	0.0	0.0	0.2	0.0	0.0	1.0	0.0	0.0	0.0
2.8	2.9	3.3	3.8	4.0	3.3	0.8	0.0	3.3	3.1	1.8	3.9	1.3	4.5	2.5	1.3

**AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES OF CANCER PER 100 000**

CODE ICD-10	SITE	DISTRICT											
		Sofia city	Bourgas	Yambol	Sliven	Varna	Dobrich	Shoumen	Veliko Tarnovo	Gabrovo	Pleven	Lovech	Vratsa
C44	OTHER SKIN	22.4	40.2	14.8	24.3	30.6	14.3	27.0	23.5	13.5	22.6	13.7	22.4
C45	MESOTHELIOMA	0.1	0.8	0.0	0.0	0.0	0.5	0.0	0.6	0.8	0.6	0.0	1.2
C46	KAPOSI'S SARCOMA	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0
C47	PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	0.0	0.0	0.0
C48	RETROPERITONEUM AND PERITONEUM	0.8	0.5	1.0	0.7	0.3	0.0	1.5	2.7	0.0	0.4	0.0	0.4
C49	CONNECTIVE AND OTHER SOFT TISSUES	2.5	1.4	0.8	0.0	1.0	0.0	0.0	1.1	0.6	1.3	1.4	0.9
C50	BREAST	0.8	0.2	3.1	0.0	1.0	2.0	0.0	1.4	0.8	0.4	0.9	2.7
C60	PENIS	1.3	0.4	0.5	0.4	0.0	0.5	0.8	0.0	0.0	2.0	0.3	1.5
C61	PROSTATE GLAND	27.8	17.5	15.0	13.3	22.8	8.1	16.9	17.3	17.1	13.4	16.9	22.9
C62	TESTIS	5.4	7.9	2.5	2.2	6.2	4.8	5.1	2.7	0.0	1.7	1.1	1.6
C63	OTHER AND UNSPECIFIED MALE GENITAL ORGANS	0.1	0.0	0.4	0.7	0.2	0.0	0.0	0.3	0.6	0.0	0.0	0.0
C64	KIDNEY	6.1	10.4	11.3	10.2	9.7	8.8	7.0	6.3	8.7	5.1	7.0	3.8
C65	RENAL PELVIS	0.9	0.7	0.0	1.2	0.3	0.0	0.4	0.9	0.9	0.2	1.4	1.8
C66	URETER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
C67	BLADDER	22.7	16.3	24.7	12.2	16.6	14.7	18.7	16.0	16.3	15.7	16.3	12.8
C68	OTHER AND UNSPECIFIED URINARY ORGANS	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	EYE AND ADNEXA	0.0	0.5	2.0	0.0	0.7	0.7	0.0	0.4	0.0	1.5	0.0	0.5
C70	MENINGES	0.4	1.2	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0
C71	BRAIN	7.8	5.4	7.4	6.5	8.0	7.8	7.1	5.7	13.9	1.7	4.4	3.3
C72	SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	0.3	0.0	3.2	0.0	0.6	1.2	0.0	0.6	0.0	0.0	0.0	0.0
C73	THYROID GLAND	1.3	1.4	0.9	0.7	1.1	0.0	0.0	1.4	0.0	0.6	1.8	0.0
C74	ADRENAL GLAND	0.4	0.3	0.0	0.0	0.6	0.8	0.0	0.0	1.1	0.6	0.0	0.0
C75	OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
C76	OTHER AND ILL-DEFINED SITES	0.0	0.8	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C80	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	8.2	13.3	4.7	12.8	11.8	5.2	15.0	11.1	6.4	20.0	14.9	11.2
C81	HODGKIN'S DISEASE	2.0	2.4	1.2	2.5	2.7	1.1	1.1	1.4	1.4	2.0	0.0	2.0
C82	FOLLICULAR NON-HODGKIN'S LYMPHOMA	0.1	0.7	0.0	0.0	1.8	0.0	0.9	0.0	0.0	0.4	0.0	0.0
C83	DIFFUSE NON-HODGKIN'S LYMPHOMA	2.8	2.0	0.0	0.7	3.9	0.0	1.2	2.9	5.8	1.2	0.0	3.1
C84	PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS	0.6	0.0	0.0	0.0	0.5	1.1	0.0	0.6	0.0	0.6	0.0	0.5
C85	OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA	2.2	1.8	1.3	2.2	1.1	2.3	1.1	2.1	0.6	1.6	2.0	0.6
C88	MALIGNANT IMMUNOPROLIFERATIVE DISEASES	0.1	0.0	0.0	0.0	0.6	0.0	0.0	0.4	0.0	0.0	0.0	0.0
C90	MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS	1.6	1.4	0.0	1.2	1.1	2.6	0.9	2.1	1.9	1.4	1.9	0.5
C91	LYMPHOID LEUKAEMIA	4.5	4.8	3.0	7.0	4.5	1.9	2.4	4.3	3.3	0.9	0.9	6.3
C92	MYELOID LEUKAEMIA	1.9	2.1	2.3	5.1	2.2	1.1	2.6	2.4	1.3	1.1	0.0	1.3
C93	MONOCYTIC LEUKAEMIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0
C94	OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE	0.1	0.2	0.0	0.0	0.0	0.7	0.3	0.0	0.0	0.0	0.0	0.0
C95	LEUKAEMIA, UNSPECIFIED CELL TYPE	0.6	0.3	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.6	2.9	0.4
C96	OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES	0.1	0.0	0.0	1.9	0.0	0.0	0.8	0.0	0.0	1.1	0.0	0.0

## BY PRIMARY SITES AND DISTRICTS IN BULGARIA 2006 - MALES

DISTRICT															
Vidin	Montana	Plovdiv	Pazardjik	Smolyan	Rousse	Razgrad	Silistra	Targovi-shte	Sofia district	Kyustendil	Pernik	Blagoevgrad	Stara Zagora	Haskovo	Kurdjali
20.9	20.6	24.3	26.5	18.2	34.9	33.6	25.2	18.8	19.5	18.0	18.4	31.4	27.4	23.3	24.1
0.0	0.0	1.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.4	0.0	1.3	0.0
0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0
0.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.6	1.6	1.9
1.2	1.5	2.0	2.3	3.4	1.8	1.0	4.7	0.0	1.1	4.2	5.2	0.7	1.8	2.2	2.7
0.0	0.5	0.6	0.5	1.0	1.0	3.3	0.0	1.1	0.6	1.0	0.0	0.5	0.7	0.5	1.4
0.4	0.8	0.1	0.0	0.0	1.2	0.0	0.0	1.1	2.6	3.2	3.2	1.6	0.6	0.5	0.0
7.7	15.4	24.5	17.2	17.7	13.3	10.9	13.8	13.4	17.9	20.2	21.7	18.0	18.8	15.4	16.2
3.3	5.2	4.3	6.5	1.8	3.4	1.7	0.0	1.8	5.3	4.1	0.8	5.8	9.3	5.6	1.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8.6	8.8	5.2	5.0	6.0	7.6	2.6	3.2	2.9	4.9	3.3	8.8	5.8	7.5	4.7	10.6
0.0	1.2	0.4	1.1	0.0	0.6	0.0	0.0	1.3	0.0	0.7	0.0	0.0	0.7	0.6	0.6
0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	0.7	0.0	0.0	0.0
9.1	19.4	17.4	14.6	19.8	21.3	11.1	14.9	16.7	11.9	14.7	16.9	10.4	14.6	18.1	17.1
0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.0	0.0	0.0	0.0
0.0	0.0	1.1	0.0	0.0	0.0	1.4	0.0	0.0	2.2	0.0	0.0	0.0	0.5	0.3	0.0
0.0	0.0	0.2	0.0	0.0	1.2	0.0	0.0	1.3	0.4	0.0	0.0	0.0	0.4	0.0	0.0
3.5	6.9	8.6	10.9	5.4	2.8	2.9	7.9	8.2	9.8	3.1	11.0	4.4	6.0	10.4	8.5
1.0	0.0	0.2	0.0	0.0	0.9	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.9	0.6	0.0	2.2	1.4	0.9	0.8	1.1	1.0	0.9	0.0	1.1	1.3	0.0	0.0
0.0	0.0	0.6	1.5	0.0	0.5	0.0	0.8	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0
0.0	0.0	0.1	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.7	0.0	0.0	1.7	0.0	1.7	0.0	0.9	0.0	0.3	3.5	0.0	0.0	0.8	0.0	0.0
8.3	10.3	9.7	6.7	9.5	22.3	10.9	14.0	12.6	11.5	11.4	14.5	14.7	10.7	17.1	11.3
1.5	1.2	2.6	2.7	1.1	5.3	4.5	0.9	0.0	5.8	0.0	0.0	0.5	1.4	2.5	1.9
1.0	0.9	0.4	0.2	0.0	0.0	2.2	1.2	0.0	0.2	2.0	0.3	0.5	0.7	0.5	1.0
0.6	0.0	2.6	1.1	2.0	1.4	7.1	1.6	0.9	2.4	1.6	4.0	2.5	2.7	1.6	4.6
0.0	0.9	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.9	0.0	0.6	1.4	0.2	0.0
4.3	0.4	1.6	2.4	0.0	3.0	0.0	0.5	0.7	2.5	3.2	1.6	0.0	1.1	2.1	1.0
0.0	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.4	0.4	1.9	0.7	4.2	0.8	0.0	1.5	0.5	0.4	0.5	1.3	0.8	1.4	1.0	0.0
2.9	3.9	5.7	3.0	2.0	3.4	0.0	5.8	1.0	11.4	3.0	1.9	2.1	4.1	3.4	1.0
0.4	3.3	2.3	1.3	4.7	1.9	2.4	1.4	1.3	0.2	4.4	1.9	1.7	6.3	2.0	3.5
0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.3	0.0	0.0	1.3	0.0	1.8	1.3	0.0	0.0	0.0	0.4	0.0	0.0	0.0
0.0	1.0	0.4	0.0	0.0	0.7	0.0	0.0	1.2	0.4	0.7	0.8	0.0	0.0	0.0	0.6
0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES OF CANCER PER 100 000**

CODE ICD-10	SITE	DISTRICT											
		Sofia city	Bourgas	Yambol	Sliven	Varna	Dobrich	Shoumen	Veliko Tarnovo	Gabrovo	Pleven	Lovech	Vratsa
C00-97	ALL SITES	245.2	231.6	195.5	201.2	218.3	201.9	202.2	209.6	199.9	190.2	189.2	239.0
C00	LIP	0.3	1.2	0.2	0.6	0.4	0.4	0.4	1.0	0.0	0.3	0.0	1.5
C01	BASE OF TONGUE	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	0.5	0.0	0.0	0.0	0.2	0.0	0.6	0.0	0.8	0.0	0.0	0.5
C03	GUM	0.1	0.5	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C04	FLOOR OF MOUTH	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C05	PALATE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.0
C07	PAROTID GLAND	0.3	0.0	0.7	0.7	0.4	0.0	0.6	0.4	1.0	1.3	0.0	0.5
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
C09	TONSIL	0.3	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0
C10	OROPHARYNX	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
C11	NASOPHARYNX	0.4	0.5	0.7	0.0	0.2	1.3	0.0	0.4	0.0	0.9	0.7	0.0
C13	HYPOPHARYNX	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C14	OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C15	OESOPHAGUS	0.5	0.4	0.9	0.8	0.6	0.0	1.2	1.4	0.3	0.0	0.0	0.5
C16	STOMACH	4.9	8.2	10.9	5.9	5.5	7.3	6.3	9.1	9.8	4.5	7.2	7.8
C17	SMALL INTESTINE	0.4	0.6	0.0	0.0	0.3	0.0	0.0	0.2	1.5	0.0	0.0	0.0
C18	COLON	17.3	9.0	21.9	12.5	13.8	8.4	10.1	13.0	12.3	12.2	9.4	10.4
C19	RECTOSIGMOID JUNCTION	3.1	2.1	2.2	0.7	0.6	0.8	3.9	1.4	1.0	3.8	2.5	1.9
C20	RECTUM	7.8	8.2	5.5	6.1	10.4	4.7	6.7	12.9	6.6	7.8	5.2	6.3
C21	ANUS AND ANAL CANAL	0.4	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.5	0.0	0.6
C22	LIVER AND INTRAHEPATIC BILE DUCTS	2.4	6.1	1.8	2.0	4.6	3.7	1.9	1.1	0.0	0.3	1.3	3.5
C23	GALLBLADDER	1.9	2.1	3.3	0.8	1.1	3.0	1.7	0.2	0.7	1.4	1.5	1.6
C24	OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT	0.2	1.0	1.3	0.2	0.3	0.4	1.1	0.0	0.2	0.2	1.9	0.7
C25	PANCREAS	7.3	4.2	3.2	3.6	5.5	4.3	6.1	2.9	5.2	4.5	2.6	3.4
C26	OTHER AND ILL-DEFINED DIGESTIVE ORGANS	0.2	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.1
C30	NASAL CAVITY AND MIDDLE EAR	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0
C31	ACCESSORY SINUSES	0.0	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.8
C32	LARYNX	0.5	0.5	0.9	0.7	0.8	0.0	0.6	2.0	0.0	0.2	0.2	0.6
C33	TRACHEA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C34	BRONCHUS AND LUNG	10.4	9.5	5.4	3.8	10.8	7.3	6.2	9.5	10.0	6.7	6.7	3.7
C37	THYMUS	0.2	0.0	0.0	0.0	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0
C38	HEART, MEDIASTINUM, AND PLEURA	0.0	0.4	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0
C40	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	0.4	0.4	0.0	1.9	0.5	0.5	2.4	0.0	2.3	1.3	0.0	0.0
C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES	0.1	0.8	0.4	0.0	0.4	0.7	0.0	0.2	0.0	0.0	1.2	0.0
C43	MELANOMA OF SKIN	2.9	2.3	0.7	2.2	1.8	2.1	0.9	0.6	0.6	1.8	3.9	3.9
C44	OTHER SKIN	14.4	22.4	8.4	16.7	16.2	8.8	17.6	10.6	8.1	14.9	12.8	19.1
C45	MESOTHELIOMA	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	1.4	0.0	0.0	1.1
C46	KAPOSI'S SARCOMA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
C47	PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	0.6	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	2.0	0.0	0.0
C48	RETROPERITONEUM AND PERITONEUM	0.4	1.2	0.0	0.0	0.1	0.5	0.7	0.5	0.6	1.2	0.7	1.1

## BY PRIMARY SITES AND DISTRICTS IN BULGARIA 2006 - FEMALES

DISTRICT															
Vidin	Montana	Plovdiv	Pazardjik	Smolyan	Rousse	Razgrad	Silistra	Targovishte	Sofia district	Kyustendil	Pernik	Blagoevgrad	Stara Zagora	Haskovo	Kurdjali
173.0	214.2	222.4	191.4	181.9	247.6	199.3	213.7	166.5	193.9	175.1	220.0	182.2	218.2	218.2	188.6
0.5	0.6	0.6	0.6	0.8	1.0	0.3	1.9	1.6	0.1	1.9	0.0	0.9	0.5	0.4	0.0
0.0	0.0	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0
0.0	0.3	0.3	0.6	0.0	1.6	0.0	0.8	0.8	0.4	0.2	0.0	0.2	0.0	0.0	0.4
0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.7	0.1	0.0
0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.6	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
0.0	0.6	0.2	0.0	0.6	0.0	0.0	0.8	1.3	0.4	0.0	0.0	0.2	0.0	0.0	0.0
0.0	0.2	0.6	0.0	0.0	0.8	0.0	0.0	0.0	0.3	2.0	0.0	1.2	0.9	0.2	1.0
0.0	0.0	0.0	0.4	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.1	0.0
0.0	0.0	0.6	0.0	0.0	0.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
0.0	0.0	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.4	0.0
0.0	0.1	0.3	0.8	0.7	0.0	0.6	0.0	0.0	0.3	0.2	0.0	0.4	0.5	0.7	0.0
4.0	5.7	8.9	8.8	6.0	9.8	5.8	7.8	6.5	4.9	8.2	9.5	8.2	6.2	8.8	19.0
0.0	0.0	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
11.0	17.2	16.4	11.3	9.3	16.6	9.0	14.5	8.1	12.6	7.5	15.6	8.8	13.2	17.1	13.3
1.0	1.2	1.1	0.1	0.3	2.0	3.4	0.6	1.3	1.6	0.8	2.6	0.0	2.0	0.4	0.8
4.6	5.5	7.9	9.5	3.1	4.2	9.3	5.6	4.8	11.4	3.6	6.6	6.4	8.0	8.9	5.0
0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0
0.0	2.4	2.8	3.3	1.2	1.9	5.0	1.8	2.9	2.7	0.4	1.9	1.3	1.9	1.1	2.6
1.6	1.0	0.9	0.2	0.8	2.0	1.6	1.4	1.6	0.5	0.0	2.2	0.7	2.0	1.3	0.5
0.0	0.0	0.4	0.2	0.6	0.2	0.0	0.6	0.0	0.0	0.0	1.7	0.0	0.7	0.5	2.0
4.0	3.1	5.1	3.5	9.3	3.0	5.3	3.8	5.5	5.3	4.9	4.2	5.6	5.7	4.2	3.3
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.1	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0
0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.0
0.9	0.0	0.3	1.5	1.0	1.4	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.5	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0
7.2	9.0	6.7	4.7	3.8	8.9	4.7	8.9	8.2	7.5	8.0	8.9	2.6	7.1	8.3	10.5
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0
1.6	0.0	0.7	0.2	0.8	0.0	0.8	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
0.0	1.1	0.4	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.7	0.1	0.0	1.1	0.0
0.0	0.0	0.8	0.0	1.9	0.4	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	2.2	0.0
2.0	2.0	2.6	1.4	1.4	2.3	2.0	0.8	2.7	0.5	2.6	4.7	3.6	2.1	1.2	1.0
12.6	17.8	21.2	18.2	10.0	26.4	23.9	20.6	5.1	13.4	12.1	17.3	23.5	19.6	16.9	13.0
0.0	1.2	0.2	0.0	0.0	0.0	0.0	1.3	0.0	0.2	0.0	0.0	0.0	0.0	2.0	0.0
0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.8	1.3	0.2	0.0	0.0	1.6	2.4	2.6	0.0	1.4	0.7	3.5	0.4	0.6	0.0	0.0

**AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES OF CANCER PER 100 000**

CODE ICD-10	SITE	DISTRICT											
		Sofia city	Bourgas	Yambol	Sliven	Varna	Dobrich	Shoumen	Veliko Tarnovo	Gabrovo	Pleven	Lovech	Vratsa
C49	CONNECTIVE AND OTHER SOFT TISSUES	2.7	1.1	1.3	5.2	1.7	1.4	2.3	1.3	2.4	0.0	3.1	0.0
C50	BREAST	68.9	59.0	52.4	45.8	56.0	53.2	36.4	47.7	49.2	46.7	33.0	57.4
C51	VULVA	1.8	1.1	2.2	0.4	1.1	1.1	1.1	1.5	0.0	0.8	0.9	3.0
C52	VAGINA	0.3	0.6	1.3	0.0	0.5	0.3	1.2	0.7	0.0	0.5	0.0	0.6
C53	CERVIX UTERI	17.2	22.8	17.1	29.3	23.4	27.2	20.2	32.2	14.4	24.1	29.7	35.6
C54	CORPUS UTERI	18.2	14.2	10.5	14.5	16.7	19.1	15.3	20.5	16.3	15.6	17.9	23.2
C55	UTERUS, NOS	0.2	0.8	0.0	0.0	0.1	0.6	0.0	0.8	0.6	0.1	0.0	2.2
C56	OVARY	15.0	13.3	10.6	7.6	10.1	9.0	17.6	11.9	14.8	7.5	17.1	15.4
C57	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	0.6	0.0	0.0	0.0	1.0	0.0	0.9	1.6	0.2	0.0	0.0	0.5
C58	PLACENTA	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0
C64	KIDNEY	4.9	4.0	8.9	2.6	1.5	1.6	3.9	2.8	3.8	2.2	2.4	2.2
C65	RENAL PELVIS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
C66	URETER	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0
C67	BLADDER	6.7	4.8	1.6	3.7	5.2	3.6	1.1	1.9	1.3	1.8	2.7	3.2
C68	OTHER AND UNSPECIFIED URINARY ORGANS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
C69	EYE AND ADNEXA	0.1	0.2	0.0	1.5	0.3	0.6	3.0	0.5	0.0	0.3	0.0	0.8
C70	MENINGES	0.5	0.3	0.0	0.0	0.8	2.9	0.0	0.4	2.4	0.0	0.0	0.6
C71	BRAIN	5.5	3.9	7.1	3.9	4.1	3.4	4.3	3.8	8.4	2.6	3.1	6.0
C72	SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	0.1	0.0	0.0	0.4	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0
C73	THYROID GLAND	3.4	3.3	4.2	6.2	4.8	3.1	5.9	1.6	1.6	3.6	7.2	3.2
C74	ADRENAL GLAND	0.3	0.1	0.0	0.7	0.0	0.0	1.7	0.0	0.4	0.0	0.0	2.2
C75	OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0
C76	OTHER AND ILL-DEFINED SITES	0.1	0.1	0.0	0.0	0.4	0.5	0.0	0.0	0.3	0.0	0.0	0.0
C80	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	6.7	5.6	8.0	5.1	4.1	6.4	5.5	2.9	7.6	8.7	7.7	7.8
C81	HODGKIN'S DISEASE	1.7	1.2	0.0	0.0	1.9	0.0	0.0	0.0	8.6	1.0	1.2	0.0
C82	FOLLICULAR NON-HODGKIN'S LYMPHOMA	0.5	1.4	0.0	0.0	0.4	0.0	0.2	0.7	0.0	0.3	0.6	0.9
C83	DIFFUSE NON-HODGKIN'S LYMPHOMA	1.2	2.4	0.0	0.8	1.2	0.0	0.6	1.8	0.3	1.1	0.0	1.0
C84	PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0
C85	OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA	1.4	1.8	0.0	2.1	0.8	1.1	0.0	0.0	0.6	1.2	0.0	0.0
C88	MALIGNANT IMMUNOPROLIFERATIVE DISEASES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C90	MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS	1.2	1.0	0.0	1.4	0.4	1.0	0.0	0.0	1.5	1.3	0.8	1.0
C91	LYMPHOID LEUKAEMIA	3.0	2.7	1.2	8.5	1.7	2.0	7.8	1.5	0.6	0.9	0.0	0.0
C92	MYELOID LEUKAEMIA	2.9	1.8	0.4	1.2	2.0	3.7	2.8	0.3	0.8	0.5	0.0	0.0
C93	MONOCYTIC LEUKAEMIA	0.0	0.6	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2
C94	OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE	0.0	0.0	0.0	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C95	LEUKAEMIA, UNSPECIFIED CELL TYPE	0.6	0.0	0.0	0.0	0.8	0.5	0.0	0.5	0.6	2.4	4.2	1.4
C96	OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.2	0.0	0.0	0.0	0.0
D06	NOT INCLUDED ABOVE CA IN SITU OF CERVIX UTERI	12.7	8.5	6.6	8.4	2.2	3.3	8.8	5.7	4.5	8.1	4.2	23.5

BY PRIMARY SITES AND DISTRICTS IN BULGARIA 2006 - FEMALES

Part 2

DISTRICT															
Vidin	Montana	Plovdiv	Pazardjik	Smolyan	Rousse	Razgrad	Silistra	Targovi-shte	Sofia district	Kyustendil	Pernik	Blagoevgrad	Stara Zagora	Haskovo	Kurdjali
0.0	1.6	3.3	1.0	0.0	1.6	0.4	0.0	1.4	2.5	0.6	1.8	1.8	1.1	2.8	1.9
55.5	34.6	55.9	46.9	50.7	63.0	42.8	48.9	29.5	40.2	32.3	41.8	42.8	51.3	51.6	35.6
0.0	3.1	1.5	1.1	0.0	1.2	2.9	3.0	0.0	0.4	1.8	1.1	1.5	0.3	1.3	1.1
0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.2	0.4	0.0	0.3	0.0	0.5
20.3	31.7	10.8	13.1	14.4	29.5	24.8	23.4	19.4	29.3	33.9	32.1	17.8	17.3	16.9	15.4
20.1	29.8	15.1	19.0	18.2	15.2	14.8	9.9	13.4	13.7	21.2	19.0	10.8	22.6	20.1	10.5
0.0	0.2	0.7	0.0	0.0	0.0	0.6	1.3	0.4	4.0	0.2	1.6	0.2	0.0	0.0	1.0
12.1	9.2	12.8	10.5	17.3	11.5	15.6	12.4	18.5	10.5	11.1	13.2	9.7	13.8	9.9	9.4
0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.6	0.0	0.0	0.4	0.0
0.0	0.0	0.0	0.0	0.0	0.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.8	1.8	3.2	5.0	1.8	2.7	2.6	4.5	3.7	1.7	0.8	3.9	1.8	5.4	3.3	5.4
0.0	0.0	0.2	0.0	0.0	0.2	0.0	1.3	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.9
0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.3	5.0	5.0	4.0	2.1	3.2	0.7	3.7	7.0	3.4	1.6	2.2	3.3	4.6	4.4	3.4
0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.2	0.6	1.0	0.2	0.0	0.4	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4
0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.8	0.5	0.5	0.5	0.0
2.6	1.9	6.3	5.0	4.3	2.9	2.8	2.6	6.4	2.6	3.8	3.7	5.8	5.5	4.0	6.1
1.6	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.5	1.1	0.0
0.0	3.6	5.4	3.6	3.6	5.0	0.0	4.5	2.0	2.4	0.2	2.3	2.6	4.8	5.3	4.1
0.0	0.0	0.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0
0.4	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.1	1.0	0.2	0.6	0.0	0.0	0.5
2.9	6.5	4.2	3.0	4.5	10.4	6.0	7.2	5.4	5.9	5.5	1.9	3.0	5.6	5.8	4.8
0.0	0.0	2.3	2.5	0.6	2.4	4.0	1.3	0.0	1.0	0.9	4.3	1.3	0.0	0.0	1.2
0.0	0.0	0.7	0.5	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
0.0	0.2	1.1	1.3	3.2	2.4	0.8	0.8	0.9	2.0	0.4	1.5	1.5	3.0	2.5	1.6
0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	1.4	0.8	0.0	0.0
1.5	0.6	2.5	0.9	0.0	2.0	2.0	1.0	0.0	3.0	1.1	0.0	1.1	0.5	0.4	0.9
0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	1.2	2.0	0.6	0.0	1.5	0.0	1.5	0.0	0.0	0.0	1.9	0.8	0.9	3.7	2.2
0.4	6.5	2.5	1.5	7.0	3.6	0.6	7.6	3.8	0.6	0.5	0.9	0.9	3.4	3.6	3.5
1.2	3.3	2.2	0.0	0.8	0.8	0.0	3.2	0.4	0.7	0.2	2.2	3.2	2.1	1.6	2.5
0.0	0.0	0.4	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.9	0.2	0.5	0.0	0.2	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6.0	7.6	3.5	5.1	3.3	9.5	7.5	2.1	4.0	8.3	5.2	8.3	5.0	16.8	6.2	1.8

**DISTRIBUTION OF THE NEWLY DIAGNOSED CANCER CASES  
BY SELECTED PRIMARY SITES AND BASIS OF DIAGNOSIS IN BULGARIA 2006**

CODE ICD-9	SITE	TOTAL NUMBER	CLINICAL		CYTOLOGY		HISTOLOGY *		OTHERS AND UNKNOWN **		DEATH CERTIFICATE ONLY	
			NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%
140	LIP	203	-	-	-	-	191	94.1	9	4.4	3	1.5
140-149	LIP, ORAL CAVITY AND PHARYNX	902	1	0.1	11	1.2	801	88.8	17	1.9	72	8.0
151	STOMACH	1768	5	0.3	259	14.6	1213	68.6	10	0.6	281	15.9
153	COLON	2487	7	0.3	168	6.8	2093	84.1	9	0.4	210	8.4
154	RECTUM	1931	4	0.2	2	0.1	1677	86.8	98	5.1	150	7.8
155	LIVER	660	-	-	154	23.3	274	41.6	12	1.8	220	33.3
150-159	DIGESTIVE ORGANS AND PERITONEUM	8555	21	0.2	75	0.9	6136	71.7	1204	14.1	1119	13.1
161	LARYNX	607	3	0.5	14	2.3	540	89.0	-	-	50	8.2
162	BRONCHUS, LUNG	3683	9	0.2	356	9.7	2060	55.9	800	21.8	458	12.4
160-165	RESPIRATORY SYSTEM	4412	12	0.3	357	8.1	2695	61.1	828	18.7	520	11.8
173	OTHER SKIN	3255	3	0.1	2	0.1	2998	92.0	246	7.6	6	0.2
174	BREAST	3584	16	0.4	142	4.0	3229	90.1	110	3.1	87	2.4
180	CERVIX UTERI	1208	1	0.1	9	0.7	1177	97.5	5	0.4	16	1.3
182	CORPUS UTERI	1231	-	-	14	1.1	1195	97.2	3	0.2	19	1.5
183	OVARY ETC.	858	1	0.1	26	3.0	718	83.7	70	8.2	43	5.0
185	PROSTATE	1459	3	0.2	99	6.8	1187	81.4	50	3.4	120	8.2
188	BLADDER	1448	-	-	76	5.2	1310	90.6	2	0.1	60	4.1
179-189	GENITAL ORGANS AND URINARY SYSTEM	7354	8	0.1	91	1.2	6545	89.1	370	5.0	340	4.6
193	THYROID	263	-	-	9	3.4	245	93.2	1	0.4	8	3.0

\* Histology included: histology of a primary tumor, and histology of a metastasis

\*\* Others included: clinical investigations, and specific tumor markers

**DISTRIBUTION OF THE NEWLY DIAGNOSED CANCER CASES  
BY SELECTED PRIMARY SITES AND STAGES IN BULGARIA 2006**

CODE ICD-9	SITE	TOTAL NUMBER	I STAGE		II STAGE		III STAGE		IV STAGE		WITHOUT STAGE	
			NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%
140	LIP	203	150	73.9	35	17.2	10	4.9	5	2.5	3	1.5
140-149	LIP, ORAL CAVITY AND PHARYNX	902	187	20.7	148	16.4	161	17.9	313	34.7	93	10.3
151	STOMACH	1768	79	4.5	190	10.8	432	24.4	706	39.9	361	20.4
153	COLON	2487	190	7.6	812	32.7	613	24.6	598	24.1	274	11.0
154	RECTUM	1931	192	9.9	653	33.9	481	24.9	390	20.2	215	11.1
155	LIVER	660	3	0.5	24	3.6	101	15.3	255	38.6	277	42.0
150-159	DIGESTIVE ORGANS AND PERITONEUM	8555	506	5.9	1805	21.1	1918	22.4	2834	33.1	1492	17.5
161	LARYNX	607	53	8.7	97	16.0	144	23.7	247	40.7	66	10.9
162	BRONCHUS, LUNG	3683	124	3.4	248	6.7	1451	39.4	1303	35.4	557	15.1
160-165	RESPIRATORY SYSTEM	4412	180	4.1	357	8.1	1626	36.8	1592	36.1	657	14.9
173	OTHER SKIN	3255	2551	78.4	590	18.1	76	2.3	12	0.4	26	0.8
174	BREAST	3584	903	25.2	1669	46.6	667	18.6	217	6.0	128	3.6
180	CERVIX UTERI	1208	489	40.5	308	25.5	322	26.6	36	3.0	53	4.4
182	CORPUS UTERI	1231	761	61.8	212	17.2	130	10.6	47	3.8	81	6.6
183	OVARY ETC.	858	192	22.4	107	12.5	327	38.1	159	18.5	73	8.5
185	PROSTATE	1459	135	9.2	574	39.3	333	22.8	253	17.3	164	11.2
188	BLADDER	1448	481	33.2	543	37.5	224	15.5	98	6.8	102	7.0
179-189	GENITAL ORGANS AND URINARY SYSTEM	7354	2300	31.3	2063	28.0	1595	21.7	784	10.7	612	8.3
193	THYROID	263	98	37.3	81	30.8	44	16.7	23	8.7	17	6.5

**DISTRIBUTION OF THE NEWLY DIAGNOSED CANCER CASES  
BY SELECTED PRIMARY SITES, STAGES AND DISTRICTS IN BULGARIA 2006**

DISTRICT	FEMALE BREAST				CERVIX UTERI				PROSTATE			
	TOTAL	I+II STAGE	III+IV STAGE	WITHOUT STAGE	TOTAL	I+II STAGE	III+IV STAGE	WITHOUT STAGE	TOTAL	I+II STAGE	III+IV STAGE	WITHOUT STAGE
	NUMBER	%	%	%	NUMBER	%	%	%	NUMBER	%	%	%
BLAGOEVGRAD	116	74.1	24.1	1.7	39	64.1	33.3	2.6	53	17.0	75.5	7.5
BOURGAS	209	78.0	20.6	1.4	68	73.5	26.5	-	69	71.0	27.5	1.4
YAMBOL	63	73.0	22.2	4.8	20	70.0	30.0	-	27	59.3	37.0	3.7
VARNA	215	81.9	14.4	3.7	79	74.7	20.3	5.1	97	37.1	57.7	5.2
DOBRICH	96	70.8	21.9	7.3	42	76.2	19.0	4.8	18	16.7	55.6	27.8
VELIKO TURNOVO	121	66.9	33.1	-	64	60.9	37.5	1.6	53	62.3	28.3	9.4
GABROVO	72	72.2	27.8	-	18	66.7	33.3	-	27	55.6	33.3	11.1
VRATSA	120	54.2	30.8	15.0	50	72.0	14.0	14.0	53	43.4	30.2	26.4
VIDIN	69	56.5	33.3	10.1	18	61.1	11.1	27.8	14	28.6	14.3	57.1
MONTANA	56	55.4	30.4	14.3	34	47.1	14.7	38.2	36	44.4	8.3	47.2
PLEVEN	147	68.7	31.3	-	58	72.4	27.6	-	48	29.2	70.8	-
LOVECH	51	76.5	23.5	-	37	75.7	24.3	-	31	58.1	38.7	3.2
PLOVDIV	351	71.8	26.5	1.7	59	71.2	28.8	-	172	50.6	46.5	2.9
PAZARDJIK	121	66.9	33.1	-	26	76.9	23.1	-	45	42.2	53.3	4.4
SMOLYAN	55	67.3	32.7	-	11	72.7	27.3	-	21	28.6	71.4	-
ROUSSE	143	76.2	21.7	2.1	55	67.3	30.9	1.8	33	33.3	51.5	15.2
RAZGRAD	49	69.4	24.5	6.1	25	64.0	20.0	16.0	12	41.7	41.7	16.6
SILISTRA	58	69.0	25.9	5.2	22	72.7	13.6	13.6	16	31.3	56.3	12.5
SOFIA CITY	746	75.9	18.9	5.2	169	59.2	38.5	2.4	293	67.9	21.8	10.2
SOFIA DISTRICT	103	68.9	31.1	-	52	61.5	36.5	1.9	54	50.0	29.6	20.4
KYUSTENDIL	52	71.2	26.9	1.9	34	67.6	32.4	-	35	48.6	42.9	8.6
PERNIK	63	73.0	27.0	-	36	75.0	22.2	2.8	37	32.4	45.9	21.6
STARA ZAGORA	169	66.3	33.1	0.6	49	55.1	44.9	-	69	34.8	60.9	4.3
SLIVEN	78	70.5	28.2	1.3	43	67.4	32.6	-	28	39.3	53.6	7.1
HASKOVO	117	73.5	22.2	4.3	35	68.6	25.7	5.7	45	51.1	35.6	13.3
KURDJALI	43	72.1	18.6	9.3	18	27.8	55.6	16.7	22	40.9	31.8	27.3
SHOUMEN	65	64.6	32.3	3.1	28	60.7	39.3	-	30	40.0	30.0	30.0
TURGOVISHTE	36	72.2	16.7	11.1	19	52.6	42.1	5.3	21	28.6	42.8	28.6

**CANCER PREVALENCE IN BULGARIA 2006**  
**DISTRIBUTION BY PRIMARY SITE AND SEX**

CODE ICD-10	SITE	NUMBER	MALE CRUDE DATA 100 000	%	NUMBER	FEMALE CRUDE DATA 100 000	%	NUMBER	TOTAL CRUDE DATA 100 000	%	CODE ICD 9
<b>C00-C97</b>	<b>ALL SITES</b>	<b>102061</b>	<b>2734.7</b>	<b>100.0</b>	<b>146560</b>	<b>3694.6</b>	<b>100.0</b>	<b>248621</b>	<b>3229.3</b>	<b>100.0</b>	<b>140-208</b>
C00-C14	LIP, ORAL CAVITY AND PHARYNX	7035	188.5	6.9	2327	58.7	1.6	9362	121.6	3.8	140-149
C00	LIP	4639	124.3	4.5	1174	29.6	0.8	5813	75.5	2.3	140
C15-C26	DIGESTIVE ORGANS	19833	531.4	19.4	16559	417.4	11.3	36392	472.7	14.6	150-157, 159
C15	ESOPHAGUS	343	9.2	0.3	133	3.4	0.1	476	6.2	0.2	150
C16	STOMACH	3610	96.7	3.5	2330	58.7	1.6	5940	77.2	2.4	151
C18	COLON	7120	190.8	7.0	6934	174.8	4.7	14054	182.5	5.7	153
C19-C21	RECTUM AND ANUS	6174	165.4	6.0	5031	126.8	3.4	11205	145.5	4.5	154
C22	LIVER AND INTRAHEPATIC BILE DUCTS	683	18.3	0.7	475	12.0	0.3	1158	15.0	0.5	155
C25	PANCREAS	1333	35.7	1.3	1039	26.2	0.7	2372	30.8	1.0	157
C30-C39	RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	13644	365.6	13.4	2455	61.9	1.7	16099	209.1	6.5	160-165
C32	LARYNX	4664	125.0	4.6	329	8.3	0.2	4993	64.9	2.0	161
C33,C34	TRACHEA, BRONCHUS AND LUNG	8570	229.6	8.4	1893	47.7	1.3	10463	135.9	4.2	162
C40-C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	435	11.7	0.4	378	9.5	0.3	813	10.6	0.3	170
C43-C44	SKIN	27097	726.0	26.5	26973	679.9	18.4	54070	702.3	21.8	172, 173
C43	MELANOMA OF SKIN	1500	40.2	1.5	1795	45.2	1.2	3295	42.8	1.3	172
C45-C49	MESOTHELIAL, CONNECTIVE AND OTHER SOFT TISSUES	1373	36.8	1.3	1362	34.3	0.9	2735	35.5	1.1	158, 163, 171
C50	BREAST	363	9.7	0.4	43362	1093.1	29.5	43725	567.9	17.7	174, 175
C51-C58	FEMALE GENITAL ORGANS	-	-	-	38553	971.9	26.3	38553	500.8	15.5	179-184
C53	CERVIX UTERI	-	-	-	13483	339.9	9.2	13483	175.1	5.4	180
C54	CORPUS UTERI	-	-	-	16559	417.4	11.3	16559	215.1	6.7	182
C55	UTERUS, NOS	-	-	-	248	6.2	0.2	248	3.2	0.1	179
C56	OVARY	-	-	-	6598	166.3	4.5	6598	85.7	2.7	183.0
C60-C63	MALE GENITAL ORGANS	12441	333.3	12.2	-	-	-	12441	161.6	5.0	185-187
C61	PROSTATE GLAND	9097	243.7	8.9	-	-	-	9097	118.2	3.7	185
C64-C68	URINARY TRACT	10264	275.0	10.1	3768	95.0	2.6	14032	182.3	5.6	188-189
C67	BLADDER	7714	206.7	7.6	2024	51.0	1.4	9738	126.5	3.9	188
C69-C72	EYE, BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	1675	44.9	1.6	1603	40.4	1.1	3278	42.6	1.3	190-192
C69	EYE AND ADNEXA	288	7.7	0.3	284	7.2	0.2	572	7.4	0.2	190
C71	BRAIN	1236	33.1	1.2	1109	28.0	0.8	2345	30.5	0.9	191
C73-C75	THYROID AND OTHER ENDOCRINE GLANDS	817	21.9	0.8	3177	80.1	2.2	3994	51.9	1.6	193-194
C73	THYROID GLAND	709	19.0	0.7	3071	77.4	2.1	3780	49.1	1.5	193
C76-C80	OTHER AND ILL-DEFINED SITES	1991	53.3	2.0	1607	40.5	1.1	3598	46.7	1.4	195-199
C81-C96	LYMPHATIC AND BLOOD-FORMING TISSUES	5093	136.5	5.0	4436	111.8	3.0	9529	123.8	3.8	200-208
C81	HODGKIN'S DISEASE	1196	32.0	1.2	998	25.2	0.7	2194	28.5	0.9	201
C82-C85	NON-HODGKIN'S LYMPHOMAS	1357	36.4	1.3	1272	32.1	0.9	2629	34.1	1.1	200, 202
C91-C95	LEUKAEMIA	1894	50.7	1.9	1631	41.1	1.1	3525	45.8	1.4	204-208
C91	LYMPHOID LEUKAEMIA	981	26.3	1.0	776	19.6	0.5	1757	22.8	0.7	204
C92	MYELOID LEUKAEMIA	574	15.4	0.6	498	12.6	0.3	1072	13.9	0.4	205

**CANCER MORTALITY IN BULGARIA 2006**  
**DISTRIBUTION OF DEATHS BY PRIMARY SITES AND SEX**

CODE ICD-10	SITE	NUMBER	MALES CRUDE DATA 100 000	%	NUMBER	FEMALES CRUDE DATA 100 000	%	NUMBER	TOTAL CRUDE DATA 100 000	%
<b>C00-97</b>	<b>ALL SITES</b>	<b>10271</b>	<b>275.2</b>	<b>100.0</b>	<b>7278</b>	<b>183.5</b>	<b>100.0</b>	<b>17549</b>	<b>227.9</b>	<b>100.0</b>
C00	LIP	20	0.5	0.2	9	0.2	0.1	29	0.4	0.2
C01-02	TONGUE	138	3.7	1.3	51	1.3	0.7	189	2.5	1.1
C03-06	MOUTH	53	1.4	0.5	17	0.4	0.2	70	0.9	0.4
C07-08	SALIVARY GLANDS	28	0.8	0.3	9	0.2	0.1	37	0.5	0.2
C09	TONSIL	23	0.6	0.2	2	0.1	0.0	25	0.3	0.1
C10	OTHER OROPHARYNX	23	0.6	0.2	8	0.2	0.1	31	0.4	0.2
C11	NASOPHARYNX	24	0.6	0.2	3	0.1	0.0	27	0.4	0.2
C12-13	HYPOPHARYNX	60	1.6	0.6	17	0.4	0.2	77	1.0	0.4
C14	PHARYNX UNSPECIFIED	30	0.8	0.3	10	0.2	0.1	40	0.5	0.2
C15	OESOPHAGUS	156	4.2	1.5	38	1.0	0.5	194	2.5	1.1
C16	STOMACH	910	24.4	8.9	626	15.8	8.6	1536	20.0	8.8
C17	SMALL INTESTINE	32	0.9	0.3	7	0.2	0.1	39	0.5	0.2
C18	COLON	793	21.2	7.7	625	15.8	8.6	1418	18.4	8.1
C19-21	RECTUM AND ANUS	602	16.1	5.9	423	10.7	5.8	1025	13.3	5.8
C22	LIVER	583	15.6	5.7	363	9.2	5.0	946	12.3	5.4
	GALLBLADDER AND EXTRAHEPATIC									
C23-24	BILE DUCTS	53	1.4	0.5	87	2.2	1.2	140	1.8	0.8
C25	PANCREAS	520	13.9	5.1	379	9.6	5.2	899	11.7	5.1
C30-31	NOSE, SINUSES	22	0.6	0.2	8	0.2	0.1	30	0.4	0.2
C32	LARYNX	368	9.9	3.6	20	0.5	0.3	388	5.0	2.2
C33-34	TRACHEA, BRONCHUS, LUNG	2777	74.4	27.0	560	14.1	7.7	3337	43.3	19.0
C37-38	OTHER THORACIC ORGANS	27	0.7	0.3	22	0.6	0.3	49	0.6	0.3
C40-41	BONE	71	1.9	0.7	47	1.2	0.6	118	1.5	0.7
C43	MELANOMA OF SKIN	90	2.4	0.9	69	1.7	1.0	159	2.1	0.9
C44	OTHER SKIN	77	2.1	0.8	44	1.1	0.6	121	1.6	0.7
C45	MESOTHELIOMA	1	0.0	0.0	2	0.1	0.0	3	0.0	0.0
C46	KAPOSI'S SARCOMA	3	0.1	0.0	4	0.1	0.1	7	0.1	0.0
C47,C49	CONNECTIVE AND SOFT TISSUE	8	0.2	0.1	17	0.4	0.2	25	0.3	0.1
C50	BREAST	29	0.8	0.3	1245	31.4	17.2	1274	16.5	7.2
C51	VULVA	-	-	-	55	1.4	0.8	55	0.7	0.3
C52	VAGINA	-	-	-	17	0.4	0.2	17	0.2	0.1
C53	CERVIX UTERI	-	-	-	335	8.4	4.6	335	4.4	1.9
C54	CORPUS UTERI	-	-	-	271	6.8	3.7	271	3.5	1.5
C55	UTERUS UNSPECIFIED	-	-	-	178	4.5	2.4	178	2.3	1.0
C56	OVARY	-	-	-	447	11.3	6.1	447	5.8	2.6
C57	OTHER FEMALE GENITAL ORGANS	-	-	-	31	0.8	0.4	31	0.4	0.2
C58	PLACENTA	-	-	-	-	-	-	-	-	-
C60	PENIS	18	0.5	0.2	-	-	-	18	0.2	0.1
C61	PROSTATE	799	21.4	7.8	-	-	-	799	10.4	4.6
C62	TESTIS	51	1.4	0.5	-	-	-	51	0.7	0.3
C63	OTHER MALE GENITAL ORGANS	4	0.1	0.0	-	-	-	4	0.1	0.0
C64	KIDNEY	222	5.9	2.2	96	2.4	1.3	318	4.1	1.8
C65	RENAL PELVIS	8	0.2	0.1	3	0.1	0.0	11	0.1	0.1
C66	URETER	9	0.2	0.1	12	0.3	0.2	21	0.3	0.1
C67	BLADDER	387	10.4	3.8	115	2.9	1.6	502	6.5	2.9
C68	OTHER URINARY ORGANS	9	0.2	0.1	4	0.1	0.1	13	0.2	0.1
C69	EYE	9	0.2	0.1	9	0.2	0.1	18	0.2	0.1
C70-72	BRAIN, NERVOUS SYSTEM	368	9.9	3.6	278	7.0	3.8	646	8.4	3.7
C73	THYROID	22	0.6	0.2	34	0.9	0.5	56	0.7	0.3
C74	ADRENAL GLAND	13	0.3	0.1	13	0.3	0.2	26	0.3	0.2
C75	OTHER ENDOCRINE GLANDS	1	0.0	0.0	7	0.2	0.1	8	0.1	0.1
C81	HODGKIN'S DISEASE	48	1.3	0.5	28	0.7	0.4	76	1.0	0.4
C82-85, C96	NON-HODGKIN'S LYMPHOMA	122	3.3	1.2	95	2.4	1.3	217	2.8	1.2
C88	IMMUNOPROLIFERATIVE DISEASES	2	0.1	0.0	1	0.0	0.0	3	0.0	0.0
C90	MULTIPLE MYELOMA	48	1.3	0.5	40	1.0	0.6	88	1.1	0.5
C91	LYMPHOID LEUKAEMIA	94	2.5	0.9	53	1.3	0.7	147	1.9	0.8
C92	MYELOID LEUKAEMIA	91	2.4	0.9	71	1.8	1.0	162	2.1	0.9
C93	MONOCYTIC LEUKAEMIA	1	0.0	0.0	1	0.0	0.0	2	0.0	0.0
C94	OTHER LEUKAEMIAS	11	0.3	0.1	16	0.4	0.2	27	0.4	0.2
C95	LEUKAEMIA UNSPECIFIED	39	1.0	0.4	29	0.7	0.4	68	0.9	0.4
C26,C39, C48, C76, C80	OTHERS AND UNSPECIFIED SITES	341	9.1	3.3	304	7.7	4.2	645	8.4	3.7
C00-97 BUT C44	ALL SITES BUT NON-MELANOMA SKIN	10194	273.1	99.2	7234	182.4	99.4	17428	226.4	99.3

БЪРЗО ИЗВЕСТИЕ			
за задължително съобщаване за злокачествено заболяване			
1. Здравно заведение			
(обслужващ онк. диспансер)			
2. Пореден №	3. Съобщава се:		
	съмнителен новозаболял по смърт. акт открит при аутоп.		
6. Име	4. Пол		
соб. 8	1 2 3 4 9		
баш.	М Ж 10		
фам. 34	5. Възраст		
35 47 56	12		
7. Местожителство			
населено място	57 61		
община	гр. с. 62 64		
област	65		
9. Адрес:			
10. Месторабота:			
11. Професия:			
12. Социална група:			
13. Клинична диагноза:			
МКБ 68			
69 на дата 72			
73 М Год. 76			
14. Клинична класификация: (при операция - след оперативната)			
T 77	N 78	M 79	стадий 81
клинично 1 рентгенолог. 2	хир. интерв. без хистол. 3 хир. интерв. с хистол. 4 5	цитологично 3 аутопсия без хист. 6 аутопсия с хистол. 7 други методи 8 непосочено 9	82
15. Начин на доказване:			
МКБ			
16. Морфологична диагноза:			
83 на дата 87			
88 М Год. 91			
17. Поставена в: (здрав. заведение)	Попълнил: _____ (име, фамилия)		

Бл. МНЗ експ. '89

#### RAPID NOTIFICATION:

- |  |  |                                    |
|--|--|------------------------------------|
| 1. Health establishment;   | 6. Name, Personal Identification Number; | 12. Social class;                  |
| 2. Registration number;  | 7. Place of residence;                   | 13. Clinical diagnosis;            |
| 3. Notify: suspected, newly cases, death certificate, cases found incidentally at autopsy; | 8. Marital status;                       | 14. TNM system and stage;          |
| 4. Sex;  | 9. Address;                              | 15. Most valid basis of diagnosis; |
| 5. Age;  | 10. Place of work;                       | 16. Morphological diagnosis;       |
|  | 11. Occupation;                          | 17. Notified by... and date        |